

Report to Maine Center for Disease Control and Prevention



Paul R. LePage, Governor

Ricker Hamilton, Commissioner

2017 Parent Survey Report

PREPARED BY

PAN ATLANTIC
RESEARCH

217 COMMERCIAL ST, SUITE 303,
PORTLAND, MAINE 04101

TELEPHONE: 207.221.8877

WWW.PANATLANTICRESEARCH.COM

Table of Contents

I. BACKGROUND, OBJECTIVES, & METHODOLOGY	3
II. EXECUTIVE SUMMARY & ANALYSIS	10
III. FINDINGS	
• PARENTAL ATTITUDES REGARDING ALCOHOL USE	17
• PARENTAL BEHAVIORS RELATED TO ALCOHOL USE	33
• PARENTAL INFLUENCE	39
• CURRENT & PROJECTED TEEN ALCOHOL USE	42
• PARENTAL ATTITUDES REGARDING MARIJUANA USE	53
• CURRENT TEEN MARIJUANA USE	65
• PARENTAL ATTITUDES REGARDING PRESCRIPTION DRUG USE	69
• PARENTAL BEHAVIORS RELATED TO PRESCRIPTION DRUG USE	80
• AWARENESS OF PUBLIC INFORMATION REGARDING PREVENTING TEENAGE SUBSTANCE USE	85
IV. RESPONDENT PROFILE	89
APPENDIX A: SURVEY INSTRUMENT	
APPENDIX B: CROSS TABULATIONS	

BACKGROUND, OBJECTIVES, & METHODOLOGY

Background, Objectives, & Methodology

Background

- In 2006, the Maine Office of Substance Abuse and Mental Health Services (SAMHS) commissioned Pan Atlantic Research, a Maine-based marketing research and consulting firm, to conduct baseline quantitative market research with parents of teenagers throughout the state on a range of issues related to underage drinking. The 2006 research was a component of a broader project being conducted in preparation for a parent social marketing campaign, the objective of which was to reduce teenage drinking in the State of Maine through improved parenting techniques and enhanced parental involvement. Pan Atlantic Research has subsequently conducted benchmarking research on this project for SAMHS and the Maine Center for Disease and Control in 2007, 2008, 2009, 2011, 2013, 2015 and now in 2017.
- Since 2008, the research has been designed to be more directly comparable to the 2009 (and future) Maine Integrated Youth Health Surveys (MIYHS). Also since 2008, the sample has been stratified on a statewide basis according to Maine's eight public health districts (150 completed surveys per PHD). Additionally, the sample composition since 2008 includes parents of 7th to 12th graders (200 per grade – 1,200 total). The survey was redesigned in 2017 to increase the emphasis on questions relating to teenage use of marijuana and prescription drugs.
- This report details the findings of the 2017 survey, as well as comparisons to previous reports, as applicable.

Background, Objectives, & Methodology

Objectives

Specific project research objectives are to evaluate:

- ✓ **Parental Attitudes Towards Teenage Substance Use**
 - Parental attitudes toward use of alcohol, marijuana, and prescription drugs
 - Ratings of various potential risks of each substance

- ✓ **Parental Behaviors Related to Teenage Substance Use**
 - How parents most commonly talk to their child regarding alcohol, marijuana, and prescription drugs
 - Whether alcohol and prescription drugs in the house are accessible to teens
 - Parental behaviors employed to prevent teens from drinking alcohol and taking prescription drugs

- ✓ **Parental Influence with Regard to Alcohol Use**
 - Various agree / disagree statements related to attitudes regarding parental influence over teen drinking behaviors

Background, Objectives, & Methodology

Objectives (cont.)

- ✓ **Current and Projected Teen Substance Use**
 - Extent to which parents believe that their teen has had alcohol in 1) the past 30 days and 2) in the past 2 weeks to excess (binge drinking)
 - If parents do not believe that their teen is currently participating in these behaviors, the likelihood that they will be by the time they graduate from high school
 - Extent to which parents believe their teen has used marijuana or prescription drugs in the past 30 days

- ✓ **Communications / Outreach**
 - Awareness of recent information regarding teenage substance use
 - Where parents would seek out information regarding the prevention of teenage substance use

Background, Objectives, & Methodology

Methodology

- In order to meet the stated objectives of this market research project, a telephone survey lasting approximately 13-14 minutes on average was conducted with parents of teenagers (grades 7-12) statewide. The survey instrument was developed by Pan Atlantic Research in conjunction with the Maine CDC and its marketing partner, Rinck Advertising, and approved prior to being fielded. (Please see copy in Appendix A following this report.)
- Parents living in a household in which a family member works for an alcoholic beverage company, the media or a market research or advertising company were screened out. All surveys were conducted between May 1st and June 22nd, 2017.
- The sample was stratified on a statewide basis according to public health districts. One hundred fifty (150) respondents were surveyed in each of Maine's eight public health districts (total 1,200).
- Two hundred (200) parents of students in each grade 7th through 12th were surveyed for a total of 1,200 completed surveys.

Background, Objectives, & Methodology

- Based on the population of children in the 7th through 12th grades in Maine (estimated at 83,260; Source: Maine Department of Education), the survey's margin of error is ± 2.81 percent at the 95 percent confidence level. If the survey were to be repeated, 95 times out of 100 the results would reflect the results of this survey within the ± 2.81 percent margin of error. However, the margins of error for individual public health districts are higher.
- Please note that not all figures will total 100.0% due to the rounding of decimals and the option to give multiple responses to certain questions.

Background, Objectives, & Methodology

- The 2017 Stratification Plan is as follows:

Public Health District	Counties	Estimated Enrollment (Grades 7-12)	Sampling Plan	Actual Sampling	Margin of Error
York	York	12,602	150	150	± 7.96
Cumberland	Cumberland	17,889	150	150	± 7.97
Western	Androscoggin Franklin Oxford	12,974	150	150	± 7.96
Midcoast	Knox Lincoln Sagadahoc Waldo	8,469	150	150	± 7.93
Central	Kennebec Somerset	11,037	150	150	± 7.95
Penquis	Penobscot Piscataquis	11,007	150	150	± 7.95
DownEast	Hancock Washington	4,803	150	150	± 7.88
Aroostook	Aroostook	4,479	150	150	± 7.87
	TOTAL	83,260	1,200	1,200	± 2.81

Grade	7 th	8 th	9 th	10 th	11 th	12 th
Estimated Enrollment	13,451	13,543	14,167	14,070	14,003	14,026
Surveys	200	200	200	200	200	200
Margin of Error	± 6.88	± 6.88	± 6.88	± 6.88	± 6.88	± 6.88

Grade level enrollment estimations based on Maine DOE data for public and private school students.

EXECUTIVE SUMMARY & ANALYSIS

Executive Summary & Analysis – Parental Attitudes towards Substance Use

- **Acceptability of Consumption:**
 - 88.8% of parents feel that drinking alcohol by their child or teenager is never acceptable
 - 61.8% feel this way about marijuana consumption (a steep decline from the level recorded in 2013 of 80.9%).
 - 97.2% feel this way about prescription drug use by their child or teenager
 - **Correlating with this data, 4 of the 5 potential risks of alcohol consumption tested were rated at least a 4.0 on a 5-point scale. The same was true for 2 out of 6 potential risks of marijuana, and all five potential risks of prescription drugs.**

- **Unaided Reasons to Avoid Consumption:**
 - **Alcohol: (1) Illegal / Against the law, (2) Not healthy, (3) Not mature enough / Too young**
 - **Marijuana: (1) Brain development, (2) Not healthy, (3) Poor decisions / Bad judgment**

- **Most Worrisome Potential Risks for Parents:**
 - **Alcohol: (1) Unwanted / Unprotected sex, (2) Brain development (3) Possibility of drinking and driving and/or trouble with the police**
 - **Marijuana: (1) Brain development, (2) Lose motivation and drive, (3) Possibility of trouble with the police**
 - **Prescription drugs: (1) Could move on to other drugs, (2) Brain development, (3) Possibility of addiction**

Executive Summary & Analysis – Parental Behaviors Regarding Substance Use

- **Parental Behaviors:**
 - **In talking to their children about alcohol use, parents most frequently emphasize (1) It can damage their future, (2) It is illegal, and (3) Never drink and drive.**
 - **The CDC Parent Campaign should continue to emphasize these three key messages in relation to teen alcohol use.**
 - **37.0% of parents believe that their children could access alcohol in the household without their knowing, while 18.4% believe the same for prescription medications.**
 - **64.1% of parents agree that if their child drank alcohol without their permission, they would catch them.**
 - **95.8% agree that they have a strong influence over their teenager’s behavior relating to alcohol use, and that the rules in their family regarding alcohol use are clear.**

Executive Summary & Analysis – Parental Behaviors Regarding Substance Use

- **Parental behaviors to prevent substance use by their child:**
 - **Alcohol: (1) Limit access to alcohol, (2) Enforce household rules regarding alcohol, (3) Talk to the child when they come home.**
 - *Note here that “Communication” was not included as an option for behavior to prevent alcohol use, as it is persistently by far the #1 choice*
 - **The top 3 parental behaviors with regard to teen alcohol use have been consistent themes in the ongoing (SAMHS / CDC) media campaign. These should continue to be reinforced, in addition, of course, to the need for frequent communications with their children.**
 - **Prescription drugs: (1) Do not keep prescription drugs in the house, (2) Communication / Talking to teen, (3) Hide or lock up prescription medications.**
 - **As with the alcohol messaging themes outlined above, these key behavioral messages should also be reinforced.**

Executive Summary & Analysis – Children’s Substance Use Behavior

In the past 30 days, child has consumed ...	<u>2017 Parent Survey Responses</u>	<u>2017 Student Survey Responses*</u>
...more than a few sips of alcohol	5.4%	3.7% - 22.5% <i>(MS)</i> <i>(HS)</i>
...five or more alcoholic beverages on any one occasion	1.1%	1.2% - 8.2% <i>(MS)</i> <i>(HS)</i>
...marijuana	5.3%	3.6% - 19.3% <i>(MS)</i> <i>(HS)</i>
...prescription medication that was not prescribed to them	0.8%	1.5% - 5.9% <i>(MS)</i> <i>(HS)</i>

- **We continue to see a wide disparity between parent (2017) and student (2015) responses** on reported use (high school students) and parent perceptions of use for alcohol, marijuana, and prescription drugs.
 - **This reinforces the need for parents to have continued communication with their teenage children regarding the risks associated with alcohol, marijuana, and prescription drugs (non-prescribed usage).**

*Student data drawn from 2017 Maine Integrated Youth Health Survey

Executive Summary & Analysis – Sources of Information

- **Information sources used and sought out:**
 - **Where information is seen**
 - **The top place that parents have seen or heard information regarding teenage substance use are advertisements on television (28.5%), materials and information from school and school meetings (21.7% combined), and advertisements on the radio (8.7%). In addition, 7.3% report getting information social media**
 - **A quarter of respondents (26.4%) report that they did not see or hear any information about teenage substance use in the past 12 months.**
 - **Where information would be sought**
 - **By far the most frequent place parents would look for information about teenage substance use is “Google searches” (53.2%). Other top sources of information include “Medical staff or practitioners,” (23.8%), “School staff or materials” (15.2%), or “Health / Alcohol abuse organizations” (11.6%).**
 - **Cumberland PHD parents are most likely to seek information from “Medical staff or practitioners (39.3%) or “Health / Alcohol abuse organizations (17.3%). Despite the fact that they have the highest recall of seeing information about teenage substance use, parents in the Downeast PHD are least likely to seek information from “Health / Alcohol abuse organizations” (6.0%) and second-least likely to seek information from “Medical staff or practitioners” (17.3%).**

Executive Summary & Analysis – Demographic Notes

- **Brain development** is a major concern for parents of both sons and daughters. However, some risks apply disproportionately to parents of children of each gender:
 - **Daughters** – Unwanted or unprotected sexual behavior
 - **Sons** – Motivation, Addiction, Trouble with the police

- In general, younger parents show similar levels of concern about alcohol and marijuana to their older counterparts; however, **younger parents show significantly elevated levels of awareness and concern about prescription drug use.**

- **Attitudes towards different substances vary by socio-economic status (income and education):**
 - **Parents in households with higher SES show higher levels of concern about marijuana and prescription drug misuse.** They also indicate allowing more unsupervised access to alcohol in their homes and greater concerns about potential legal consequences of consuming alcohol, marijuana, and prescription medication.
 - **Parents in households with lower SES show higher levels of concern about underage alcohol consumption and stricter attitudes and behaviors regarding alcohol in the household.**


- **This disparity has also been noted in previous iterations of this report, and offers opportunities for targeted segment messaging.**

FINDINGS: PARENTAL ATTITUDES REGARDING ALCOHOL USE

Attitude Toward Underage Drinking: *BENCHMARKED*

Q1: "Which of the following best describes your attitude toward underage drinking? Underage drinking is:"

"Underage Drinking is:"




- The percentage of parents describing underage drinking as “never ok” has increased slightly since 2015 to 88.8%, reversing the trend of increasing acceptance of underage drinking seen since 2009. The percentage of parents saying that underage is “ok under certain circumstances” (7.8%) and “ok as long as I am there to supervise” (2.2%) have also declined.

Attitude Toward Underage Drinking: *BY PUBLIC HEALTH DISTRICT*

Q1: "Which of the following best describes your attitude toward underage drinking? Underage drinking is:"

"Underage Drinking is Never OK" BY PUBLIC HEALTH DISTRICT



- The percentage of respondents who indicated that underage drinking is "never ok" ranges between 84.0% in the Aroostook PHD and 92.0% in the Penquis PHD.

Attitude Toward Underage Drinking: *SEGMENTATION*

Q1: "Which of the following best describes your attitude toward underage drinking? Underage drinking is:"


- The table below illustrates the demographics of parents who are more or less likely to feel that underage drinking is "never ok":

More Likely	Less Likely
✓ Parents who consume alcohol rarely or never (90.6%) or monthly (90.7%)	✓ Parents who consume alcohol daily (85.8%)
✓ Parents under the age of 45 (90.8%)	✓ Parents 45 and older (87.7%)
✓ Parents with high school degree or less (90.7%), some college / 2 year degree (89.9%)	✓ Parents with a 4 year degree or more (87.1%)
✓ Parents with household incomes of less than \$50,000 (90.0%), \$50,000 to less than \$100,000 (89.4%)	✓ Parents with household incomes of \$100,000 or more (84.6%)

Top Reasons for Not Wanting Child to Drink Alcohol* (UNAIDED)

Q2: "What are the top two reasons you don't want your child to drink alcohol?" [Unaided]

Top 2 Reasons for Not Wanting Child to Drink Alcohol (UNAIDED)



- The top reasons why parents do not want their child to drink alcohol are “Illegal / Against the law” (34.3% named this in their top two reasons for not wanting their child to drink alcohol), “Not healthy / Health reasons” (26.2%), “Not mature enough / Too young” (26.1%), and “Poor decisions / Bad judgement” (26.0%).

* For the full set of responses, please see the cross tabulation tables.

Risk Factors / Degree of Worry Regarding Specific Risks Associated with Teen Alcohol Use

Q3: "I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean 'not at all worrisome' and 5 would mean 'one of the most worrisome.'" [Options rotated]

Potential Risks of Teenage Drinking – SUMMARY CHART




- Four of the five potential risk factors evaluated rate above a 4.00 on a five point scale, with the other rating close to 4.00 at 3.98.
- The top concern is "Unwanted / Unprotected sexual behavior" (4.17), followed by "Teen's brain development might be negatively impacted" (4.11) and "Teen might drink and drive or get in trouble with the police" (4.10).

Degree of Worry that “Teen Might Be Involved in Unwanted and/or Unprotected Sexual Behavior”: *BENCHMARKED*

Q3: “I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen Might Be Involved in Unwanted and/or Unprotected Sexual Behavior” – BENCHMARKED
(Mean Rating)



- “Teen might be involved in unwanted and / or unprotected sexual behavior” is **the most worrisome risk** associated with teenage drinking in 2017.
- Worry regarding this risk has trended downward consistently since 2009.

Degree of Worry that “Teen Might Be Involved in Unwanted and/or Unprotected Sexual Behavior”: *SEGMENTATION*

Q3: “I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]


- The table below illustrates the demographics of parents who rate their degree of worry that their “teen might be involved in unwanted and / or unprotected sexual behavior” as higher or lower:

Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Downeast (4.26), York (4.24), Penquis (4.21), Midcoast (4.21)	✓ Western (4.11), Aroostook (4.00)
✓ Mothers (4.21)	✓ Fathers (4.10)
✓ Parents of daughters (4.20)	✓ Parents of sons (4.13)
✓ Married parents (4.20)	✓ Single parents (4.09)

Degree of Worry that “Teen’s Brain Development Might Be Negatively Impacted”: *BENCHMARKED*

Q3: “I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen’s Brain Development Might Be Negatively Impacted” – BENCHMARKED (Mean Rating)



- In 2017, “teen’s brain development might be negatively impacted” is the **second most worrisome** risk for parents.
- The mean response for this potential risk declined from its 2015 peak back to levels which are consistent with the 2011 and 2013 surveys.

Degree of Worry that “Teen’s Brain Development Might Be Negatively Impacted”: *SEGMENTATION*

Q3: “I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]


- The table below illustrates the demographics of parents who rate their degree of worry that their “teen’s brain development might be negatively impacted” as higher or lower:

Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ York (4.17), Central (4.19)	✓ Western (4.05), Downeast (4.04)
✓ Mothers (4.14)	✓ Fathers (4.05)
✓ Parents of middle schoolers (4.15)	✓ Parents of high schoolers (4.08)
✓ Single parents (4.23)	✓ Married parents (4.06)
✓ Parents of sons (4.22)	✓ Parents of daughters (4.03)

Degree of Worry that “Teen Might Drink and Drive and/or End Up in Trouble with the Police”: *BENCHMARKED*

Q3: “I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen Might Drink and Drive and/or End up in Trouble with the Police” –
BENCHMARKED
(Mean Rating)



- “Teen might drink and drive” is the number three worry of parents in 2017, at 4.10.
- The mean response for this potential risk follows the trend established from 2009 to 2013.

Degree of Worry that “Degree of Worry that “Teen Might Drink and Drive and/or End Up in Trouble with the Police”: *SEGMENTATION*

Q3: “I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]


- The table below illustrates the demographics of parents who rate their degree of worry that their teen “might drink and drive and/or end up in trouble with the police” as higher or lower:

Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Downeast (4.25), Cumberland (4.17)	✓ Penquis (3.83), Midcoast (4.05)
✓ Fathers (4.15)	✓ Mothers (4.06)
✓ Parents of sons (4.13)	✓ Parents of daughters (4.07)
✓ Parents with household incomes above \$100,000 (4.31)	✓ Parents with household incomes of less than \$50,000 (4.05) or \$50,000 to less than \$100,000 (4.09)
✓ Parents holding a high school diploma or less (4.06) or some college (3.96)	✓ Parents with at least a 4-year degree (4.22)

Degree of Worry that “Teen’s Grades Might Suffer”: *BENCHMARKED*

Q3: “I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen’s Grades Might Suffer” – BENCHMARKED
(Mean Rating)



- “Teen’s grades might suffer” is the **fourth most worrisome** potential risk to parents (4.02).
- The mean response for this potential risk has remained fairly static since 2013.

Degree of Worry that “Teen’s Grades Might Suffer”: *SEGMENTATION*

Q3: “I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]


- The table below illustrates the demographics of parents who rate their degree of worry that their “teen’s grades might suffer” as higher or lower:

Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Midcoast (4.27), York (4.15)	✓ Downeast (3.83), Central (3.87), Penquis (3.91)
✓ Parents who drink rarely or never (4.09)	✓ Parents who drink weekly or daily (3.93)
✓ Parents with a high school degree or less (4.12), or with some college (4.17)	✓ Parents with a 4-year degree or more (3.85)

Degree of Worry that “Teen Might Drink to Excess or Become Addicted to Alcohol”: *BENCHMARKED*

Q3: “I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen Might Drink to Excess or Become Addicted to Alcohol” – BENCHMARKED
(Mean Rating)



- Although it is the fifth-ranked out of the five potential risks tested, a significant number of parents consider “teen might drink to excess or become addicted to alcohol” a worrisome risk (mean 3.98).
- The mean response for this potential risk has returned to the levels recorded in 2013 (3.98).

Degree of Worry that “Teen Might Drink to Excess or Become Addicted to Alcohol”: *SEGMENTATION*

Q3: “I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

- The table below illustrates the demographics of parents who rate their degree of worry about their teen “drinking to excess or becoming addicted to alcohol” as higher or lower:

Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Downeast (4.11), Midcoast (4.09), Central (4.08)	✓ Western (3.83), Penquis (3.88)
✓ Parents of middle schoolers (4.03)	✓ Parents of high schoolers (3.96)
✓ Parents of sons (4.03)	✓ Parents of daughters (3.95)
✓ Parents age 44 or younger (4.07)	✓ Parents age 45 or older (3.94)

FINDINGS: PARENTAL BEHAVIORS RELATED TO ALCOHOL USE

Statement that Most Accurately Reflects How Parents Commonly Talk to Teen REGARDING ALCOHOL USE: *BENCHMARKED*

Q4: “There are many ways to talk to teens about drinking. Please tell me which of the following statements reflects how you most commonly talk to your child REGARDING ALCOHOL USE.” [Options rotated; only one response selected]


Top Answer	2009	2011	2013	2015	2017
I don't want you to drink because alcohol can damage your future.	36.2%	37.3%	36.2%	36.1%	34.2%
I don't want you to drink because it's illegal until you are 21.	20.1%	20.0%	20.3%	18.8%	22.1%
I don't want you to drink, but if you're going to do it you must never drive.	19.7%	18.7%	17.3%	17.6%	18.8%
I don't want you to drink because it's not healthy for someone your age.	17.2%	17.0%	18.7%	20.0%	18.0%
I don't want you to drink, but if you're going to do it, do it only at home where I can supervise.	4.6%	5.4%	5.3%	4.8%	6.4%
<i>Other (Don't know, N/A, etc.)</i>	2.3%	1.7%	2.2%	2.8%	0.6%

- Overall, there has been no significant change in how parents talk to their child regarding alcohol use.
- Respondents reported that “I don't want you to drink because alcohol can damage your future” (34.2%) has been the most common strategy used since 2009. This is followed by “I don't want you to drink because it's illegal until you are 21” (22.1%), “I don't want you to drink, but if you're going to do it you must never drive” (18.8%), and “I don't want you to drink because it's not healthy for someone your age” (18.0%).
- As in previous years, “I don't want you to drink, but if you're going to do it, do it only at home where I can supervise” comes in lowest, at 6.4%.

Accessibility of Parent-Purchased Alcohol without Parental Knowledge: *BENCHMARKED*

Q5: "Would your teen be able to access any alcohol that you have purchased without your knowledge?"


Accessibility of Parent-Purchased Alcohol without Parental Knowledge - BENCHMARKED



- The percentage of parents reporting that their teen would be able to access alcohol that they have purchased without their knowledge decreased somewhat from previously recorded levels to 37.0%.

Accessibility of Parent-Purchased Alcohol without Parental Knowledge: *BY PUBLIC HEALTH DISTRICT*

Q5: "Would your teen be able to access any alcohol that you have purchased without your knowledge?"



- Parents in the Downeast (45.3%) and Cumberland (42.7%) PHDs are the most likely to report that their teen has access to alcohol that they (parents) have purchased without their knowledge, while parents in the Western (29.3%) and Midcoast (30.7%) PHDs are the least likely to have reported this.

Accessibility of Parent-Purchased Alcohol without Parental Knowledge: *SEGMENTATION*

Q5: "Would your teen be able to access any alcohol that you have purchased without your knowledge?"


- The table below illustrates additional demographics of parents who are more or less likely to feel that their teen would be able to access alcohol that they (parents) have purchased without them knowing:

More Likely	Less Likely
✓ Parents 45 and older (38.9%)	✓ Parents under the age of 45 (33.6%)
✓ Married parents (39.1%)	✓ Single parents (31.5%)
✓ Parents with a 4 year degree or more (42.4%)	✓ Parents with a high school degree or less (27.9%)
✓ Parents with household incomes of \$100,000 or more (53.7%)	✓ Parents with household incomes of less than \$50,000 (33.3%) , \$50,000 to less than \$100,000 (34.0%)
✓ Parents of high schoolers (38.6%)	✓ Parents of middle schoolers (33.8%)

Top Actions Taken to Prevent Teenager from Drinking Alcohol* (UNAIDED)

Q6: "Can you tell me two things that you do regularly to prevent your teenager from drinking alcohol?" [Unaided]

Top Actions Taken to Prevent Teenager from Drinking Alcohol




- When asked the top two actions that they (parents) take to prevent their teenager from drinking alcohol, the top answer is "Limit child's access to alcohol" (50.7% combined).
- Other top actions are "Enforce the rules that you make regarding alcohol use," (39.7%) and "Talk to your child when they come home about his/her night" (20.5%).

* For the full set of responses, please see the cross tabulation tables.

FINDINGS: PARENTAL INFLUENCE

Parental Perception that “If My Child Drank Alcohol Without My Permission, I Would Catch Him/Her”

Q7: “To what extent do you agree or disagree with the following statements?” Scale of 1 to 4, where 1 is ‘strongly disagree,’ and 4 is ‘strongly agree.’
[Scale rotated]




- A strong majority of respondents (64.1%) indicated that they agree with the statement that “if my child drank alcohol without my permission, I would catch him/her” (22.7% strongly, 41.4% agree).
- One third of respondents (33.8%) either disagree (30.0%) or strongly disagree (3.8%) with the statement.

PERCEPTIONS OF PARENTAL INFLUENCE

Parental Perception that “I Have a Strong Influence Over My Teenager’s Behavior Relating to Alcohol Use, and the Rules In Our Family Regarding Alcohol Use are Clear”

Q8: “To what extent do you agree or disagree with the following statements?” Scale of 1 to 4, where 1 is ‘strongly disagree,’ and 4 is ‘strongly agree.’
[Scale rotated]




- A very high majority of respondents (95.8%) indicated that they agree with the statement that “I have a strong influence over my teenager’s behavior relating to alcohol use, and the rules in our family regarding alcohol use are clear” (70.3% strongly, 25.5% agree). Note that the “strongly agree” factor is much higher for this statement.
- 3.7% of respondents either disagree (2.9%) or strongly disagree (0.8%) with the statement.

FINDINGS: CURRENT AND PROJECTED TEEN ALCOHOL USE

Perception of Child’s Honesty with Regard to Involvement with Alcohol: *BENCHMARKED*

Q8: “How honest do you think your child is with you about her / his involvement with alcohol?”
Scale of 1 to 5, where 1 is ‘not at all honest,’ and 5 is ‘very honest.’ [Options rotated]

Perception of Child’s Honesty with Regard to Involvement with Alcohol - BENCHMARKED
(Mean Rating)




- As in past years, parents report that their children are very honest with them about their involvement with alcohol (mean score of 4.43). This mean rating represents a small decline from the levels recorded between 2009 and 2015.
- Parents age 44 or younger (4.51) and married parents (4.45) are more likely to feel that their child is honest with regard to their involvement with alcohol than parents age 45 or older (4.39) or single parents (4.36).

Perception of Child’s Honesty with Regard to Involvement with Alcohol: *BY PUBLIC HEALTH DISTRICT*

Q8: “How honest do you think your child is with you about her / his involvement with alcohol?”
Scale of 1 to 5, where 1 is ‘not at all honest,’ and 5 is ‘very honest.’ [Options rotated]

Perception of Child’s Honesty with Regard to Involvement with Alcohol –
BY PUBLIC HEALTH DISTRICT
(Mean Rating)




- Mean perception of child’s honesty with regard to involvement with alcohol varied only slightly among PHDs.
- The highest rating was recorded in the Midcoast (4.62) and Central (4.53) PHDs, while the lowest was recorded in the Downeast (4.32) and York (4.33) PHDs.

Child's Recent Alcohol Use: *BENCHMARKED*

Q9: "Do you think that your child has had more than a few sips of alcohol in the past 30 days?"

Child's Past 30-Day Alcohol Use - BENCHMARKED




- 5.4% of respondents believe that their child has had more than a few sips of alcohol in the past 30 days (65 respondents). This represents a slightly elevated level compared to the results from 2009 to 2015.

Child's Recent Alcohol Use: *BY GRADE*

Q9: "Do you think that your child has had more than a few sips of alcohol in the past 30 days?"

**% Believing Child has had More than a Few Sips of Alcohol in the Past 30 Days
BY GRADE**




- Not surprisingly, the belief that one's child has had more than few sips of alcohol increases with the grade of the child: parents of 10th (6.5%), 11th (7.5%) and 12th (6.0%) graders are significantly more likely to think their teen has had alcohol recently than parents of students in grades 7 through 9 (3.5% to 5.5%).

Child's Recent Alcohol Use: *BY PUBLIC HEALTH DISTRICT*

Q9: "Do you think that your child has had more than a few sips of alcohol in the past 30 days?"

Believe Child has had More than a Few Sips of Alcohol in the Past 30 Days
BY PUBLIC HEALTH DISTRICT



- The percentage of parents who believe that their child has had more than a few sips of alcohol in the past 30 days ranges from 4.0% to 7.3% across the eight PHDs. The Western (4.0%) and Aroostook (4.0%) PHDs have the lowest reported percentages for this question, while the Cumberland (7.3%), York (6.7%), and Midcoast (6.7%) PHDs have the highest.

Child’s Recent Alcohol Use: *SEGMENTATION*

Q9: “Do you think that your child has had more than a few sips of alcohol in the past 30 days?”

- The table below outlines additional demographics of parents who are more or less likely to believe that their child has had more than a few sips of alcohol in the past 30 days:


More Likely	Less Likely
✓ Parents 45 and older (5.9%)	✓ Parents under the age of 45 (4.5%)
✓ Parents of sons (6.4%)	✓ Parents of daughters (4.7%)
✓ Parents with a 4-year degree or more (6.0%), parents with some college (5.7%)	✓ Parent with a high school diploma or less (4.1%)
✓ Parents who drink weekly or daily (8.4%)	✓ Parents who drink rarely or never (3.1%), parents who drink monthly (4.5%)

Child’s Binge Drinking Behavior: *BENCHMARKED*

Q10: “Do you think that your child has had five or more alcoholic beverages on any one occasion in the past two weeks?” *[Asked only of those parents who indicated believing that their child had drunk more than a few sips of alcohol in the past 30 days]*

Believe that Child has had Five or More Alcoholic Beverages on Any One Occasion in the Past Two Weeks – BENCHMARKED

[Note that raw counts, rather than percentages, are presented]




- Consistent with the increased parent perceptions of children’s recent alcohol use, the number of parents who believe that their child has had five or more alcoholic beverages on any occasion in the past two weeks is slightly higher than that recorded between 2009 and 2015. However, the overall level of perceived binge drinking remains very low.

Likelihood of Child Drinking Binge Drinking Before High School Graduation: *BENCHMARKED*

Q11: "How likely do you think it is that your child will have five or more alcoholic beverages on any one occasion before he/she graduates from high school?"
Scale of 1 to 4, where 1 is 'very unlikely,' and 4 is 'very likely.' [Options rotated; Asked of parents who do not believe that their child has had more than a few sips of alcohol in their lifetime or the past 30 days, or had five or more alcoholic beverages on any one occasion in the past two weeks; n=1,186]

Likelihood of Child Binge Drinking Before High School Graduation - BENCHMARKED




- A third of parents (33.4%) of parents believe that their child is "somewhat" or "very likely" to drink 5 or more alcoholic beverages on any one occasion before he / she graduates from high school, while two-thirds (66.4%) feel that this is "somewhat" or "very unlikely."
- These results reflect an increase in the number of parents who expect that their child will binge drink before graduating high school back to the levels recorded in 2009.

CURRENT AND PROJECTED TEEN ALCOHOL USE

Likelihood of Child Binge Drinking Before High School Graduation: *BENCHMARKED, BY PUBLIC HEALTH DISTRICT*

Q11: "How likely do you think it is that your child will have five or more alcoholic beverages on any one occasion before he/she graduates from high school?"
Scale of 1 to 4, where 1 is 'very unlikely,' and 4 is 'very likely.' [Options rotated; Asked of parents who do not believe that their child has had more than a few sips of alcohol in their lifetime or the past 30 days, or had five or more alcoholic beverages on any one occasion in the past two weeks]

Likelihood of Child Binge Drinking Before High School Graduation –
BENCHMARKED, BY PUBLIC HEALTH DISTRICT
(Mean Rating)



- For the most part, the perceived likelihood of a child drinking five or more alcoholic beverages on any one occasion before he / she graduates from high school does not vary significantly between PHDs. The exceptions are the Cumberland (1.85) and the Aroostook (1.87) PHDs, which have a somewhat lower mean rating compared to 2.01 for the state overall.

CURRENT AND PROJECTED TEEN ALCOHOL USE

Likelihood of Child Binge Drinking Before High School Graduation: *SEGMENTATION*

Q11: "How likely do you think it is that your child will have five or more alcoholic beverages on any one occasion before he/she graduates from high school?"
Scale of 1 to 4, where 1 is 'very unlikely,' and 4 is 'very likely.' [Options rotated; Asked of parents who do not believe that their child has had more than a few sips of alcohol in their lifetime or the past 30 days, or had five or more alcoholic beverages on any one occasion in the past two weeks]

- The table below illustrates additional demographics of parents who believe that their child is more or less likely to binge drink before high school graduation (of those who do not believe their child has done so already):

More Likely	Less Likely
✓ Mothers (2.05)	✓ Fathers (1.95)
✓ Parents earning less than \$50,000 (2.04), parents earning between \$50,000 and \$100,000 (2.03)	✓ Parents earning more than \$100,000 (1.89)
✓ Parents of middle schoolers (2.12)*	✓ Parents of high schoolers (1.96)*


* The perceived likelihood of a child binge drinking before high school graduation varies by grade and is higher amongst parents of middle schoolers vs. high schoolers (2.12 vs. 1.96). This may indicate that the further the child makes it without binge drinking, their chances of doing so decline (at least in terms of their parents' awareness / perceptions regarding this behavior).

FINDINGS: PARENTAL ATTITUDES REGARDING MARIJUANA USE

Attitude Toward Marijuana Use by Child: *BENCHMARKED*

Q12: "Which of the following best describes your attitude about marijuana use by your child or teenager? Marijuana use by my child is:"

"Marijuana Use by My Child is:"




- In 2017, six in ten parents (61.8%) feel that marijuana use by their child or teenager is “never ok.”
- This represents a continuation of the decline trend seen since 2013, when 80.9% of parents felt that marijuana use by their child was “never ok.” However, it appears as though this shift has largely been in the categories of “ok, if a doctor provides a written certificate,” or “ok once child is grown.”

* New question in 2013.

Attitude Toward Marijuana Use by Child: *BY PUBLIC HEALTH DISTRICT*

Q12: "Which of the following best describes your attitude about marijuana use by your child or teenager? Marijuana use by my child is:"

"Marijuana Use by Child is Never OK" – BY PUBLIC HEALTH DISTRICT



- Compared to the state average (61.8%), the percentage of respondents who indicated that marijuana use by their child or teenager is "never ok" is higher in the York (70.0%) and Penquis (66.0%) PHDs and lower in the Central (56.0%) and Western (57.3%) PHDs.

Attitude Toward Marijuana Use by Child: *SEGMENTATION*

Q12: "Which of the following best describes your attitude about marijuana use by your child or teenager? Marijuana use by my child is:"


- The table below illustrates additional demographics of parents who are more or less likely to feel that marijuana use by their child is "never ok":

More Likely	Less Likely
✓ Parents of daughters (64.2%)	✓ Parents of sons (58.2%)
✓ Parents 45 and older (64.3%)	✓ Parents under the age of 45 (55.6%)
✓ Single parents (65.0%)	✓ Married parents (60.3%)
✓ Parents with household incomes of \$100,000 or more (71.6%)	✓ Parents with household incomes of less than \$50,000 (58.2%), \$50,000 to less than \$100,000 (61.1%)

Top Reasons for Not Wanting Child to Use Marijuana* (UNAIDED)

Q13: "What are the top three reasons you don't want your child to use marijuana?" [Unaided]

Top 2 Reasons for Not Wanting Child to Use Marijuana (UNAIDED)




- Parents name “teen’s brain development might be negatively impacted” (35.4% top two reasons combined) as the top reason for not wanting their child to use marijuana, followed by “not healthy” (20.0%), and “poor decisions / bad judgment” (19.8%).
- These were also the top three reasons cited in 2013 and 2015.

* For the full set of responses, please see the cross tabulation tables.

Degree of Worry Regarding Specific Risks Associated with Teen Marijuana Use

Q14: "I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean 'not at all worrisome' and 5 would mean 'one of the most worrisome.'" [Options rotated]

Potential Risks of Teen Marijuana Use – SUMMARY CHART
(Mean Rating)




- When asked to rate risks on a 1 to 5 scale, two of the six risk factors evaluated rate above a 4.00 on a five point scale.
- "Brain development might be negatively impacted" (4.11), "Lose motivation and drive to succeed" (4.05), "Trouble with the police" (3.96), and "Might move on to other drugs" (3.90) are the four most worrisome risks in 2017. These were also the four most worrisome risks in 2013 and 2015.

PARENTAL ATTITUDES REGARDING MARIJUANA USE

Degree of Worry that “Teen’s Brain Development Might Be Negatively Impacted”: *BENCHMARKED & SEGMENTATION*

Q14: “I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen’s Brain Development Might Be Negatively Impacted” –
BENCHMARKED
(Mean Rating)



- “Your teen’s brain development might negatively impacted” was rated the most worrisome potential risk, with a mean rating in 2017 of (4.11).

- The table below illustrates the demographics of parents who rate their degree of worry that their “teen’s brain development might be negatively impacted” as higher or lower:


Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Cumberland (4.21), Penquis (4.21), York (4.21)	✓ Western (3.83), Midcoast (4.03)
✓ Parents of daughters (4.16)	✓ Parents of sons (4.04)
✓ Parents earning \$100,000 or more (4.37)	✓ Parents earning less than \$50,000 (4.08), \$50,000 to \$100,000 (4.07)

PARENTAL ATTITUDES REGARDING MARIJUANA USE

Degree of Worry that “Teen Might Lose Motivation and Drive to Succeed”: *BENCHMARKED & SEGMENTATION*

Q14: “I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen Might Lose Motivation and Drive to Succeed” – BENCHMARKED
(Mean Rating)



- “Teen might lose motivation and drive to succeed” was the second most worrisome potential risk associated with teenage marijuana use (mean 4.05).

- The table below illustrates the demographics of parents who rate their degree of worry that their “teen might lose motivation and drive to succeed” as higher or lower:


Higher Mean (More Worrisome)	Lower Mean (Less Worrisome)
✓ Western (4.15), Aroostook (4.15)	✓ Downeast (3.91), Central (3.97)
✓ Parents of sons (4.14)	✓ Parents of daughters (4.00)
✓ Parents with household incomes of \$100,000 or more (4.36)	✓ Parents with household incomes of less than \$50,000 (4.00), \$50,000 to less than \$100,000 (4.01)

PARENTAL ATTITUDES REGARDING MARIJUANA USE

Degree of Worry that “Teen Might End Up in Trouble with the Police”: *BENCHMARKED & SEGMENTATION*

Q14: “I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen Might End Up in Trouble with the Police” –
BENCHMARKED
(Mean Rating)



- This potential risk factor rates third of the six tested, coming in at a 3.96 on the 5-point scale.
- **This represents the strongest decrease since 2013, possibly as a result of the recent vote to legalize recreational marijuana use in Maine.**


▪ The table below illustrates the demographics of parents who rate their degree of worry that their “teen might end up in trouble with the police” as higher or lower:

Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Aroostook (4.23), York (4.07)	✓ Western (3.77), Central (3.78)
✓ Parents age 44 or younger (4.04)	✓ Parents age 45 or older (3.92)
✓ Parents with household incomes of \$100,000 or more (4.22)	✓ Parents with household of \$50,000 or less (3.88)

Degree of Worry that “Teen Might Move on to Other Drugs”: *BENCHMARKED & SEGMENTATION*

Q14: “I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen Might Move on to Other Drugs”– BENCHMARKED
(Mean Rating)



- “Your teen might move on to other drugs” is rated as the fourth most worrisome potential risk factors associated with teenage marijuana use by parents in 2017, with a mean rating of 3.90 on the 5-point scale.

- The table below illustrates the demographics of parents who rate their degree of worry that their “teen might move on to other drugs” as higher or lower:


Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Aroostook (4.15), York (4.05)	✓ Central (3.63), Penquis (3.75)
✓ Mothers (3.97)	✓ Fathers (3.79)
✓ Parents 45 and older (3.95)	✓ Parents under the age of 45 (3.81)
✓ Parents with household incomes of \$100,000 or more (4.11)	✓ Parents with household incomes of less than \$50,000 (3.79)

PARENTAL ATTITUDES REGARDING MARIJUANA USE

Degree of Worry that “Teen Could Have an Increased Risk of Health and Medical Problems”: *BENCHMARKED & SEGMENTATION*

Q14: “I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen Could Have an Increased Risk of Health and Medical Problems”
(Mean Rating)



- The question phrasing of the potential health risks of teenage marijuana use was tested with parents for the first time in 2017, coming in as the fifth most worrisome of the six risks tested.


- The table below illustrates the demographics of parents who rate their degree of worry that their “teen could have an increased risk of health and medical problems” as higher or lower:

Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Cumberland (3.85), York (3.85)	✓ Penquis (3.49)
✓ Married parents (3.72)	✓ Single parents (3.62)
✓ Parents of middle schoolers (3.75)	✓ Parents of high schoolers (3.68)
✓ Parents with household incomes of \$100,000 or more (4.02)	✓ Parents with household incomes of less than \$50,000 (3.62)

Degree of Worry that “Teen Might Become Addicted to Marijuana”: *BENCHMARKED & SEGMENTATION*

Q14: “I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen Might Become Addicted to Marijuana” – BENCHMARKED
(Mean Rating)



- Addiction to marijuana was rated as the least worrisome of the potential risks associated with teenage marijuana use, with a mean rating of 3.43.

- The table below illustrates the demographics of parents who rate their degree of worry about their teen “becoming addicted to marijuana” as higher or lower:


Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Central (3.59)	✓ Aroostook (3.32), Penquis (3.35), Midcoast (3.36)
✓ Single parents (3.57)	✓ Married parents (3.38)
✓ Parents with some college / 2 year degree (3.52), a 4 year degree or more (3.48)	✓ Parents with high school degree or less (3.20)

FINDINGS: CURRENT TEEN MARIJUANA USE

Child's Recent Marijuana Use

Q15: "Do you think that your child has used marijuana in the past 30 days?"

Believe Child has Used Marijuana in the Past 30 Days




- More than nine in ten respondents (93.5%) believe that their child has not used marijuana in the past 30 days.

Child's Recent Marijuana Use: *BY PUBLIC HEALTH DISTRICT*

Q15: "Do you think that your child has used marijuana in the past 30 days?"

"Believe Child has Used Marijuana in the Past 30 Days"
BY PUBLIC HEALTH DISTRICT



- The percentage of parents who believe that their child has used marijuana in the past 30 days has ranges from 1.3% in the Aroostook PHD and 3.3% in the Midcoast PHD to 8.7% in the Western and Downeast PHDs.

Child's Recent Marijuana Use: *SEGMENTATION*

Q15: "Do you think that your child has used marijuana in the past 30 days?"


- The table below illustrates demographics of parents who are more or less likely to feel that their child has used marijuana in the past 30 days:

More Likely	Less Likely
✓ Parents age 45 and older (5.9%)	✓ Parents age 44 or younger (4.1%)
✓ Parents with high school degree or less (6.3%)	✓ Parents with some college / 2 year degree (5.0%), a 4 year degree or more (4.8%)
✓ Parents with household incomes of less than \$50,000 (6.4%)	✓ Parents with household incomes of \$50,000 to less than \$100,000 (4.4%), \$100,000 or more (4.3%)
✓ Single parents (7.1%)	✓ Married parents (4.6%)

FINDINGS: PARENTAL ATTITUDES REGARDING PRESCRIPTION DRUG USE

Attitude Toward Prescription Drug Use by Child

“Prescription Drug Use Without a Doctor’s Permission by My Child is:”




- Nearly all parents feel that prescription drug use by their child or teenager without a doctor’s permission is “never ok.”

Attitude Toward Prescription Drug Use by Child: *BY PUBLIC HEALTH DISTRICT*

Q16: "Which of the following best describes your attitude about prescription medication use by your child or teenager without a doctor's prescription? Such prescription medication use by my child is:"

"Prescription Drug Use Without a Doctor's Permission by My Child is Never Okay" - BY PUBLIC HEALTH DISTRICT



- Compared to the state average (97.2%), the percentage of respondents who indicated that prescription drug use by their child or teenager without a doctor's prescription is "never ok" is higher in the York PHD (98.7%) and somewhat lower in the Midcoast (96.0%) and Central (96.0%) PHDs.
- However, more than 19 in 20 parents in each PHD feel that prescription drug use by their child without a doctor's prescription is never okay.

Attitude Toward Prescription Drug Use by Child: *SEGMENTATION*

Q16: "Which of the following best describes your attitude about prescription medication use by your child or teenager without a doctor's prescription? Such prescription medication use by my child is:"


- The table below illustrates demographics of parents who are more or less likely to feel that prescription drug misuse by their child is "never ok":

More Likely	Less Likely
✓ Fathers (98.4%)	✓ Mothers (96.4%)
✓ Parents with household incomes of \$100,000 or more (98.1%)	✓ Parents with household incomes of less than \$50,000 (96.7%)

Degree of Worry Regarding Specific Risks Associated with Prescription Drug Use by Child

Q17: "I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean 'not at all worrisome' and 5 would mean 'one of the most worrisome.'" [Options rotated]


Potential Risks of Prescription Drug Use by Child – SUMMARY CHART
(Mean Rating)



- When asked to rate risks on a 1 to 5 scale, all five of the risk factors evaluated rate above a 4.00 on a five point scale.
- "Might move onto other drugs" (4.33), "Brain development might be negatively impacted" (4.30), and "Might become addicted to prescription medication" (4.25), are the three most worrisome risks to parents.

Degree of Worry that “Teen Might Move on to Other Drugs”: *SEGMENTATION*

Q17: “I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]



- “Your teen might move on to other drugs” is considered the top risk factor associated with teenage prescription drug misuse with a mean rating of 4.33.


- The table below illustrates the demographics of parents who rate their degree of worry that their “teen might move on to other drugs” as higher or lower:

Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Midcoast (4.52), Downeast (4.43)	✓ Penquis (4.22), Aroostook (4.25)
✓ Parents age 44 or younger (4.43)	✓ Parents age 45 or older (4.29)
✓ Parents with household incomes of \$100,000 or more (4.47)	✓ Parents with household incomes of less than \$50,000 (4.28)

Degree of Worry that “Teen’s Brain Development Might Be Negatively Impacted”: *SEGMENTATION*

Q17: “I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen’s Brain Development Might Be Negatively Impacted”
(Mean Rating)



- “Your teen’s brain development might negatively impacted” is the second most highly rated risk, with a mean rating in of (4.30).


- The table below shows the demographics of parents who rate their degree of worry that their “teen’s brain development might be negatively impacted” as higher or lower:

Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Aroostook (4.47), Western (4.44), Cumberland (4.39)	✓ Central (4.04)
✓ Parents age 44 or younger	✓ Parents age 45 or older
✓ Parents with household incomes above \$100,000 (4.54)	✓ Parents with household incomes below \$50,000 (4.25)

Degree of Worry that “Teen Might Become Addicted to Prescription Medication”: *SEGMENTATION*

Q17: “I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen Might Become Addicted to Prescription Medication”
(Mean Rating)



- That one’s “teen might become addicted to prescription medication” was rated the third most worrisome of the five risks tested (4.25).


- The table below shows the demographics of parents who rate their degree of worry about their teen “becoming addicted to marijuana” as higher or lower:

Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Midcoast (4.39)	✓ Central (4.13)
✓ Parents of middle schoolers (4.36)	✓ Parents of high schoolers (4.19)
✓ Single parents (4.35)	✓ Married parents (4.21)
✓ Parents with household incomes of \$50,000 to less than \$100,000 (4.28), \$100,000 or more (4.39)	✓ Parents with household incomes of less than \$50,000 (4.17)

Degree of Worry that “Teen Might Lose Motivation and Drive to Succeed”: *SEGMENTATION*

Q17: “I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen Might Lose Motivation and Drive to Succeed”
(Mean Rating)



- “Teen might lose motivation and drive to succeed” is rated as the fourth most worrisome of the five risks tested (4.22).

- The table below shows the demographics of parents who rate their degree of worry that their “teen might lose motivation and drive to succeed” as higher or lower:


Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Aroostook (4.39), Western (4.31)	✓ Penquis (4.05), York (4.07)
✓ Parents age 44 or younger (4.31)	✓ Parents age 45 or older (4.18)
✓ Parents with household incomes of \$100,000 or more (4.42)	✓ Parents with household incomes of less than \$50,000 (4.14)

PARENTAL ATTITUDES REGARDING PRESCRIPTION DRUG USE

Degree of Worry that “Teen Might End Up in Trouble with the Police”: *SEGMENTATION*

Q17: “I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks I read to you, on a scale of 1 to 5, where 1 would mean ‘not at all worrisome’ and 5 would mean ‘one of the most worrisome.’” [Options rotated]

“Teen Might End Up in Trouble with the Police”
(Mean Rating)




- Although this potential risk factor rates fifth of the five tested with parents, it is still rated at a 4.19 on a five point scale, indicating a high degree of worry.

- The table below illustrates the demographics of parents who rate their degree of worry that their “teen might end up in trouble with the police” as higher or lower:

Higher Mean (<i>More Worrisome</i>)	Lower Mean (<i>Less Worrisome</i>)
✓ Penquis (4.41), Aroostook (4.31)	✓ Midcoast (3.98), Central (4.05)
✓ Single parents (4.30)	✓ Married parents (4.14)
✓ Parents with a high school degree or less (4.26)	✓ Parents with a 4 year degree or more (4.13)
✓ Parents with household incomes of \$100,000 or more (4.40)	✓ Parents with household incomes of less than \$50,000 (4.13)

Child's Past 30-Day Prescription Drug Use

Q20: "Do you think that your child has used any prescription medication that was not prescribed to them in the past 30 days?"




- Only nine respondents (0.8%) believe that their child has used prescription medication that was not prescribed to them in the past 30 days.

FINDINGS: PARENTAL BEHAVIORS RELATED TO PRESCRIPTION DRUG USE

Accessibility of Prescription Medications Without Parental Knowledge: *BENCHMARKED*

Q18: Would your teen be able to access any prescription medication in your house without your knowledge?

Accessibility of Prescription Medications in the House Without Parental Knowledge BENCHMARKED




- The percentage of parents reporting that their teen would be able to access prescription drugs in their house without their knowledge has decreased from 35.3% in 2015 to 18.4% in 2017. This decline is mainly accounted for by the increase in parents saying that they do not keep prescription medication in the house..

Accessibility of Prescription Medications Without Parental Knowledge: *BY PUBLIC HEALTH DISTRICT*

Q18: Would your teen be able to access any prescription medication in your house without your knowledge?

Teen Able to Access Parent-Purchased Prescription Medication Without Parental Knowledge – BY PUBLIC HEALTH DISTRICT



- Parents in the Central (20.7%), Cumberland (20.0%), and Penquis PHDs (20.0%) are the most likely to report that their teen could have access to prescription medication in the household without their knowledge, while parents in the Downeast and Aroostook PHDs are the least likely to have reported this (16.7%).

Accessibility of Prescription Medications Without Parental Knowledge: *SEGMENTATION*

Q18: Would your teen be able to access any prescription medication in your house without your knowledge?


- The table below illustrates other demographics of parents who are more or less likely to feel that their teen would be able to access prescription medication in their house without them knowing:

More Likely	Less Likely
✓ Mothers (20.6%)	✓ Fathers (14.8%)
✓ Parents age 45 or older (19.1%)	✓ Parents age 44 or younger (16.9%)
✓ Parents with a 4 year degree or more (22.6%)	✓ Parents with some college / 2 year degree (15.1%), high school degree or less (15.2%)
✓ Single parents (20.1%)	✓ Married parents (17.9%)

Top Actions Taken to Prevent Child from Using Prescription Medication Not Prescribed to Them* (UNAIDED):

Q18: "Can you tell me three things that you do regularly to prevent your teenager from using Rx medication which is not prescribed to them?" [Unaided]

Top Actions Taken to Prevent Child from Using Prescription Medication Not Prescribed to Them (UNAIDED)



- The top actions parents take to prevent their child from using prescription drugs not prescribed to them are 1) "not keeping medications / narcotics in the house" (43.8%) and 2) "communicating / talking with teen about the dangers of prescription drug abuse" (28.5%). These were also the top 2 responses in 2015.
- Other top responses included "hide or lock up prescription medications" (16.2%) and "disposing of unused medications" (13.5%).
- 16.5% of parents did not feel that prescription drug abuse would be an issue for their child.


* For the full set of responses, please see the cross tabulation tables.

FINDINGS: AWARENESS OF PUBLIC INFORMATION REGARDING PREVENTING TEENAGE SUBSTANCE USE

Where Parents Have Seen or Heard Information Regarding Preventing Teenage Substance Use* (UNAIDED)

Q21: "Over the past 12 months, have you seen or heard any information about the prevention of teenage substance use? If so, where did you see or hear the information?" [Unaided; Multiple responses recorded]

Where Parents Have Seen or Heard Information Regarding Preventing Teenage Substance Use (UNAIDED)




- The top place that parents have seen or heard information regarding teenage substance use are 1) advertisements on television (28.5%), 2) materials from school (13.4%), and 3) advertisements on the radio (8.7%). In addition, 8.3% report getting information from a school meeting, and 7.3% report getting information from social media.
- A quarter of respondents (26.4%) did not see or hear any information about teenage substance use in the past 12 months.

Where Parents Have Seen or Heard Information Regarding Preventing Teenage Substance Use (UNAIDED): *BY PUBLIC HEALTH DISTRICT*

Q21: "Over the past 12 months, have you seen or heard any information about underage drinking? If so, where did you see or hear the information?"
 [Unaided; Multiple responses recorded]

Where Parents Have Seen or Heard Information Regarding Underage Drinking (UNAIDED) – BY PUBLIC HEALTH DISTRICT
 (Mean Rating)




- Respondents in the Western (31.3%) and Penquis (30.7%) PHDs are more likely not to have seen any information about preventing teenage substance use. Respondents in the Downeast PHD are most likely to have seen information from any source, as well as most likely to have seen information on television.

Where Parents Would Seek Information About Teenage Substance Use* (UNAIDED)

Q22: "If you felt it was important to learn more about how to address teenage substance use, what sources would you use" [Unaided; Multiple responses recorded]

Where Parents Have Seen or Heard Information Regarding Preventing Teenage Substance Use (UNAIDED)




- By far the most frequent place parents would look for information about teenage substance use is "Google searches" (53.2%).
- Other top sources of information include "Medical staff or practitioners," (23.8%), "School staff or materials" (15.2%), and "Health / Alcohol abuse organizations" (11.6%).
- Cumberland PHD parents are most likely to seek information from "Medical staff or practitioners (39.3%) or "Health / Alcohol abuse organizations (17.3%). Despite the fact that they have higher recall of seeing information about teenage substance use, parents in the Downeast PHD are least likely to seek information from "Health / Alcohol abuse organizations" (6.0%) and second-least likely to seek information from "Medical staff or practitioners" (17.3%).

* For the full set of responses, please see the cross tabulation tables.


RESPONDENT PROFILE

Respondent Profile


Gender of Parent



Age of Parent




Other Children's Ages




Respondent Profile

Highest Level of Education of Parent*




Household Income*




* The educational levels and household incomes of the parents participating in the survey in 2015 are very similar to those seen with 2013's survey.

Respondent Profile


Living Situation / Marital Status of Parent



Frequency of Alcohol Consumption in Household for Adult Over 25 Who Drinks Alcohol the Most




Race / Ethnicity of Parent
[Multiple Responses Recorded]




Respondent Profile


Gender of Child



Age of Child



Grade of Child



APPENDIX A: SURVEY INSTRUMENT

Respondent's phone number: _____

ID _____

2017 MAINE CDC PARENT SURVEY – FINAL

Please circle the appropriate county:

1. Androscoggin	5. Hancock	9. Oxford	13. Somerset
2. Aroostook	6. Kennebec	10. Penobscot	14. Waldo
3. Cumberland	7. Knox	11. Piscataquis	15. Washington
4. Franklin	8. Lincoln	12. Sagadahoc	16. York

Hello, my name is _____ from Pan Atlantic Research, a Maine-based market research firm. We're conducting a survey about parenting issues with parents who have children in grades 7-12 and would like to include your opinions. There are no right or wrong answers and honest responses are critical to our research. Please know that this study is strictly confidential and answers to these questions will be reported in aggregate form only.

→ **ONCE YOU ARE SPEAKING WITH THE HEAD OR JOINT HEAD OF HOUSEHOLD, CONTINUE.**

CRITERIA QUESTIONS

C1. Do you, or does anyone in your immediate family, work for an alcoholic beverage company, or a market research, advertising, or media firm?

- 1. Yes → THANK PERSON AND TERMINATE CALL
- 2. No → CONTINUE

C2. Do you live in _____ County? [**COUNTY LISTED ABOVE**]

- 1. Yes → THANK PERSON AND TERMINATE CALL
- 2. No → IF RESPONDENT LIVES IN ANOTHER COUNTY WHICH STILL HAS MORE INTERVIEWS LEFT, COMPLETE THE SURVEY. IF THAT COUNTY'S QUOTA IS COMPLETE, THANK PERSON AND TERMINATE CALL.

C3. As I mentioned, for the purposes of this survey, we are interested in speaking with parents who have a child who is in 7th to 12th grade. Do you have a child or children in any of these grades living in your household?

- 1. Yes → CONTINUE
- 2. No → THANK PERSON AND TERMINATE CALL

C4. Do you have more than one child in these grades?

- 1. Yes → CONTINUE WITH **C5**
- 2. No → SKIP TO **Q1**

C5. Think of the child whose birthday is closest to today, and focus your answers for the questions in this survey on that child only. **[INTERVIEWERS – REFER TO THE CHILD AS “SHE OR HE” AND/OR BY HER/HIS AGE THROUGHOUT THE SURVEY SO THAT THE PARENT CAN FOCUS ON THAT CHILD SPECIFICALLY]** What is the age and gender of that child?

1. Age: _____
2. Grade: _____ **[MUST BE IN GRADE 7 THROUGH 12]**
3. Gender: _____

PARENTAL ATTITUDES TOWARDS ALCOHOL

Q1. Which of the following best describes your attitude toward underage drinking? Underage drinking is:
[READ AND ROTATE OPTIONS]

1. Never OK
2. OK under certain circumstances, such as special occasions
3. OK as long as I am there to supervise
4. Other (Please specify)
96. Don't know [DO NOT READ]

Q2. What are the top two reasons you don't want your child to drink alcohol? **[THIS IS UNAIDED. DO NOT PROMPT IN ANY WAY. RECORD ANSWER(S) BELOW.]**

Answer #1 _____

Answer #2 _____

- | | |
|---|--|
| 1. Your teen might drink to excess or become addicted to alcohol | 10. Alcoholism in family |
| 2. Your teen might drink and drive | 11. Creates problems in family |
| 3. Your teen's brain development might be negatively impacted | 12. Dangerous / Not safe |
| 4. Your teen might be involved in unwanted and/or unprotected sexual behavior | 13. Illegal / Against the law |
| 5. Your teen's drinking could lead to depression or suicide | 14. No need for it / Nothing good comes from it |
| 6. Your teen could lose out on a scholarship or some other opportunity | 15. Not healthy |
| 7. Your teen's grades might suffer | 16. Not mature enough / Too young |
| 8. Your teen might end up in trouble with the police | 17. Poor decisions / Bad judgment |
| 9. Your teen might move on to other drugs | 18. Religious reasons |
| | 19. Violence / Death |
| | 90. Other (Please specify) |
| | 96. Don't know |
| | 97. Not applicable / Thinks it is okay for teen to drink alcohol |

Q3. I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is “not at all worrisome” to you and 5 would mean that the risk is “one of the most worrisome” to you. **[READ AND ROTATE OPTIONS.]**

a. Your teen might drink to excess or become addicted to alcohol	1	2	3	4	5
b. Your teen might drink and drive and/or end up in trouble with the police	1	2	3	4	5
c. Your teen’s brain development might be negatively impacted	1	2	3	4	5
d. Your teen might be involved in unwanted and/or unprotected sexual behavior	1	2	3	4	5
e. Your teen’s grades might suffer	1	2	3	4	5

PARENTAL BEHAVIORS REGARDING ALCOHOL

Q4. Please tell me which one of the following statements reflects how you most commonly talk to your child about alcohol use. **[READ AND ROTATE OPTIONS; SELECT ONE RESPONSE ONLY]**

1. I don’t want you to drink, but if you’re going to do it, do it only at home where I can supervise.
2. I don’t want you to drink, but if you’re going to do it you must never drive.
3. I don’t want you to drink because it’s illegal until you are 21.
4. I don’t want you to drink because it’s not healthy for someone your age.
5. I don’t want you to drink because alcohol can damage your future.
96. Don’t know [DO NOT READ]
97. N/A, Don’t think underage drinking is wrong [DO NOT READ]
98. I don’t talk to my child about alcohol because s/he doesn’t drink [DO NOT READ]
99. I have never talked to my child about drinking [DO NOT READ]

Q5. Would your teen be able to access any alcohol that you have purchased without your knowledge?

1. Yes
2. No
96. Don’t know [DO NOT READ]
97. N/A, No alcohol in the house [DO NOT READ]

Q6. Can you tell me two things that you do regularly to prevent your teenager from drinking alcohol? [THIS IS UNAIDED. DO NOT PROMPT IN ANY WAY. RECORD ANSWER(S) BELOW.]

Answer #1 _____

Answer #2 _____

1. Limit your child's access to alcohol.
2. Ask your child if alcohol will be present at a party or social gathering
3. Ask your child if a parent or other adult will be present at a party or social gathering
4. Call to verify that a parent or other responsible adult will be present at a party or social gathering
5. Make an effort to know your child's friends and their parents
6. Make an effort to know the rules of your child's friends' families
7. Ask your child to call you to check in
8. Call or visit during the social gathering to check on your child
9. Wait up for your child to come home or set an alarm at curfew
10. Talk to your child when they come in about his/her night
11. Observe your child for signs of alcohol use
12. Enforce the rules that you make regarding alcohol usage
90. Other (Please specify)
96. Don't know
97. Not applicable / Thinks it is okay for teen to drink alcohol

Q7. To what extent do you agree or disagree with the following statements? [READ STATEMENTS IN THE CHART BELOW. READ AND ROTATE SCALE.]

	Strongly Disagree	Disagree	Agree	Strongly Agree	Don't know [DO NOT READ]
a. "If my child drank alcohol without my permission, I would catch her/him."	1	2	3	4	96
b. "I have a strong influence over my teenager's behavior relating to alcohol use, and the rules in our family regarding alcohol use are clear."	1	2	3	4	96

CURRENT AND PROJECTED TEEN ALCOHOL USE

Q8. How honest do you think your child is with you about her/his involvement with alcohol? **[READ AND ROTATE OPTIONS.]**

1 Not at all honest	2 Not very honest	3 Somewhat honest	4 Mostly honest	5 Very honest	96 Don't know [DO NOT READ]
-------------------------------	-----------------------------	-----------------------------	---------------------------	-------------------------	--

Q9. Do you think that your child has had more than a few sips of alcohol in the past 30 days?

- 1. Yes → CONTINUE TO **Q10**
- 2. No → SKIP TO **Q11**
- 96. Don't know [DO NOT READ] → SKIP TO **Q11**

Q10. Do you think your child has had five or more alcoholic beverages on any one occasion in the past 30 days?

- 1. Yes → SKIP TO **Q12**
- 2. No → CONTINUE TO **Q11**
- 96. Don't know [DO NOT READ] → CONTINUE TO **Q11**

Q11. How likely do you think it is that your child will have five or more alcoholic beverages on any one occasion before he/she graduates from high school? **[READ AND ROTATE OPTIONS]**

- 1. Very unlikely
- 2. Somewhat unlikely
- 3. Somewhat likely
- 4. Very likely
- 96. Don't know [DO NOT READ]

MARIJUANA-RELATED QUESTIONS

Q12. Which of the following best describes your attitude about marijuana use by your child or teenager? Marijuana use by my child is: **[READ AND ROTATE OPTIONS]**

- 1. Never OK
- 2. Not as big a deal as alcohol
- 3. Legal in Maine, so it must be okay
- 4. OK if doctor provides a written certificate
- 5. OK once my child is grown
- 96. Don't know [DO NOT READ]

Q13. What are the top two reasons you don't want your child to use marijuana? [THIS IS UNAIDED. DO NOT PROMPT IN ANY WAY. RECORD ANSWER(S) BELOW.]

Answer #1 _____

Answer #2 _____

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. Your teen might become addicted to it 2. Your teen's brain development might be negatively impacted 3. Your teen could lose out on a scholarship or some other opportunity 4. Your teen's grades might suffer 5. Your teen might end up in trouble with the police 6. Your teen might move on to other drugs 7. It affects motivation 8. Creates problems in family 9. Dangerous / Not safe 10. Illegal / Against the law 11. No need for it / Nothing good comes from it 12. Not healthy 13. Not mature enough / Too young 14. Poor decisions / Bad judgment 15. Violence / Death 16. Cost / Expensive | <ol style="list-style-type: none"> 17. Child's reputation / Social stigma 18. Don't know where it's from / how it would affect child 19. Could impair ability to drive 20. Religion / Beliefs 21. Just against it / Don't like it 22. Would lead to inactivity / Impact physical activity levels 23. Mild altering / Impaired cognitive function 24. Smells bad 25. Self-medicating / Doesn't solve problems 26. Damage future (general) 27. Would lead child into a "bad crowd" 90. Other (Please specify) 96. Don't know 97. Not applicable / Thinks it is okay for teen to use marijuana |
|---|---|

Q14. I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is "not at all worrisome" to you and 5 would mean that the risk is "one of the most worrisome" to you. [READ AND ROTATE OPTIONS.]

a. Your teen might become addicted to marijuana	1	2	3	4	5
b. Your teen's brain development might be negatively impacted	1	2	3	4	5
c. Your teen could have an increased risk of health and medical problems	1	2	3	4	5
d. Your teen might lose the motivation and drive to succeed (academically and otherwise)	1	2	3	4	5
e. Your teen might end up in trouble with the police	1	2	3	4	5
f. Your teen might move on to other drugs	1	2	3	4	5

Q15. Do you think that your child has used marijuana in the past 30 days?

1. Yes
2. No
96. Don't know [DO NOT READ]

PRESCRIPTION MEDICATION-RELATED QUESTIONS

Q16. Which of the following best describes your attitude about prescription medication use by your child or teenager without a doctor's prescription? Such prescription medication use by my child is: **[READ AND ROTATE OPTIONS]**

1. Never OK
2. Not as big a deal as alcohol or marijuana
3. Legal for medical use, so it must be okay
4. Okay with my permission
5. OK once my child is grown.
96. Don't know [DO NOT READ]

Q17. I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is "not at all worrisome" to you and 5 would mean that the risk is "one of the most worrisome" to you. **[READ AND ROTATE OPTIONS.]**

a. Your teen might become addicted to prescription medication	1	2	3	4	5
b. Your teen's brain development might be negatively impacted	1	2	3	4	5
c. Your teen might lose the motivation and drive to succeed (academically and otherwise)	1	2	3	4	5
d. Your teen might end up in trouble with the police	1	2	3	4	5
e. Your teen might move on to other drugs	1	2	3	4	5

Q18. Would your teen be able to access any prescription medication in your house without your knowledge?

1. Yes
2. No
98. Don't know [DO NOT READ]
99. N/A, No Rx medication in the house [DO NOT READ]

Q19. Can you tell me two things that you do regularly to prevent your teenager from using Rx medication which is not prescribed to them? **[THIS IS UNAIDED. DO NOT PROMPT IN ANY WAY. RECORD ANSWER(S) BELOW.]** The following options are for coding purposes only.

Answer #1 _____

Answer #2 _____

Monitor

1. Network with other parents
2. Check in often with child
3. Be up and ready when child comes home at night
4. Know where teen is
5. Ask your child if they know of other kids who take Rx medications without a prescription.
6. Make an effort to know your child's friends and their parents
7. Make an effort to know the rules of your child's friends' families
8. Call or visit during the social gathering to check on your child
9. Wait up for your child to come home or set an alarm at curfew
10. Talk to your child when they come in about his/her night
11. Observe your child for signs of Rx medication use
12. Stay involved with teen's activities

Communication/Education

13. Communication / Talking to teen about dangers of Rx abuse
14. Enforce the rules

Modeling/Family culture

15. Trust teen / Teen not interested / Not an issue with teen
16. Expresses values / religious beliefs to teen
17. Family time / activities
18. Role model
19. Treat things holistically

Access

20. I know all the medications in my home
21. I know how much of each medication should be in the bottles
22. I dispose of unused meds
23. There are not Rx medications / narcotics in the house
24. Hide or lock up meds
90. Other (Please specify)
96. Don't know
98. Do nothing else

Q20. Do you think that your child has used any prescription medication that was not prescribed to them in the past 30 days?

1. Yes
2. No
96. Don't know [DO NOT READ]

COMMUNICATIONS QUESTIONS

Q21. Over the past 12 months, have you seen or heard any information about the prevention of teenage substance use? If so, where did you see or hear the information? **[THIS IS UNAIDED. DO NOT PROMPT RESPONDENT IN ANY WAY. SELECT OR WRITE IN ALL ANSWERS THAT APPLY.]**

- | | |
|--|---|
| 1. Advertisement on the radio | 11. Social media |
| 2. Advertisement on television | 12. Materials from the school |
| 3. Community meeting | 13. Police |
| 4. Websites or blogs | 14. Signs posted in stores |
| 5. Social media | 15. Health / alcohol abuse organization |
| 6. Newspaper article | 16. Doctor's office |
| 7. School meeting | 90. Other (Please specify) |
| 8. At work | 96. Don't know |
| 9. Talking to children and other parents | 98. Did not see or hear any information |
| 10. News stories | |

Q22. If you felt it was important to learn more about how to address teenage substance use, what sources would you use? **[READ AND ROTATE OPTIONS; SELECT OR WRITE IN ALL THAT APPLY]**

1. Community meetings or materials
2. Google searches
3. Health / alcohol abuse organization
4. Medical staff or practitioners
5. Maine CDC
6. Social media
7. School staff or materials
8. Websites or blogs
90. Other (Please specify) [DO NOT READ]
96. Don't know [DO NOT READ]
98. Did not see or hear any information [DO NOT READ]

DEMOGRAPHICS

This last set of questions will be used for statistical purposes only, enabling us to analyze the data we have gathered ensuring that we have a representative sample of Maine parents. First of all...

Q23. For the adult over the age of 25 in your household who drinks alcohol the most, please tell me how often he or she drinks alcoholic beverages: **[READ AND ROTATE OPTIONS]**

1. Never
2. Once or twice a year
3. Once or twice a month
4. Once or twice a week
5. Daily
90. Other (Please specify) [DO NOT READ]
96. Don't know [DO NOT READ]
99. Refused [DO NOT READ]

Q24. What are the ages of your other children, if any? **[SELECT ALL THAT APPLY]**

- | | |
|--------|---------------------------|
| 1. 1 | 12. 12 |
| 2. 2 | 13. 13 |
| 3. 3 | 14. 14 |
| 4. 4 | 15. 15 |
| 5. 5 | 16. 16 |
| 6. 6 | 17. 17 |
| 7. 7 | 18. 18 |
| 8. 8 | 19. 19 or older |
| 9. 9 | 98. No other children |
| 10. 10 | 99. Refused [DO NOT READ] |
| 11. 11 | |

Q25. Which of the following best describes your living situation? **[READ AND ROTATE OPTIONS]**

1. Single parent (Divorced, Separated, Never Married)
2. Married
3. Living with partner
90. Other (Please specify) [DO NOT READ]
99. Refused [DO NOT READ]

Q26. Into which of the following categories does your age fall? **[READ CHOICES]**

- | | |
|----------|---------------------------|
| 1. 18-24 | 5. 55-64 |
| 2. 25-34 | 6. 65 or older |
| 3. 35-44 | 99. Refused [DO NOT READ] |
| 4. 45-54 | |

Q27. What is the highest level of education you have completed? **[READ CHOICES IF NECESSARY]**

1. Less than high school
2. High school
3. Vocational / Trade school
4. Some college / Two-year college degree
5. Four-year college degree
6. Post-graduate work
90. Other (Please specify) [DO NOT READ]
99. Refused [DO NOT READ]

Q28. For tabulation purposes only, please tell me which of the following income categories includes your annual total household income before taxes? Just stop me when I read the correct category: **[READ CHOICES IF NECESSARY]**

- | | |
|------------------------|---------------------------|
| 1. Less than \$25,000 | 4. \$75,000 - \$99,999 |
| 2. \$25,000 - \$49,999 | 5. \$100,000 or more |
| 3. \$50,000 - \$74,999 | 99. Refused [DO NOT READ] |

Q29. Which racial / ethnic category or categories best describe you? Please select all that apply.

1. American Indian or Alaska Native
2. Asian
3. Black or African American
4. Hispanic / Latino
5. Native Hawaiian or Other Pacific Islander
6. White
90. Other (Please Specify) [DO NOT READ]
99. Refused [DO NOT READ]

RESPONDENT'S FIRST NAME: _____

Thank you, those are all of my questions. If you would like more information regarding teenage substance use, call Anita at the Maine CDC Tobacco and Substance Use Prevention and Control Program at 287-8901 or visit www.maine.gov/dhhs/tsup.

Q30. Gender of respondent: **[INTERVIEWER RECORD]**

1. Female
2. Male

Length of interview: _____ minutes Date: ____ / ____ / 17 Interviewer name: _____

APPENDIX B: CROSS TABULATIONS

Public Health District

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
York	150	150								95	55	45	104
	12.5%	100.0%								12.6%	12.3%	11.5%	13.1%
Cumberland	150		150							89	61	35	113
	12.5%		100.0%							11.9%	13.6%	9.0%	14.2%
Western	150			150						93	57	53	96
	12.5%			100.0%						12.4%	12.8%	13.6%	12.1%
Midcoast	150				150					95	55	58	89
	12.5%				100.0%					12.6%	12.3%	14.9%	11.2%
Central	150					150				95	55	58	91
	12.5%					100.0%				12.6%	12.3%	14.9%	11.4%
Penquis	150						150			106	42	53	94
	12.5%						100.0%			14.1%	9.4%	13.6%	11.8%
DownEast	150							150		85	65	51	97
	12.5%							100.0%		11.3%	14.5%	13.1%	12.2%
Aroostook	150								150	93	57	37	111
	12.5%								100.0%	12.4%	12.8%	9.5%	14.0%

Pan Atlantic Research (July 2017)

Public Health District

	Gender of Child		Grade of Child						Grade Grouping		Marital Status			
	Total	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
York	150	81	69	25	25	25	25	25	25	50	100	36	105	7
	12.5%	11.3%	14.3%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	14.2%	11.8%	14.3%
Cumberland	150	97	53	25	25	25	25	25	25	50	100	30	118	2
	12.5%	13.5%	11.0%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	11.8%	13.3%	4.1%
Western	150	82	68	25	25	25	25	25	25	50	100	35	110	4
	12.5%	11.4%	14.1%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	13.8%	12.4%	8.2%
Midcoast	150	76	74	25	25	25	25	25	25	50	100	29	112	7
	12.5%	10.6%	15.3%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	11.4%	12.6%	14.3%
Central	150	92	58	25	25	25	25	25	25	50	100	30	112	7
	12.5%	12.8%	12.0%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	11.8%	12.6%	14.3%
Penquis	150	113	37	25	25	25	25	25	25	50	100	32	108	8
	12.5%	15.8%	7.7%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.6%	12.2%	16.3%
DownEast	150	93	57	25	25	25	25	25	25	50	100	29	114	5
	12.5%	13.0%	11.8%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	11.4%	12.9%	10.2%
Aroostook	150	83	67	25	25	25	25	25	25	50	100	33	108	9
	12.5%	11.6%	13.9%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	12.5%	13.0%	12.2%	18.4%

Pan Atlantic Research (July 2017)

Public Health District

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
York	150	59	37	54		43	52	54	54	74	17	140	9	1
	12.5%	12.9%	12.7%	12.0%		16.0%	12.9%	10.4%	12.8%	12.6%	10.5%	12.4%	14.5%	16.7%
Cumberland	150	41	35	74		22	49	79	50	51	35	144	5	1
	12.5%	9.0%	12.0%	16.4%		8.2%	12.1%	15.2%	11.9%	8.7%	21.6%	12.7%	8.1%	16.7%
Western	150	54	39	56	1	53	40	57	57	73	15	140	10	
	12.5%	11.8%	13.4%	12.4%	50.0%	19.7%	9.9%	10.9%	13.5%	12.5%	9.3%	12.4%	16.1%	
Midcoast	150	64	45	41		45	47	56	74	62	13	137	11	2
	12.5%	14.0%	15.5%	9.1%		16.7%	11.6%	10.7%	17.6%	10.6%	8.0%	12.1%	17.7%	33.3%
Central	150	55	37	57	1	19	55	76	54	78	17	141	8	1
	12.5%	12.1%	12.7%	12.6%	50.0%	7.1%	13.6%	14.6%	12.8%	13.3%	10.5%	12.5%	12.9%	16.7%
Penquis	150	61	34	55		26	63	60	56	72	19	139	10	1
	12.5%	13.4%	11.7%	12.2%		9.7%	15.6%	11.5%	13.3%	12.3%	11.7%	12.3%	16.1%	16.7%
DownEast	150	66	26	58		33	55	62	37	93	20	147	3	
	12.5%	14.5%	8.9%	12.9%		12.3%	13.6%	11.9%	8.8%	15.9%	12.3%	13.0%	4.8%	
Aroostook	150	56	38	56		28	43	77	39	83	26	144	6	
	12.5%	12.3%	13.1%	12.4%		10.4%	10.6%	14.8%	9.3%	14.2%	16.0%	12.7%	9.7%	

Pan Atlantic Research (July 2017)

Age of the Child (C5a)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostock	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
12	24	2	16		3	1	1	1		17	7	13	11
	2.0%	1.3%	10.7%		2.0%	.7%	.7%	.7%		2.3%	1.6%	3.3%	1.4%
13	185	22	11	27	24	24	25	24	28	118	67	56	127
	15.4%	14.7%	7.3%	18.0%	16.0%	16.0%	16.7%	16.0%	18.7%	15.7%	15.0%	14.4%	16.0%
14	224	28	28	31	28	29	31	25	24	144	80	81	139
	18.7%	18.7%	18.7%	20.7%	18.7%	19.3%	20.7%	16.7%	16.0%	19.2%	17.9%	20.8%	17.5%
15	194	26	26	23	24	25	19	27	24	125	69	55	139
	16.2%	17.3%	17.3%	15.3%	16.0%	16.7%	12.7%	18.0%	16.0%	16.6%	15.4%	14.1%	17.5%
16	246	39	34	37	27	26	35	23	25	143	103	78	162
	20.5%	26.0%	22.7%	24.7%	18.0%	17.3%	23.3%	15.3%	16.7%	19.0%	23.0%	20.0%	20.4%
17	221	23	32	12	24	42	14	44	30	137	84	73	145
	18.4%	15.3%	21.3%	8.0%	16.0%	28.0%	9.3%	29.3%	20.0%	18.2%	18.8%	18.7%	18.2%
18	103	9	3	18	20	3	25	6	19	65	36	33	70
	8.6%	6.0%	2.0%	12.0%	13.3%	2.0%	16.7%	4.0%	12.7%	8.7%	8.1%	8.5%	8.8%
19	3	1		2						2	1	1	2
	.3%	.7%		1.3%						.3%	.2%	.3%	.3%

Pan Atlantic Research (July 2017)

Age of the Child (C5a)

	Gender of Child			Grade of Child						Grade Grouping		Marital Status		
	Total	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
12	24	20	4	23		1				23	1	9	14	1
	2.0%	2.8%	.8%	11.5%		.5%				5.8%	.1%	3.5%	1.6%	2.0%
13	185	109	76	173	9	3				182	3	33	141	8
	15.4%	15.2%	15.7%	86.5%	4.5%	1.5%				45.5%	.4%	13.0%	15.9%	16.3%
14	224	143	81	4	188	30	2			192	32	52	161	10
	18.7%	19.9%	16.8%	2.0%	94.0%	15.0%	1.0%			48.0%	4.0%	20.5%	18.2%	20.4%
15	194	114	80		3	165	24	2		3	191	40	147	7
	16.2%	15.9%	16.6%		1.5%	82.5%	12.0%	1.0%		.8%	23.9%	15.7%	16.6%	14.3%
16	246	154	92			1	173	70	2		246	42	186	15
	20.5%	21.5%	19.0%			.5%	86.5%	35.0%	1.0%		30.8%	16.5%	21.0%	30.6%
17	221	121	100				1	128	92		221	55	159	4
	18.4%	16.9%	20.7%				.5%	64.0%	46.0%		27.6%	21.7%	17.9%	8.2%
18	103	56	47						103		103	22	77	4
	8.6%	7.8%	9.7%						51.5%		12.9%	8.7%	8.7%	8.2%
19	3		3						3		3	1	2	
	.3%		.6%						1.5%		.4%	.4%	.2%	

Pan Atlantic Research (July 2017)

Age of the Child (C5a)

	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent			
	Total	Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
12	24	13	5	6		7	7	10	15	6	2	19	4	1
	2.0%	2.9%	1.7%	1.3%		2.6%	1.7%	1.9%	3.6%	1.0%	1.2%	1.7%	6.5%	16.7%
13	185	63	49	72	1	44	61	80	72	89	20	174	10	1
	15.4%	13.8%	16.8%	16.0%	50.0%	16.4%	15.1%	15.4%	17.1%	15.2%	12.3%	15.4%	16.1%	16.7%
14	224	87	57	80		47	81	95	67	131	23	214	10	
	18.7%	19.1%	19.6%	17.7%		17.5%	20.0%	18.2%	15.9%	22.4%	14.2%	18.9%	16.1%	
15	194	68	46	80		42	88	64	58	108	23	181	12	1
	16.2%	14.9%	15.8%	17.7%		15.6%	21.8%	12.3%	13.8%	18.4%	14.2%	16.0%	19.4%	16.7%
16	246	94	62	89	1	41	64	140	104	86	48	231	13	2
	20.5%	20.6%	21.3%	19.7%	50.0%	15.2%	15.8%	26.9%	24.7%	14.7%	29.6%	20.4%	21.0%	33.3%
17	221	89	49	83		51	77	89	70	109	35	216	4	1
	18.4%	19.5%	16.8%	18.4%		19.0%	19.1%	17.1%	16.6%	18.6%	21.6%	19.1%	6.5%	16.7%
18	103	40	23	40		36	26	41	34	56	11	94	9	
	8.6%	8.8%	7.9%	8.9%		13.4%	6.4%	7.9%	8.1%	9.6%	6.8%	8.3%	14.5%	
19	3	2		1		1		2	1	1		3		
	.3%	.4%		.2%		.4%		.4%	.2%	.2%		.3%		

Pan Atlantic Research (July 2017)

Grade of the Child (C5b)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
7th grade	200	25	25	25	25	25	25	25	25	128	72	62	136
	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	17.0%	16.1%	15.9%	17.1%
8th grade	200	25	25	25	25	25	25	25	25	127	73	70	126
	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.9%	16.3%	17.9%	15.8%
9th grade	200	25	25	25	25	25	25	25	25	132	68	62	138
	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	17.6%	15.2%	15.9%	17.4%
10th grade	200	25	25	25	25	25	25	25	25	119	81	71	127
	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	15.8%	18.1%	18.2%	16.0%
11th grade	200	25	25	25	25	25	25	25	25	126	74	60	133
	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.8%	16.6%	15.4%	16.7%
12th grade	200	25	25	25	25	25	25	25	25	119	79	65	135
	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	15.8%	17.7%	16.7%	17.0%

Pan Atlantic Research (July 2017)

Grade of the Child (C5b)

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
7th grade	200	126	74	200						200		41	148	8
	16.7%	17.6%	15.3%	100.0%						50.0%		16.1%	16.7%	16.3%
8th grade	200	130	70		200					200		47	143	9
	16.7%	18.1%	14.5%		100.0%					50.0%		18.5%	16.1%	18.4%
9th grade	200	115	85			200					200	41	150	9
	16.7%	16.0%	17.6%			100.0%					25.0%	16.1%	16.9%	18.4%
10th grade	200	116	84				200				200	32	156	11
	16.7%	16.2%	17.4%				100.0%				25.0%	12.6%	17.6%	22.4%
11th grade	200	110	90					200			200	39	152	5
	16.7%	15.3%	18.6%					100.0%			25.0%	15.4%	17.1%	10.2%
12th grade	200	120	80						200		200	54	138	7
	16.7%	16.7%	16.6%						100.0%		25.0%	21.3%	15.6%	14.3%

Pan Atlantic Research (July 2017)

Grade of the Child (C5b)

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
7th grade	200	76	48	75	1	49	66	85	86	92	20	185	14	1
	16.7%	16.7%	16.5%	16.6%	50.0%	18.2%	16.3%	16.3%	20.4%	15.7%	12.3%	16.3%	22.6%	16.7%
8th grade	200	76	50	74		42	76	81	59	120	16	193	7	
	16.7%	16.7%	17.2%	16.4%		15.6%	18.8%	15.5%	14.0%	20.5%	9.9%	17.0%	11.3%	
9th grade	200	68	53	79		46	86	68	60	108	28	183	15	2
	16.7%	14.9%	18.2%	17.5%		17.1%	21.3%	13.1%	14.3%	18.4%	17.3%	16.2%	24.2%	33.3%
10th grade	200	79	47	73	1	32	57	111	86	65	41	188	12	
	16.7%	17.3%	16.2%	16.2%	50.0%	11.9%	14.1%	21.3%	20.4%	11.1%	25.3%	16.6%	19.4%	
11th grade	200	71	51	78		34	62	100	51	101	41	195	2	3
	16.7%	15.6%	17.5%	17.3%		12.6%	15.3%	19.2%	12.1%	17.2%	25.3%	17.2%	3.2%	50.0%
12th grade	200	86	42	72		66	57	76	79	100	16	188	12	
	16.7%	18.9%	14.4%	16.0%		24.5%	14.1%	14.6%	18.8%	17.1%	9.9%	16.6%	19.4%	

Pan Atlantic Research (July 2017)

Gender of the Child (C5c)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Female	717	81	97	82	76	92	113	93	83	442	273	223	484
	59.8%	54.0%	64.7%	54.7%	50.7%	61.3%	75.3%	62.0%	55.3%	58.9%	61.1%	57.2%	60.9%
Male	483	69	53	68	74	58	37	57	67	309	174	167	311
	40.3%	46.0%	35.3%	45.3%	49.3%	38.7%	24.7%	38.0%	44.7%	41.1%	38.9%	42.8%	39.1%

Pan Atlantic Research (July 2017)

Gender of the Child (C5c)

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Female	717	717		126	130	115	116	110	120	256	461	146	539	26
	59.8%	100.0%		63.0%	65.0%	57.5%	58.0%	55.0%	60.0%	64.0%	57.6%	57.5%	60.8%	53.1%
Male	483		483	74	70	85	84	90	80	144	339	108	348	23
	40.3%		100.0%	37.0%	35.0%	42.5%	42.0%	45.0%	40.0%	36.0%	42.4%	42.5%	39.2%	46.9%

Pan Atlantic Research (July 2017)

Gender of the Child (C5c)

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Female	717	272	173	271	1	174	234	305	236	361	103	680	34	3
	59.8%	59.6%	59.5%	60.1%	50.0%	64.7%	57.9%	58.5%	56.1%	61.6%	63.6%	60.1%	54.8%	50.0%
Male	483	184	118	180	1	95	170	216	185	225	59	452	28	3
	40.3%	40.4%	40.5%	39.9%	50.0%	35.3%	42.1%	41.5%	43.9%	38.4%	36.4%	39.9%	45.2%	50.0%

Pan Atlantic Research (July 2017)

**Which of the following best describes your attitude toward underage drinking? Underage drinking is: (Q1)
[Options were read and rotated]**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never OK.	1066	134	130	136	136	133	138	133	126	669	395	354	697
	88.8%	89.3%	86.7%	90.7%	90.7%	88.7%	92.0%	88.7%	84.0%	89.1%	88.4%	90.8%	87.7%
OK under certain circumstances.	93	11	14	9	9	13	8	14	15	60	33	25	68
	7.8%	7.3%	9.3%	6.0%	6.0%	8.7%	5.3%	9.3%	10.0%	8.0%	7.4%	6.4%	8.6%
OK as long as I am there to supervise.	26	2	5	1	4	2	3	3	6	14	12	7	19
	2.2%	1.3%	3.3%	.7%	2.7%	1.3%	2.0%	2.0%	4.0%	1.9%	2.7%	1.8%	2.4%
Other	15	3	1	4	1	2	1		3	8	7	4	11
	1.3%	2.0%	.7%	2.7%	.7%	1.3%	.7%		2.0%	1.1%	1.6%	1.0%	1.4%

Pan Atlantic Research (July 2017)

Which of the following best describes your attitude toward underage drinking? Underage drinking is: (Q1)
[Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never OK.	1066	635	431	180	179	177	178	182	170	359	707	225	784	47
	88.8%	88.6%	89.2%	90.0%	89.5%	88.5%	89.0%	91.0%	85.0%	89.8%	88.4%	88.6%	88.4%	95.9%
OK under certain circumstances.	93	59	34	16	11	16	14	12	24	27	66	19	73	1
	7.8%	8.2%	7.0%	8.0%	5.5%	8.0%	7.0%	6.0%	12.0%	6.8%	8.3%	7.5%	8.2%	2.0%
OK as long as I am there to supervise.	26	14	12	3	6	3	5	4	5	9	17	9	16	1
	2.2%	2.0%	2.5%	1.5%	3.0%	1.5%	2.5%	2.0%	2.5%	2.3%	2.1%	3.5%	1.8%	2.0%
Other	15	9	6	1	4	4	3	2	1	5	10	1	14	
	1.3%	1.3%	1.2%	.5%	2.0%	2.0%	1.5%	1.0%	.5%	1.3%	1.3%	.4%	1.6%	

Pan Atlantic Research (July 2017)

Which of the following best describes your attitude toward underage drinking? Underage drinking is: (Q1)
[Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never OK.	1066	413	264	387	2	244	363	454	379	524	137	1009	51	6
	88.8%	90.6%	90.7%	85.8%	100.0%	90.7%	89.9%	87.1%	90.0%	89.4%	84.6%	89.1%	82.3%	100.0%
OK under certain circumstances.	93	30	24	39		19	31	42	31	44	15	86	7	
	7.8%	6.6%	8.2%	8.6%		7.1%	7.7%	8.1%	7.4%	7.5%	9.3%	7.6%	11.3%	
OK as long as I am there to supervise.	26	7	2	17		3	5	18	6	11	7	24	2	
	2.2%	1.5%	.7%	3.8%		1.1%	1.2%	3.5%	1.4%	1.9%	4.3%	2.1%	3.2%	
Other	15	6	1	8		3	5	7	5	7	3	13	2	
	1.3%	1.3%	.3%	1.8%		1.1%	1.2%	1.3%	1.2%	1.2%	1.9%	1.1%	3.2%	

Pan Atlantic Research (July 2017)

**What are the top two reasons you don't want your child to drink alcohol?
ALL ANSWERS COMBINED (Q2)**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Might drink to excess / become addicted	160	12	24	23	20	17	25	22	17	111	49	55	102
	13.3%	8.0%	16.0%	15.3%	13.3%	11.3%	16.7%	14.7%	11.3%	14.8%	11.0%	14.1%	12.8%
Might drink and drive	136	21	22	16	17	16	18	14	12	85	51	37	97
	11.3%	14.0%	14.7%	10.7%	11.3%	10.7%	12.0%	9.3%	8.0%	11.3%	11.4%	9.5%	12.2%
Brain development might be negatively impacted	245	41	35	26	33	26	23	26	35	135	110	75	168
	20.4%	27.3%	23.3%	17.3%	22.0%	17.3%	15.3%	17.3%	23.3%	18.0%	24.6%	19.2%	21.1%
Involved in unwanted and/or unprotected sexual behavior	8			1	1	1	3	2		4	4	3	5
	.7%			.7%	.7%	.7%	2.0%	1.3%		.5%	.9%	.8%	.6%
Drinking could lead to depression or suicide	13	3	2	3				3	2	11	2	2	11
	1.1%	2.0%	1.3%	2.0%				2.0%	1.3%	1.5%	.4%	.5%	1.4%
Lose out on a scholarship / other opportunity	11	2	1		2			1	3	2		4	7
	.9%	1.3%	.7%		1.3%		.7%	2.0%	1.3%	1.5%		1.0%	.9%
Grades might suffer	10	1	2		3	2		1	1	5	5	6	4
	.8%	.7%	1.3%		2.0%	1.3%		.7%	.7%	.7%	1.1%	1.5%	.5%
Might end up in trouble with the police	19	4	2	3	2	4	3		1	11	8	7	12
	1.6%	2.7%	1.3%	2.0%	1.3%	2.7%	2.0%		.7%	1.5%	1.8%	1.8%	1.5%
Might move on to other drugs	16			3	5	1		4	3	8	8	8	8
	1.3%			2.0%	3.3%	.7%		2.7%	2.0%	1.1%	1.8%	2.1%	1.0%
Alcoholism in family	114	12	10	10	19	16	17	15	15	72	41	36	76
	9.5%	8.0%	6.7%	6.7%	12.7%	10.7%	11.3%	10.0%	10.0%	9.6%	9.2%	9.2%	9.6%
Creates problems in family	20	5	2	4	1		3	2	3	12	8	5	15
	1.7%	3.3%	1.3%	2.7%	.7%		2.0%	1.3%	2.0%	1.6%	1.8%	1.3%	1.9%
Dangerous / Not safe	89	11	8	8	11	7	24	13	7	61	27	34	54
	7.4%	7.3%	5.3%	5.3%	7.3%	4.7%	16.0%	8.7%	4.7%	8.1%	6.0%	8.7%	6.8%
Illegal / Against the law	411	53	47	57	45	53	40	58	58	265	146	129	276
	34.3%	35.3%	31.3%	38.0%	30.0%	35.3%	26.7%	38.7%	38.7%	35.3%	32.7%	33.1%	34.7%
No need for it / Nothing good comes from it	73	7	14	11	4	13	11	8	5	48	25	19	52
	6.1%	4.7%	9.3%	7.3%	2.7%	8.7%	7.3%	5.3%	3.3%	6.4%	5.6%	4.9%	6.5%
Not healthy / Health reasons	314	47	28	39	41	40	39	38	42	198	116	112	196
	26.2%	31.3%	18.7%	26.0%	27.3%	26.7%	26.0%	25.3%	28.0%	26.4%	26.0%	28.7%	24.7%
Not mature enough / Too young	313	35	42	40	27	50	39	37	43	199	113	99	211
	26.1%	23.3%	28.0%	26.7%	18.0%	33.3%	26.0%	24.7%	28.7%	26.5%	25.3%	25.4%	26.5%
Poor decisions / Bad judgment	312	33	46	44	44	38	34	34	39	191	120	100	210
	26.0%	22.0%	30.7%	29.3%	29.3%	25.3%	22.7%	22.7%	26.0%	25.4%	26.8%	25.6%	26.4%

**What are the top two reasons you don't want your child to drink alcohol?
ALL ANSWERS COMBINED (Q2)(cont.)**

	Total	Public Health District							Gender of Parent		Age of Parent		
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Religious / Moral reasons	13			1	5	2	3	1	1	10	3		12
	1.1%			.7%	3.3%	1.3%	2.0%	.7%	.7%	1.3%	.7%		1.5%
Violence / Death	47	4	5	4	8	4	9	9	4	25	22	24	23
	3.9%	2.7%	3.3%	2.7%	5.3%	2.7%	6.0%	6.0%	2.7%	3.3%	4.9%	6.2%	2.9%
Other	4		1		1		1		1	4		1	3
	.3%		.7%		.7%		.7%		.7%	.5%		.3%	.4%
Don't Know	6	1	1		1	1		1	1	4	2	4	2
	.5%	.7%	.7%		.7%	.7%		.7%	.7%	.5%	.4%	1.0%	.3%

Pan Atlantic Research (July 2017)

**What are the top two reasons you don't want your child to drink alcohol?
ALL ANSWERS COMBINED (Q2)**

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Might drink to excess / become addicted	160	106	54	25	21	32	18	28	36	46	114	40	118	2
	13.3%	14.8%	11.2%	12.5%	10.5%	16.0%	9.0%	14.0%	18.0%	11.5%	14.2%	15.7%	13.3%	4.1%
Might drink and drive	136	79	57	21	15	16	26	34	24	36	100	30	105	1
	11.3%	11.0%	11.8%	10.5%	7.5%	8.0%	13.0%	17.0%	12.0%	9.0%	12.5%	11.8%	11.8%	2.0%
Brain development might be negatively impacted	245	150	95	44	36	48	44	35	38	80	165	43	195	7
	20.4%	20.9%	19.7%	22.0%	18.0%	24.0%	22.0%	17.5%	19.0%	20.0%	20.6%	16.9%	22.0%	14.3%
Involved in unwanted and/or unprotected sexual behavior	8	4	4	2	1	2	2		1	3	5	3	5	
	.7%	.6%	.8%	1.0%	.5%	1.0%	1.0%		.5%	.8%	.6%	1.2%	.6%	
Drinking could lead to depression or suicide	13	9	4	1	4	2	1	3	2	5	8	2	10	1
	1.1%	1.3%	.8%	.5%	2.0%	1.0%	.5%	1.5%	1.0%	1.3%	1.0%	.8%	1.1%	2.0%
Lose out on a scholarship / other opportunity	11	7	4	2	5	1	1	1	1	7	4	3	8	
	.9%	1.0%	.8%	1.0%	2.5%	.5%	.5%	.5%	.5%	1.8%	.5%	1.2%	.9%	
Grades might suffer	10	9	1	2	1	2	1	2	2	3	7	1	8	1
	.8%	1.3%	.2%	1.0%	.5%	1.0%	.5%	1.0%	1.0%	.8%	.9%	.4%	.9%	2.0%
Might end up in trouble with the police	19	9	10	3	1	4	3	2	6	4	15	1	17	1
	1.6%	1.3%	2.1%	1.5%	.5%	2.0%	1.5%	1.0%	3.0%	1.0%	1.9%	.4%	1.9%	2.0%
Might move on to other drugs	16	9	7	1	5		2	3	5	6	10	3	12	1
	1.3%	1.3%	1.4%	.5%	2.5%		1.0%	1.5%	2.5%	1.5%	1.3%	1.2%	1.4%	2.0%
Alcoholism in family	114	64	50	18	21	20	16	20	19	39	75	36	71	6
	9.5%	8.9%	10.4%	9.0%	10.5%	10.0%	8.0%	10.0%	9.5%	9.8%	9.4%	14.2%	8.0%	12.2%
Creates problems in family	20	12	8	4	3	1	3	2	7	7	13	2	15	3
	1.7%	1.7%	1.7%	2.0%	1.5%	.5%	1.5%	1.0%	3.5%	1.8%	1.6%	.8%	1.7%	6.1%
Dangerous / Not safe	89	54	35	12	14	16	15	18	14	26	63	18	67	4
	7.4%	7.5%	7.2%	6.0%	7.0%	8.0%	7.5%	9.0%	7.0%	6.5%	7.9%	7.1%	7.6%	8.2%
Illegal / Against the law	411	244	167	72	67	71	71	67	63	139	272	77	314	16
	34.3%	34.0%	34.6%	36.0%	33.5%	35.5%	35.5%	33.5%	31.5%	34.8%	34.0%	30.3%	35.4%	32.7%
No need for it / Nothing good comes from it	73	41	32	15	14	9	15	11	9	29	44	19	51	1
	6.1%	5.7%	6.6%	7.5%	7.0%	4.5%	7.5%	5.5%	4.5%	7.2%	5.5%	7.5%	5.7%	2.0%
Not healthy / Health reasons	314	191	123	51	59	50	51	53	50	110	204	66	230	14
	26.2%	26.6%	25.5%	25.5%	29.5%	25.0%	25.5%	26.5%	25.0%	27.5%	25.5%	26.0%	25.9%	28.6%
Not mature enough / Too young	313	182	131	46	50	64	56	44	53	96	217	60	231	18
	26.1%	25.4%	27.1%	23.0%	25.0%	32.0%	28.0%	22.0%	26.5%	24.0%	27.1%	23.6%	26.0%	36.7%
Poor decisions / Bad judgment	312	181	131	58	56	43	55	58	42	114	198	72	225	12
	26.0%	25.2%	27.1%	29.0%	28.0%	21.5%	27.5%	29.0%	21.0%	28.5%	24.8%	28.3%	25.4%	24.5%

**What are the top two reasons you don't want your child to drink alcohol?
ALL ANSWERS COMBINED (Q2)(cont.)**

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Religious / Moral reasons	13	11	2		3	2	2	2	4	3	10		12	
	1.1%	1.5%	.4%		1.5%	1.0%	1.0%	1.0%	2.0%	.8%	1.3%		1.4%	
Violence / Death	47	29	18	5	12	8	8	4	10	17	30	12	31	4
	3.9%	4.0%	3.7%	2.5%	6.0%	4.0%	4.0%	2.0%	5.0%	4.3%	3.8%	4.7%	3.5%	8.2%
Other	4	1	3	1			1	1	1	1	3	1	3	
	.3%	.1%	.6%	.5%			.5%	.5%	.5%	.3%	.4%	.4%	.3%	
Don't Know	6	3	3	1	2		1	2		3	3		5	1
	.5%	.4%	.6%	.5%	1.0%		.5%	1.0%		.8%	.4%		.6%	2.0%

Pan Atlantic Research (July 2017)

**What are the top two reasons you don't want your child to drink alcohol?
ALL ANSWERS COMBINED (Q2)**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Might drink to excess / become addicted	160	66	37	57		33	63	63	69	63	20	152	7	1
	13.3%	14.5%	12.7%	12.6%		12.3%	15.6%	12.1%	16.4%	10.8%	12.3%	13.4%	11.3%	16.7%
Might drink and drive	136	44	27	65		31	50	54	49	57	24	130	6	
	11.3%	9.6%	9.3%	14.4%		11.5%	12.4%	10.4%	11.6%	9.7%	14.8%	11.5%	9.7%	
Brain development might be negatively impacted	245	72	69	104		42	83	119	75	120	50	238	7	
	20.4%	15.8%	23.7%	23.1%		15.6%	20.5%	22.8%	17.8%	20.5%	30.9%	21.0%	11.3%	
Involved in unwanted and/or unprotected sexual behavior	8	3	2	3		2	4	2	5	3		5	3	
	.7%	.7%	.7%	.7%		.7%	1.0%	.4%	1.2%	.5%		.4%	4.8%	
Drinking could lead to depression or suicide	13	4	4	5		1	4	8	1	9	2	13		
	1.1%	.9%	1.4%	1.1%		.4%	1.0%	1.5%	.2%	1.5%	1.2%	1.1%		
Lose out on a scholarship / other opportunity	11	3	2	6		3	2	6	4	4	3	11		
	.9%	.7%	.7%	1.3%		1.1%	.5%	1.2%	1.0%	.7%	1.9%	1.0%		
Grades might suffer	10	3	4	3		1	1	8	5	2	2	10		
	.8%	.7%	1.4%	.7%		.4%	.2%	1.5%	1.2%	.3%	1.2%	.9%		
Might end up in trouble with the police	19	5	4	10		7	3	9	5	9	5	19		
	1.6%	1.1%	1.4%	2.2%		2.6%	.7%	1.7%	1.2%	1.5%	3.1%	1.7%		
Might move on to other drugs	16	6	2	8		8	4	4	6	8	2	16		
	1.3%	1.3%	.7%	1.8%		3.0%	1.0%	.8%	1.4%	1.4%	1.2%	1.4%		
Alcoholism in family	114	54	26	34		33	39	42	55	46	12	107	7	
	9.5%	11.8%	8.9%	7.5%		12.3%	9.7%	8.1%	13.1%	7.8%	7.4%	9.5%	11.3%	
Creates problems in family	20	9	5	6		3	7	10	8	9	3	20		
	1.7%	2.0%	1.7%	1.3%		1.1%	1.7%	1.9%	1.9%	1.5%	1.9%	1.8%		
Dangerous / Not safe	89	30	30	29		25	22	42	31	43	11	83	5	1
	7.4%	6.6%	10.3%	6.4%		9.3%	5.4%	8.1%	7.4%	7.3%	6.8%	7.3%	8.1%	16.7%
Illegal / Against the law	411	164	94	153		90	134	186	122	217	62	388	21	2
	34.3%	36.0%	32.3%	33.9%		33.5%	33.2%	35.7%	29.0%	37.0%	38.3%	34.3%	33.9%	33.3%
No need for it / Nothing good comes from it	73	35	19	19		9	35	29	27	36	8	66	6	1
	6.1%	7.7%	6.5%	4.2%		3.3%	8.7%	5.6%	6.4%	6.1%	4.9%	5.8%	9.7%	16.7%
Not healthy / Health reasons	314	113	83	117	1	79	99	132	120	147	40	292	19	3
	26.2%	24.8%	28.5%	25.9%	50.0%	29.4%	24.5%	25.3%	28.5%	25.1%	24.7%	25.8%	30.6%	50.0%
Not mature enough / Too young	313	121	85	107		69	115	128	106	161	39	291	20	2
	26.1%	26.5%	29.2%	23.7%		25.7%	28.5%	24.6%	25.2%	27.5%	24.1%	25.7%	32.3%	33.3%

**What are the top two reasons you don't want your child to drink alcohol?
ALL ANSWERS COMBINED (Q2)(cont.)**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Poor decisions / Bad judgment	312	129	59	122	2	69	92	150	102	173	28	293	18	1
	26.0%	28.3%	20.3%	27.1%	100.0%	25.7%	22.8%	28.8%	24.2%	29.5%	17.3%	25.9%	29.0%	16.7%
Religious / Moral reasons	13	9		4		4	2	6	9	1	1	10	2	1
	1.1%	2.0%		.9%		1.5%	.5%	1.2%	2.1%	.2%	.6%	.9%	3.2%	16.7%
Violence / Death	47	19	12	16		16	17	13	16	23	7	45	2	
	3.9%	4.2%	4.1%	3.5%		5.9%	4.2%	2.5%	3.8%	3.9%	4.3%	4.0%	3.2%	
Other	4			4			1	3	1	1	2	4		
	.3%			.9%			.2%	.6%	.2%	.2%	1.2%	.4%		
Don't Know	6	2	2	2		1	2	3	4	1		6		
	.5%	.4%	.7%	.4%		.4%	.5%	.6%	1.0%	.2%		.5%		

Pan Atlantic Research (July 2017)

**I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might drink to excess or become addicted to alcohol.' (Q3a)
[Options were read and rotated]**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	135	17	15	23	15	16	18	15	16	80	55	39	95
	11.3%	11.3%	10.0%	15.3%	10.0%	10.7%	12.0%	10.0%	10.7%	10.7%	12.3%	10.0%	11.9%
2	84	13	12	10	11	8	14	6	10	52	31	26	57
	7.0%	8.7%	8.0%	6.7%	7.3%	5.3%	9.3%	4.0%	6.7%	6.9%	6.9%	6.7%	7.2%
3	139	20	22	18	13	13	19	18	16	83	55	38	99
	11.6%	13.3%	14.7%	12.0%	8.7%	8.7%	12.7%	12.0%	10.7%	11.1%	12.3%	9.7%	12.5%
4	149	13	23	17	17	24	16	19	20	97	52	54	92
	12.4%	8.7%	15.3%	11.3%	11.3%	16.0%	10.7%	12.7%	13.3%	12.9%	11.6%	13.8%	11.6%
5 - One of the most worrisome	693	87	78	82	94	89	83	92	88	439	254	233	452
	57.8%	58.0%	52.0%	54.7%	62.7%	59.3%	55.3%	61.3%	58.7%	58.5%	56.8%	59.7%	56.9%

Pan Atlantic Research (July 2017)

Mean of Q3a

Mean	Public Health District								Gender of Parent		Age of Parent		
	York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older	
Mean	3.98	3.93	3.91	3.83	4.09	4.08	3.88	4.11	4.03	4.02	3.94	4.07	3.94
Std Deviation	1.41	1.45	1.38	1.52	1.38	1.36	1.46	1.34	1.39	1.39	1.44	1.36	1.43
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.

**'Your teen might drink to excess or become addicted to alcohol.' (Q3a)
[Options were read and rotated]**

Total	Gender of Child		Grade of Child							Grade Grouping		Marital Status		
	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner	
1200	717	483	200	200	200	200	200	200	400	800	254	887	49	
100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
1 - Not at all worrisome	135	84	51	23	19	19	17	26	31	42	93	30	99	6
	11.3%	11.7%	10.6%	11.5%	9.5%	9.5%	8.5%	13.0%	15.5%	10.5%	11.6%	11.8%	11.2%	12.2%
2	84	47	37	14	14	12	16	12	16	28	56	17	61	4
	7.0%	6.6%	7.7%	7.0%	7.0%	6.0%	8.0%	6.0%	8.0%	7.0%	7.0%	6.7%	6.9%	8.2%
3	139	87	52	23	21	25	26	23	21	44	95	25	107	7
	11.6%	12.1%	10.8%	11.5%	10.5%	12.5%	13.0%	11.5%	10.5%	11.0%	11.9%	9.8%	12.1%	14.3%
4	149	100	49	26	22	30	22	26	23	48	101	34	107	7
	12.4%	13.9%	10.1%	13.0%	11.0%	15.0%	11.0%	13.0%	11.5%	12.0%	12.6%	13.4%	12.1%	14.3%
5 - One of the most worrisome	693	399	294	114	124	114	119	113	109	238	455	148	513	25
	57.8%	55.6%	60.9%	57.0%	62.0%	57.0%	59.5%	56.5%	54.5%	59.5%	56.9%	58.3%	57.8%	51.0%

Pan Atlantic Research (July 2017)

Mean of Q3a

Mean	Gender of Child		Grade of Child							Grade Grouping		Marital Status		
	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner	
Mean	3.98	3.95	4.03	3.97	4.09	4.04	4.05	3.94	3.82	4.03	3.96	4.00	3.99	3.84
Std Deviation	1.41	1.41	1.41	1.42	1.36	1.34	1.35	1.45	1.53	1.39	1.42	1.42	1.41	1.45
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might drink to excess or become addicted to alcohol.' (Q3a)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	135	55	25	55		35	39	61	45	67	17	129	6	
	11.3%	12.1%	8.6%	12.2%		13.0%	9.7%	11.7%	10.7%	11.4%	10.5%	11.4%	9.7%	
2	84	29	24	31		18	25	41	27	42	13	78	6	
	7.0%	6.4%	8.2%	6.9%		6.7%	6.2%	7.9%	6.4%	7.2%	8.0%	6.9%	9.7%	
3	139	47	40	52		27	35	76	42	73	16	133	6	
	11.6%	10.3%	13.7%	11.5%		10.0%	8.7%	14.6%	10.0%	12.5%	9.9%	11.7%	9.7%	
4	149	50	36	62	1	28	45	73	45	76	25	143	3	3
	12.4%	11.0%	12.4%	13.7%	50.0%	10.4%	11.1%	14.0%	10.7%	13.0%	15.4%	12.6%	4.8%	50.0%
5 - One of the most worrisome	693	275	166	251	1	161	260	270	262	328	91	649	41	3
	57.8%	60.3%	57.0%	55.7%	50.0%	59.9%	64.4%	51.8%	62.2%	56.0%	56.2%	57.3%	66.1%	50.0%

Pan Atlantic Research (July 2017)

Mean of Q3a

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	3.98	4.01	4.01	3.94	4.50	3.97	4.14	3.86	4.07	3.95	3.99	3.98	4.08	4.50
Std Deviation	1.41	1.43	1.35	1.43	.71	1.46	1.35	1.42	1.39	1.41	1.39	1.41	1.43	.55
Minimum	1.00	1.00	1.00	1.00	4.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	4.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might drink and drive and/or end up in trouble with the police.' (Q3b)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	159	17	16	20	20	17	27	18	24	104	55	60	98
	13.3%	11.3%	10.7%	13.3%	13.3%	11.3%	18.0%	12.0%	16.0%	13.8%	12.3%	15.4%	12.3%
2	67	8	9	7	8	10	12	7	6	43	24	18	48
	5.6%	5.3%	6.0%	4.7%	5.3%	6.7%	8.0%	4.7%	4.0%	5.7%	5.4%	4.6%	6.0%
3	67	14	7	9	11	10	7	6	3	45	22	20	45
	5.6%	9.3%	4.7%	6.0%	7.3%	6.7%	4.7%	4.0%	2.0%	6.0%	4.9%	5.1%	5.7%
4	112	10	20	10	16	17	17	8	14	70	42	37	73
	9.3%	6.7%	13.3%	6.7%	10.7%	11.3%	11.3%	5.3%	9.3%	9.3%	9.4%	9.5%	9.2%
5 - One of the most worrisome	795	101	98	104	95	96	87	111	103	489	304	255	531
	66.3%	67.3%	65.3%	69.3%	63.3%	64.0%	58.0%	74.0%	68.7%	65.1%	68.0%	65.4%	66.8%

Pan Atlantic Research (July 2017)

Mean of Q3b

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	4.10	4.13	4.17	4.14	4.05	4.10	3.83	4.25	4.11	4.06	4.15	4.05	4.12
Std Deviation	1.46	1.41	1.37	1.46	1.46	1.41	1.60	1.41	1.52	1.48	1.43	1.51	1.44
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might drink and drive and/or end up in trouble with the police.' (Q3b)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	159	106	53	18	30	25	28	25	33	48	111	34	117	5
	13.3%	14.8%	11.0%	9.0%	15.0%	12.5%	14.0%	12.5%	16.5%	12.0%	13.9%	13.4%	13.2%	10.2%
2	67	38	29	13	12	12	11	7	12	25	42	15	49	3
	5.6%	5.3%	6.0%	6.5%	6.0%	6.0%	5.5%	3.5%	6.0%	6.3%	5.3%	5.9%	5.5%	6.1%
3	67	34	33	11	14	10	17	5	10	25	42	19	44	3
	5.6%	4.7%	6.8%	5.5%	7.0%	5.0%	8.5%	2.5%	5.0%	6.3%	5.3%	7.5%	5.0%	6.1%
4	112	59	53	13	22	18	17	17	25	35	77	20	87	4
	9.3%	8.2%	11.0%	6.5%	11.0%	9.0%	8.5%	8.5%	12.5%	8.8%	9.6%	7.9%	9.8%	8.2%
5 - One of the most worrisome	795	480	315	145	122	135	127	146	120	267	528	166	590	34
	66.3%	66.9%	65.2%	72.5%	61.0%	67.5%	63.5%	73.0%	60.0%	66.8%	66.0%	65.4%	66.5%	69.4%

Pan Atlantic Research (July 2017)

Mean of Q3b

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	4.10	4.07	4.13	4.27	3.97	4.13	4.02	4.26	3.94	4.12	4.09	4.06	4.11	4.20
Std Deviation	1.46	1.50	1.39	1.34	1.51	1.44	1.49	1.40	1.54	1.43	1.47	1.47	1.45	1.38
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might drink and drive and/or end up in trouble with the police.' (Q3b)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	159	72	33	54		44	63	51	60	79	15	147	12	
	13.3%	15.8%	11.3%	12.0%		16.4%	15.6%	9.8%	14.3%	13.5%	9.3%	13.0%	19.4%	
2	67	17	15	35		13	29	25	22	35	8	62	5	
	5.6%	3.7%	5.2%	7.8%		4.8%	7.2%	4.8%	5.2%	6.0%	4.9%	5.5%	8.1%	
3	67	28	15	24		8	21	37	27	28	6	60	5	2
	5.6%	6.1%	5.2%	5.3%		3.0%	5.2%	7.1%	6.4%	4.8%	3.7%	5.3%	8.1%	33.3%
4	112	36	31	45		21	40	51	38	54	15	102	10	
	9.3%	7.9%	10.7%	10.0%		7.8%	9.9%	9.8%	9.0%	9.2%	9.3%	9.0%	16.1%	
5 - One of the most worrisome	795	303	197	293	2	183	251	357	274	390	118	761	30	4
	66.3%	66.4%	67.7%	65.0%	100.0%	68.0%	62.1%	68.5%	65.1%	66.6%	72.8%	67.2%	48.4%	66.7%

Pan Atlantic Research (July 2017)

Mean of Q3b

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.10	4.05	4.18	4.08	5.00	4.06	3.96	4.22	4.05	4.09	4.31	4.12	3.66	4.33
Std Deviation	1.46	1.52	1.39	1.45	.00	1.54	1.54	1.33	1.49	1.47	1.31	1.45	1.60	1.03
Minimum	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	3.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen's brain development might be negatively impacted.' (Q3c)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	103	14	13	16	12	7	11	14	16	67	36	31	71
	8.6%	9.3%	8.7%	10.7%	8.0%	4.7%	7.3%	9.3%	10.7%	8.9%	8.1%	7.9%	8.9%
2	64	9	8	4	9	12	6	10	6	35	29	20	41
	5.3%	6.0%	5.3%	2.7%	6.0%	8.0%	4.0%	6.7%	4.0%	4.7%	6.5%	5.1%	5.2%
3	148	11	16	21	20	14	28	18	20	82	65	49	97
	12.3%	7.3%	10.7%	14.0%	13.3%	9.3%	18.7%	12.0%	13.3%	10.9%	14.5%	12.6%	12.2%
4	173	19	23	24	16	29	22	22	18	109	64	45	125
	14.4%	12.7%	15.3%	16.0%	10.7%	19.3%	14.7%	14.7%	12.0%	14.5%	14.3%	11.5%	15.7%
5 - One of the most worrisome	712	97	90	85	93	88	83	86	90	458	253	245	461
	59.3%	64.7%	60.0%	56.7%	62.0%	58.7%	55.3%	57.3%	60.0%	61.0%	56.6%	62.8%	58.0%

Pan Atlantic Research (July 2017)

Mean of Q3c

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	4.11	4.17	4.13	4.05	4.13	4.19	4.07	4.04	4.07	4.14	4.05	4.16	4.09
Std Deviation	1.30	1.33	1.30	1.34	1.31	1.18	1.25	1.35	1.36	1.30	1.30	1.29	1.31
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen's brain development might be negatively impacted.' (Q3c)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	103	75	28	15	13	15	20	21	19	28	75	21	78	4
	8.6%	10.5%	5.8%	7.5%	6.5%	7.5%	10.0%	10.5%	9.5%	7.0%	9.4%	8.3%	8.8%	8.2%
2	64	37	27	11	10	13	14	8	8	21	43	8	54	
	5.3%	5.2%	5.6%	5.5%	5.0%	6.5%	7.0%	4.0%	4.0%	5.3%	5.4%	3.1%	6.1%	
3	148	86	62	29	23	23	21	24	28	52	96	28	111	8
	12.3%	12.0%	12.8%	14.5%	11.5%	11.5%	10.5%	12.0%	14.0%	13.0%	12.0%	11.0%	12.5%	16.3%
4	173	113	60	31	30	30	21	38	23	61	112	31	134	6
	14.4%	15.8%	12.4%	15.5%	15.0%	15.0%	10.5%	19.0%	11.5%	15.3%	14.0%	12.2%	15.1%	12.2%
5 - One of the most worrisome	712	406	306	114	124	119	124	109	122	238	474	166	510	31
	59.3%	56.6%	63.4%	57.0%	62.0%	59.5%	62.0%	54.5%	61.0%	59.5%	59.3%	65.4%	57.5%	63.3%

Pan Atlantic Research (July 2017)

Mean of Q3c

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	4.11	4.03	4.22	4.09	4.21	4.13	4.08	4.03	4.11	4.15	4.08	4.23	4.06	4.22
Std Deviation	1.30	1.35	1.21	1.27	1.22	1.28	1.38	1.33	1.33	1.24	1.33	1.26	1.32	1.23
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen's brain development might be negatively impacted.' (Q3c)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	103	41	18	44		28	28	46	36	49	12	100	3	
	8.6%	9.0%	6.2%	9.8%		10.4%	6.9%	8.8%	8.6%	8.4%	7.4%	8.8%	4.8%	
2	64	19	15	30		8	21	35	16	33	11	61	3	
	5.3%	4.2%	5.2%	6.7%		3.0%	5.2%	6.7%	3.8%	5.6%	6.8%	5.4%	4.8%	
3	148	55	34	59		34	48	65	55	78	12	141	6	1
	12.3%	12.1%	11.7%	13.1%		12.6%	11.9%	12.5%	13.1%	13.3%	7.4%	12.5%	9.7%	16.7%
4	173	61	50	62		32	53	88	57	89	22	160	12	1
	14.4%	13.4%	17.2%	13.7%		11.9%	13.1%	16.9%	13.5%	15.2%	13.6%	14.1%	19.4%	16.7%
5 - One of the most worrisome	712	280	174	256	2	167	254	287	257	337	105	670	38	4
	59.3%	61.4%	59.8%	56.8%	100.0%	62.1%	62.9%	55.1%	61.0%	57.5%	64.8%	59.2%	61.3%	66.7%

Pan Atlantic Research (July 2017)

Mean of Q3c

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.11	4.14	4.19	4.01	5.00	4.12	4.20	4.03	4.15	4.08	4.22	4.09	4.27	4.50
Std Deviation	1.30	1.30	1.20	1.36	.00	1.34	1.24	1.32	1.28	1.30	1.27	1.31	1.13	.84
Minimum	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	3.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might be involved in unwanted and/or unprotected sexual behavior.' (Q3d)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	110	9	11	16	12	15	15	15	17	67	43	37	72
	9.2%	6.0%	7.3%	10.7%	8.0%	10.0%	10.0%	10.0%	11.3%	8.9%	9.6%	9.5%	9.1%
2	66	10	9	8	9	9	8	6	7	40	26	21	44
	5.5%	6.7%	6.0%	5.3%	6.0%	6.0%	5.3%	4.0%	4.7%	5.3%	5.8%	5.4%	5.5%
3	95	16	11	12	12	9	8	7	20	52	43	28	66
	7.9%	10.7%	7.3%	8.0%	8.0%	6.0%	5.3%	4.7%	13.3%	6.9%	9.6%	7.2%	8.3%
4	168	16	27	22	20	24	19	19	21	101	67	47	118
	14.0%	10.7%	18.0%	14.7%	13.3%	16.0%	12.7%	12.7%	14.0%	13.4%	15.0%	12.1%	14.8%
5 - One of the most worrisome	761	99	92	92	97	93	100	103	85	491	268	257	495
	63.4%	66.0%	61.3%	61.3%	64.7%	62.0%	66.7%	68.7%	56.7%	65.4%	60.0%	65.9%	62.3%

Pan Atlantic Research (July 2017)

Mean of Q3d

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	4.17	4.24	4.20	4.11	4.21	4.14	4.21	4.26	4.00	4.21	4.10	4.19	4.16
Std Deviation	1.32	1.24	1.25	1.37	1.29	1.35	1.34	1.32	1.39	1.30	1.34	1.33	1.31
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might be involved in unwanted and/or unprotected sexual behavior.' (Q3d)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	110	70	40	13	18	18	20	15	26	31	79	28	76	6
	9.2%	9.8%	8.3%	6.5%	9.0%	9.0%	10.0%	7.5%	13.0%	7.8%	9.9%	11.0%	8.6%	12.2%
2	66	33	33	13	14	5	13	13	8	27	39	13	49	4
	5.5%	4.6%	6.8%	6.5%	7.0%	2.5%	6.5%	6.5%	4.0%	6.8%	4.9%	5.1%	5.5%	8.2%
3	95	47	48	11	20	14	18	14	18	31	64	25	65	4
	7.9%	6.6%	9.9%	5.5%	10.0%	7.0%	9.0%	7.0%	9.0%	7.8%	8.0%	9.8%	7.3%	8.2%
4	168	104	64	28	26	26	36	29	23	54	114	30	128	6
	14.0%	14.5%	13.3%	14.0%	13.0%	13.0%	18.0%	14.5%	11.5%	13.5%	14.2%	11.8%	14.4%	12.2%
5 - One of the most worrisome	761	463	298	135	122	137	113	129	125	257	504	158	569	29
	63.4%	64.6%	61.7%	67.5%	61.0%	68.5%	56.5%	64.5%	62.5%	64.3%	63.0%	62.2%	64.1%	59.2%

Pan Atlantic Research (July 2017)

Mean of Q3d

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	4.17	4.20	4.13	4.30	4.10	4.30	4.05	4.22	4.07	4.20	4.16	4.09	4.20	3.98
Std Deviation	1.32	1.32	1.31	1.22	1.34	1.26	1.35	1.27	1.43	1.29	1.33	1.38	1.29	1.46
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might be involved in unwanted and/or unprotected sexual behavior.' (Q3d)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	110	56	15	39		26	38	45	30	64	10	100	10	
	9.2%	12.3%	5.2%	8.6%		9.7%	9.4%	8.6%	7.1%	10.9%	6.2%	8.8%	16.1%	
2	66	24	18	24		13	25	27	23	35	6	64	2	
	5.5%	5.3%	6.2%	5.3%		4.8%	6.2%	5.2%	5.5%	6.0%	3.7%	5.7%	3.2%	
3	95	37	27	31		18	30	47	29	48	12	91	3	1
	7.9%	8.1%	9.3%	6.9%		6.7%	7.4%	9.0%	6.9%	8.2%	7.4%	8.0%	4.8%	16.7%
4	168	53	42	73		36	43	89	59	72	34	162	5	1
	14.0%	11.6%	14.4%	16.2%		13.4%	10.6%	17.1%	14.0%	12.3%	21.0%	14.3%	8.1%	16.7%
5 - One of the most worrisome	761	286	189	284	2	176	268	313	280	367	100	715	42	4
	63.4%	62.7%	64.9%	63.0%	100.0%	65.4%	66.3%	60.1%	66.5%	62.6%	61.7%	63.2%	67.7%	66.7%

Pan Atlantic Research (July 2017)

Mean of Q3d

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.17	4.07	4.28	4.20	5.00	4.20	4.18	4.15	4.27	4.10	4.28	4.17	4.08	4.50
Std Deviation	1.32	1.42	1.18	1.29	.00	1.32	1.34	1.29	1.23	1.39	1.15	1.31	1.53	.84
Minimum	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	3.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
'Your teen's grades might suffer.' (Q3e)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	120	11	10	16	10	20	15	24	14	78	42	39	75
	10.0%	7.3%	6.7%	10.7%	6.7%	13.3%	10.0%	16.0%	9.3%	10.4%	9.4%	10.0%	9.4%
2	62	4	9	7	9	7	10	5	11	44	18	15	45
	5.2%	2.7%	6.0%	4.7%	6.0%	4.7%	6.7%	3.3%	7.3%	5.9%	4.0%	3.8%	5.7%
3	172	25	26	17	10	25	24	21	24	101	71	62	109
	14.3%	16.7%	17.3%	11.3%	6.7%	16.7%	16.0%	14.0%	16.0%	13.4%	15.9%	15.9%	13.7%
4	171	21	23	16	23	19	25	23	21	108	62	49	121
	14.2%	14.0%	15.3%	10.7%	15.3%	12.7%	16.7%	15.3%	14.0%	14.4%	13.9%	12.6%	15.2%
5 - One of the most worrisome	675	89	82	94	98	79	76	77	80	420	254	225	445
	56.3%	59.3%	54.7%	62.7%	65.3%	52.7%	50.7%	51.3%	53.3%	55.9%	56.8%	57.7%	56.0%

Pan Atlantic Research (July 2017)

Mean of Q3e

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	4.02	4.15	4.05	4.10	4.27	3.87	3.91	3.83	3.95	4.00	4.05	4.04	4.03
Std Deviation	1.35	1.23	1.25	1.37	1.22	1.44	1.36	1.49	1.36	1.37	1.32	1.34	1.33
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
'Your teen's grades might suffer.' (Q3e)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	120	77	43	23	18	20	21	22	16	41	79	23	94	2
	10.0%	10.7%	8.9%	11.5%	9.0%	10.0%	10.5%	11.0%	8.0%	10.3%	9.9%	9.1%	10.6%	4.1%
2	62	31	31	12	7	15	8	11	9	19	43	13	47	2
	5.2%	4.3%	6.4%	6.0%	3.5%	7.5%	4.0%	5.5%	4.5%	4.8%	5.4%	5.1%	5.3%	4.1%
3	172	108	64	33	26	29	26	31	27	59	113	42	124	6
	14.3%	15.1%	13.3%	16.5%	13.0%	14.5%	13.0%	15.5%	13.5%	14.8%	14.1%	16.5%	14.0%	12.2%
4	171	100	71	30	25	22	33	24	37	55	116	35	124	10
	14.2%	13.9%	14.7%	15.0%	12.5%	11.0%	16.5%	12.0%	18.5%	13.8%	14.5%	13.8%	14.0%	20.4%
5 - One of the most worrisome	675	401	274	102	124	114	112	112	111	226	449	141	498	29
	56.3%	55.9%	56.7%	51.0%	62.0%	57.0%	56.0%	56.0%	55.5%	56.5%	56.1%	55.5%	56.1%	59.2%

Pan Atlantic Research (July 2017)

Mean of Q3e

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	4.02	4.00	4.04	3.88	4.15	3.98	4.04	3.97	4.09	4.01	4.02	4.02	4.00	4.27
Std Deviation	1.35	1.36	1.33	1.39	1.30	1.39	1.34	1.39	1.26	1.35	1.34	1.32	1.37	1.09
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage drinking. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
'Your teen's grades might suffer.' (Q3e)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	120	46	23	51		30	30	58	41	63	9	115	5	
	10.0%	10.1%	7.9%	11.3%		11.2%	7.4%	11.1%	9.7%	10.8%	5.6%	10.2%	8.1%	
2	62	20	10	32		8	25	29	26	23	10	59	3	
	5.2%	4.4%	3.4%	7.1%		3.0%	6.2%	5.6%	6.2%	3.9%	6.2%	5.2%	4.8%	
3	172	54	62	56		33	46	92	54	92	23	161	10	1
	14.3%	11.8%	21.3%	12.4%		12.3%	11.4%	17.7%	12.8%	15.7%	14.2%	14.2%	16.1%	16.7%
4	171	61	40	69	1	28	48	95	58	79	30	164	6	1
	14.2%	13.4%	13.7%	15.3%	50.0%	10.4%	11.9%	18.2%	13.8%	13.5%	18.5%	14.5%	9.7%	16.7%
5 - One of the most worrisome	675	275	156	243	1	170	255	247	242	329	90	633	38	4
	56.3%	60.3%	53.6%	53.9%	50.0%	63.2%	63.1%	47.4%	57.5%	56.1%	55.6%	55.9%	61.3%	66.7%

Pan Atlantic Research (July 2017)

Mean of Q3e

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.02	4.09	4.02	3.93	4.50	4.12	4.17	3.85	4.03	4.00	4.12	4.01	4.11	4.50
Std Deviation	1.35	1.34	1.27	1.40	.71	1.37	1.28	1.36	1.35	1.36	1.20	1.35	1.31	.84
Minimum	1.00	1.00	1.00	1.00	4.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	3.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

There are many ways to talk to teens about drinking. Please tell me which of the following statements reflects how you most commonly talk to your child about alcohol use. (Q4)
A: 'I don't want you to drink, but if you're going to do it, do it only at home where I can supervise.'
B: 'I don't want you to drink, but if you're going to do it you must never drive.'
C: 'I don't want you to drink because it's illegal until you are 21.'
D: 'I don't want you to drink because it's not healthy for someone your age.'
E: 'I don't want you to drink because alcohol can damage your future.'
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Statement A	77	8	9	12	7	10	11	6	14	53	24	22	54
	6.4%	5.3%	6.0%	8.0%	4.7%	6.7%	7.3%	4.0%	9.3%	7.1%	5.4%	5.6%	6.8%
Statement B	225	41	28	25	22	21	30	33	25	129	96	70	150
	18.8%	27.3%	18.7%	16.7%	14.7%	14.0%	20.0%	22.0%	16.7%	17.2%	21.5%	17.9%	18.9%
Statement C	265	27	33	38	34	41	26	36	30	164	101	86	177
	22.1%	18.0%	22.0%	25.3%	22.7%	27.3%	17.3%	24.0%	20.0%	21.8%	22.6%	22.1%	22.3%
Statement D	216	23	30	26	30	31	22	23	31	145	70	71	145
	18.0%	15.3%	20.0%	17.3%	20.0%	20.7%	14.7%	15.3%	20.7%	19.3%	15.7%	18.2%	18.2%
Statement E	410	50	48	49	55	47	61	52	48	254	155	138	265
	34.2%	33.3%	32.0%	32.7%	36.7%	31.3%	40.7%	34.7%	32.0%	33.8%	34.7%	35.4%	33.3%
Don't know	5		2		2				1	4	1	2	3
	.4%		1.3%		1.3%				.7%	.5%	.2%	.5%	.4%
N/A - Don't think it is wrong	2	1							1	2		1	1
	.2%	.7%							.7%	.3%		.3%	.1%

Pan Atlantic Research (July 2017)

There are many ways to talk to teens about drinking. Please tell me which of the following statements reflects how you most commonly talk to your child about alcohol use. (Q4)
A: 'I don't want you to drink, but if you're going to do it, do it only at home where I can supervise.'
B: 'I don't want you to drink, but if you're going to do it you must never drive.'
C: 'I don't want you to drink because it's illegal until you are 21.'
D: 'I don't want you to drink because it's not healthy for someone your age.'
E: 'I don't want you to drink because alcohol can damage your future.'
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Statement A	77	44	33	15	15	8	13	8	18	30	47	18	55	4
	6.4%	6.1%	6.8%	7.5%	7.5%	4.0%	6.5%	4.0%	9.0%	7.5%	5.9%	7.1%	6.2%	8.2%
Statement B	225	131	94	31	34	42	39	37	42	65	160	39	175	9
	18.8%	18.3%	19.5%	15.5%	17.0%	21.0%	19.5%	18.5%	21.0%	16.3%	20.0%	15.4%	19.7%	18.4%
Statement C	265	162	103	47	49	47	38	42	42	96	169	59	191	13
	22.1%	22.6%	21.3%	23.5%	24.5%	23.5%	19.0%	21.0%	21.0%	24.0%	21.1%	23.2%	21.5%	26.5%
Statement D	216	139	77	39	31	34	43	30	39	70	146	40	167	7
	18.0%	19.4%	15.9%	19.5%	15.5%	17.0%	21.5%	15.0%	19.5%	17.5%	18.3%	15.7%	18.8%	14.3%
Statement E	410	239	171	68	68	68	67	83	56	136	274	97	294	15
	34.2%	33.3%	35.4%	34.0%	34.0%	34.0%	33.5%	41.5%	28.0%	34.0%	34.3%	38.2%	33.1%	30.6%
Don't know	5	1	4		3	1			1	3	2	1	4	
	.4%	.1%	.8%		1.5%	.5%			.5%	.8%	.3%	.4%	.5%	
N/A - Don't think it is wrong	2	1	1						2		2		1	1
	.2%	.1%	.2%						1.0%		.3%		.1%	2.0%

Pan Atlantic Research (July 2017)

There are many ways to talk to teens about drinking. Please tell me which of the following statements reflects how you most commonly talk to your child about alcohol use. (Q4)
A: 'I don't want you to drink, but if you're going to do it, do it only at home where I can supervise.'
B: 'I don't want you to drink, but if you're going to do it you must never drive.'
C: 'I don't want you to drink because it's illegal until you are 21.'
D: 'I don't want you to drink because it's not healthy for someone your age.'
E: 'I don't want you to drink because alcohol can damage your future.'
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Statement A	77	28	12	37		14	30	33	29	43	3	70	7	
	6.4%	6.1%	4.1%	8.2%		5.2%	7.4%	6.3%	6.9%	7.3%	1.9%	6.2%	11.3%	
Statement B	225	77	52	96		43	80	102	77	108	32	215	10	
	18.8%	16.9%	17.9%	21.3%		16.0%	19.8%	19.6%	18.3%	18.4%	19.8%	19.0%	16.1%	
Statement C	265	102	68	95		65	83	115	92	126	44	254	11	
	22.1%	22.4%	23.4%	21.1%		24.2%	20.5%	22.1%	21.9%	21.5%	27.2%	22.4%	17.7%	
Statement D	216	83	60	73		42	71	103	69	109	36	209	6	1
	18.0%	18.2%	20.6%	16.2%		15.6%	17.6%	19.8%	16.4%	18.6%	22.2%	18.5%	9.7%	16.7%
Statement E	410	164	97	147	2	103	139	164	152	197	46	378	27	5
	34.2%	36.0%	33.3%	32.6%	100.0%	38.3%	34.4%	31.5%	36.1%	33.6%	28.4%	33.4%	43.5%	83.3%
Don't know	5	1	2	2		2		3	2	1	1	4	1	
	.4%	.2%	.7%	.4%		.7%		.6%	.5%	.2%	.6%	.4%	1.6%	
N/A - Don't think it is wrong	2	1		1			1	1		2		2		
	.2%	.2%		.2%			.2%	.2%		.3%		.2%		

Pan Atlantic Research (July 2017)

Would your teen be able to access any alcohol that you have purchased without your knowledge? (Q5)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	444	56	64	44	46	48	55	68	63	279	164	131	309
	37.0%	37.3%	42.7%	29.3%	30.7%	32.0%	36.7%	45.3%	42.0%	37.2%	36.7%	33.6%	38.9%
No	566	69	67	77	75	78	79	56	65	343	222	196	361
	47.2%	46.0%	44.7%	51.3%	50.0%	52.0%	52.7%	37.3%	43.3%	45.7%	49.7%	50.3%	45.4%
Don't know	13	1	1	5	1	1		1	3	9	4	2	11
	1.1%	.7%	.7%	3.3%	.7%	.7%		.7%	2.0%	1.2%	.9%	.5%	1.4%
N/A - No alcohol in the house	177	24	18	24	28	23	16	25	19	120	57	61	114
	14.8%	16.0%	12.0%	16.0%	18.7%	15.3%	10.7%	16.7%	12.7%	16.0%	12.8%	15.6%	14.3%

Pan Atlantic Research (July 2017)

Would your teen be able to access any alcohol that you have purchased without your knowledge? (Q5)

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	444	261	183	65	70	80	78	82	69	135	309	80	347	16
	37.0%	36.4%	37.9%	32.5%	35.0%	40.0%	39.0%	41.0%	34.5%	33.8%	38.6%	31.5%	39.1%	32.7%
No	566	349	217	98	95	91	90	91	101	193	373	124	414	22
	47.2%	48.7%	44.9%	49.0%	47.5%	45.5%	45.0%	45.5%	50.5%	48.3%	46.6%	48.8%	46.7%	44.9%
Don't know	13	8	5	4	1	4	2	1	1	5	8	4	9	
	1.1%	1.1%	1.0%	2.0%	.5%	2.0%	1.0%	.5%	.5%	1.3%	1.0%	1.6%	1.0%	
N/A - No alcohol in the house	177	99	78	33	34	25	30	26	29	67	110	46	117	11
	14.8%	13.8%	16.1%	16.5%	17.0%	12.5%	15.0%	13.0%	14.5%	16.8%	13.8%	18.1%	13.2%	22.4%

Pan Atlantic Research (July 2017)

Would your teen be able to access any alcohol that you have purchased without your knowledge? (Q5)

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	444	124	110	210		75	146	221	140	199	87	425	15	4
	37.0%	27.2%	37.8%	46.6%		27.9%	36.1%	42.4%	33.3%	34.0%	53.7%	37.5%	24.2%	66.7%
No	566	227	134	203	2	134	186	244	185	309	61	532	33	1
	47.2%	49.8%	46.0%	45.0%	100.0%	49.8%	46.0%	46.8%	43.9%	52.7%	37.7%	47.0%	53.2%	16.7%
Don't know	13	3	7	3		5	3	5	6	6	1	11	2	
	1.1%	.7%	2.4%	.7%		1.9%	.7%	1.0%	1.4%	1.0%	.6%	1.0%	3.2%	
N/A - No alcohol in the house	177	102	40	35		55	69	51	90	72	13	164	12	1
	14.8%	22.4%	13.7%	7.8%		20.4%	17.1%	9.8%	21.4%	12.3%	8.0%	14.5%	19.4%	16.7%

Pan Atlantic Research (July 2017)

Can you tell me two things that you do regularly to prevent your teenager from drinking alcohol? (Q6)
ALL OPTIONS COMBINED
[Unaided; Multiple responses were recorded]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Limit your child's access to alcohol	608	76	72	78	81	74	80	82	65	365	242	204	394
	50.7%	50.7%	48.0%	52.0%	54.0%	49.3%	53.3%	54.7%	43.3%	48.6%	54.1%	52.3%	49.6%
Ask your child if alcohol will be present at a party or social gathering	89	12	13	12	15	10	9	10	8	65	24	31	58
	7.4%	8.0%	8.7%	8.0%	10.0%	6.7%	6.0%	6.7%	5.3%	8.7%	5.4%	7.9%	7.3%
Ask your child if a parent or other adult will be present at a party or social gathering	92	13	13	9	9	13	5	14	16	56	36	24	67
	7.7%	8.7%	8.7%	6.0%	6.0%	8.7%	3.3%	9.3%	10.7%	7.5%	8.1%	6.2%	8.4%
Call to verify that a parent or other responsible adult will be present at a party or social gathering	29	3	2	5	5	4	2	5	3	15	14	11	18
	2.4%	2.0%	1.3%	3.3%	3.3%	2.7%	1.3%	3.3%	2.0%	2.0%	3.1%	2.8%	2.3%
Make an effort to know your child's friends and their parents	100	12	14	20	11	12	8	13	10	60	40	27	71
	8.3%	8.0%	9.3%	13.3%	7.3%	8.0%	5.3%	8.7%	6.7%	8.0%	8.9%	6.9%	8.9%
Make an effort to know the rules of your child's friends' families	40	3	4	6	5	8	5	5	4	23	17	10	29
	3.3%	2.0%	2.7%	4.0%	3.3%	5.3%	3.3%	3.3%	2.7%	3.1%	3.8%	2.6%	3.6%
Ask your child to call you to check in	58	7	9	8	6	3	11	10	4	37	21	19	39
	4.8%	4.7%	6.0%	5.3%	4.0%	2.0%	7.3%	6.7%	2.7%	4.9%	4.7%	4.9%	4.9%
Call or visit during the social gathering to check on your child	19	4			1	2	5	3	4	10	9	10	9
	1.6%	2.7%			.7%	1.3%	3.3%	2.0%	2.7%	1.3%	2.0%	2.6%	1.1%
Wait up for your child to come home or set an alarm at curfew	21	3	2	3	2	3	2	4	2	14	7	8	13
	1.8%	2.0%	1.3%	2.0%	1.3%	2.0%	1.3%	2.7%	1.3%	1.9%	1.6%	2.1%	1.6%
Talk to your child when they come home about his/her night	246	29	29	26	30	32	36	21	43	163	83	82	161
	20.5%	19.3%	19.3%	17.3%	20.0%	21.3%	24.0%	14.0%	28.7%	21.7%	18.6%	21.0%	20.3%
Observe your child for signs of alcohol use	84	8	11	10	10	19	8	11	7	48	36	23	59
	7.0%	5.3%	7.3%	6.7%	6.7%	12.7%	5.3%	7.3%	4.7%	6.4%	8.1%	5.9%	7.4%
Enforce the rules that you make regarding alcohol usage	476	52	53	57	66	60	68	61	59	293	181	165	305
	39.7%	34.7%	35.3%	38.0%	44.0%	40.0%	45.3%	40.7%	39.3%	39.0%	40.5%	42.3%	38.4%
Other	100	18	26	15	9	9	17	4	2	73	27	34	66
	8.3%	12.0%	17.3%	10.0%	6.0%	6.0%	11.3%	2.7%	1.3%	9.7%	6.0%	8.7%	8.3%
Don't know	16	1	4	1	1	2	1	2	4	5	11	2	14
	1.3%	.7%	2.7%	.7%	.7%	1.3%	.7%	1.3%	2.7%	.7%	2.5%	.5%	1.8%

Pan Atlantic Research (July 2017)

Can you tell me two things that you do regularly to prevent your teenager from drinking alcohol? (Q6)

**ALL OPTIONS COMBINED
[Unaided; Multiple responses were recorded]**

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Limit your child's access to alcohol	608	366	242	92	105	100	97	108	106	197	411	150	425	26
	50.7%	51.0%	50.1%	46.0%	52.5%	50.0%	48.5%	54.0%	53.0%	49.3%	51.4%	59.1%	47.9%	53.1%
Ask your child if alcohol will be present at a party or social gathering	89	57	32	17	14	15	12	13	18	31	58	16	66	6
	7.4%	7.9%	6.6%	8.5%	7.0%	7.5%	6.0%	6.5%	9.0%	7.8%	7.2%	6.3%	7.4%	12.2%
Ask your child if a parent or other adult will be present at a party or social gathering	92	63	29	15	14	11	19	12	21	29	63	17	75	
	7.7%	8.8%	6.0%	7.5%	7.0%	5.5%	9.5%	6.0%	10.5%	7.2%	7.9%	6.7%	8.5%	
Call to verify that a parent or other responsible adult will be present at a party or social gathering	29	18	11	5	4	6	4	6	4	9	20	3	24	2
	2.4%	2.5%	2.3%	2.5%	2.0%	3.0%	2.0%	3.0%	2.0%	2.3%	2.5%	1.2%	2.7%	4.1%
Make an effort to know your child's friends and their parents	100	57	43	15	19	21	14	18	13	34	66	21	74	3
	8.3%	7.9%	8.9%	7.5%	9.5%	10.5%	7.0%	9.0%	6.5%	8.5%	8.3%	8.3%	8.3%	6.1%
Make an effort to know the rules of your child's friends' families	40	28	12	10	7	4	7	7	5	17	23	1	37	2
	3.3%	3.9%	2.5%	5.0%	3.5%	2.0%	3.5%	3.5%	2.5%	4.3%	2.9%	.4%	4.2%	4.1%
Ask your child to call you to check in	58	36	22	14	8	7	7	7	15	22	36	13	40	4
	4.8%	5.0%	4.6%	7.0%	4.0%	3.5%	3.5%	3.5%	7.5%	5.5%	4.5%	5.1%	4.5%	8.2%
Call or visit during the social gathering to check on your child	19	10	9	3	2	3	6	2	3	5	14	4	13	2
	1.6%	1.4%	1.9%	1.5%	1.0%	1.5%	3.0%	1.0%	1.5%	1.3%	1.8%	1.6%	1.5%	4.1%
Wait up for your child to come home or set an alarm at curfew	21	13	8	6	1	6	4	2	2	7	14	2	18	1
	1.8%	1.8%	1.7%	3.0%	.5%	3.0%	2.0%	1.0%	1.0%	1.8%	1.8%	.8%	2.0%	2.0%
Talk to your child when they come home about his/her night	246	147	99	41	43	43	39	39	41	84	162	54	182	8
	20.5%	20.5%	20.5%	20.5%	21.5%	21.5%	19.5%	19.5%	20.5%	21.0%	20.3%	21.3%	20.5%	16.3%
Observe your child for signs of alcohol use	84	45	39	22	13	15	8	7	19	35	49	19	56	6
	7.0%	6.3%	8.1%	11.0%	6.5%	7.5%	4.0%	3.5%	9.5%	8.8%	6.1%	7.5%	6.3%	12.2%
Enforce the rules that you make regarding alcohol usage	476	285	191	78	83	89	85	77	64	161	315	104	354	16
	39.7%	39.7%	39.5%	39.0%	41.5%	44.5%	42.5%	38.5%	32.0%	40.3%	39.4%	40.9%	39.9%	32.7%
Other	100	44	56	5	14	23	21	26	11	19	81	19	74	7
	8.3%	6.1%	11.6%	2.5%	7.0%	11.5%	10.5%	13.0%	5.5%	4.8%	10.1%	7.5%	8.3%	14.3%
Don't know	16	10	6	3	3		4	2	4	6	10	1	15	
	1.3%	1.4%	1.2%	1.5%	1.5%		2.0%	1.0%	2.0%	1.5%	1.3%	.4%	1.7%	

Pan Atlantic Research (July 2017)

Can you tell me two things that you do regularly to prevent your teenager from drinking alcohol? (Q6)
ALL OPTIONS COMBINED
[Unaided; Multiple responses were recorded]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White
Total	1200	456	291	451	2	269	404	521	421	586	162	1132
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Limit your child's access to alcohol	608	249	144	214	1	152	224	229	245	293	60	569
	50.7%	54.6%	49.5%	47.5%	50.0%	56.5%	55.4%	44.0%	58.2%	50.0%	37.0%	50.3%
Ask your child if alcohol will be present at a party or social gathering	89	44	18	27		20	29	40	33	37	16	87
	7.4%	9.6%	6.2%	6.0%		7.4%	7.2%	7.7%	7.8%	6.3%	9.9%	7.7%
Ask your child if a parent or other adult will be present at a party or social gathering	92	29	28	35		16	29	47	28	48	16	89
	7.7%	6.4%	9.6%	7.8%		5.9%	7.2%	9.0%	6.7%	8.2%	9.9%	7.9%
Call to verify that a parent or other responsible adult will be present at a party or social gathering	29	7	12	10		7	10	12	8	16	5	27
	2.4%	1.5%	4.1%	2.2%		2.6%	2.5%	2.3%	1.9%	2.7%	3.1%	2.4%
Make an effort to know your child's friends and their parents	100	33	23	44		21	36	42	38	47	14	91
	8.3%	7.2%	7.9%	9.8%		7.8%	8.9%	8.1%	9.0%	8.0%	8.6%	8.0%
Make an effort to know the rules of your child's friends' families	40	11	11	18		8	14	17	8	22	8	39
	3.3%	2.4%	3.8%	4.0%		3.0%	3.5%	3.3%	1.9%	3.8%	4.9%	3.4%
Ask your child to call you to check in	58	22	17	18	1	15	20	23	21	29	6	56
	4.8%	4.8%	5.8%	4.0%	50.0%	5.6%	5.0%	4.4%	5.0%	4.9%	3.7%	4.9%
Call or visit during the social gathering to check on your child	19	9	5	5		5	11	3	10	7	2	19
	1.6%	2.0%	1.7%	1.1%		1.9%	2.7%	.6%	2.4%	1.2%	1.2%	1.7%
Wait up for your child to come home or set an alarm at curfew	21	10	3	8		4	8	9	9	8	4	19
	1.8%	2.2%	1.0%	1.8%		1.5%	2.0%	1.7%	2.1%	1.4%	2.5%	1.7%
Talk to your child when they come home about his/her night	246	97	68	80	1	49	72	123	80	124	31	230
	20.5%	21.3%	23.4%	17.7%	50.0%	18.2%	17.8%	23.6%	19.0%	21.2%	19.1%	20.3%
Observe your child for signs of alcohol use	84	35	20	29		21	19	43	41	32	8	75
	7.0%	7.7%	6.9%	6.4%		7.8%	4.7%	8.3%	9.7%	5.5%	4.9%	6.6%
Enforce the rules that you make regarding alcohol usage	476	174	117	185		105	155	214	145	253	66	449
	39.7%	38.2%	40.2%	41.0%		39.0%	38.4%	41.1%	34.4%	43.2%	40.7%	39.7%
Other	100	31	16	52	1	17	32	51	31	28	34	95
	8.3%	6.8%	5.5%	11.5%	50.0%	6.3%	7.9%	9.8%	7.4%	4.8%	21.0%	8.4%
Don't know	16	4	6	6		5	3	8		9	5	16
	1.3%	.9%	2.1%	1.3%		1.9%	.7%	1.5%		1.5%	3.1%	1.4%

Can you tell me two things that you do regularly to prevent your teenager from drinking alcohol? (Q6)

ALL OPTIONS COMBINED

[Unaided; Multiple responses were recorded](cont.)

	Race / Ethnicity of Parent	
	All Other (Including Multiracial)	Prefer not to answer
Total	62	6
	100.0%	100.0%
Limit your child's access to alcohol	37	2
	59.7%	33.3%
Ask your child if alcohol will be present at a party or social gathering	2	
	3.2%	
Ask your child if a parent or other adult will be present at a party or social gathering	2	1
	3.2%	16.7%
Call to verify that a parent or other responsible adult will be present at a party or social gathering	2	
	3.2%	
Make an effort to know your child's friends and their parents	8	1
	12.9%	16.7%
Make an effort to know the rules of your child's friends' families		1
		16.7%
Ask your child to call you to check in	2	
	3.2%	
Call or visit during the social gathering to check on your child		
Wait up for your child to come home or set an alarm at curfew	2	
	3.2%	
Talk to your child when they come home about his/her night	15	1
	24.2%	16.7%
Observe your child for signs of alcohol use	8	1
	12.9%	16.7%
Enforce the rules that you make regarding alcohol usage	25	2
	40.3%	33.3%
Other	2	3
	3.2%	50.0%
Don't know		

(cont.)

Pan Atlantic Research (July 2017)

**To what extent do you agree or disagree with the following statements?
 'If my child drank alcohol without my permission, I would catch her/him.' (Q7a)**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Strongly disagree	46	7	10	9	3	5	4	5	3	27	19	15	31
	3.8%	4.7%	6.7%	6.0%	2.0%	3.3%	2.7%	3.3%	2.0%	3.6%	4.3%	3.8%	3.9%
2 - Disagree	360	47	47	52	49	41	42	49	33	225	135	115	240
	30.0%	31.3%	31.3%	34.7%	32.7%	27.3%	28.0%	32.7%	22.0%	30.0%	30.2%	29.5%	30.2%
3 - Agree	497	63	54	66	57	63	64	61	69	308	187	158	333
	41.4%	42.0%	36.0%	44.0%	38.0%	42.0%	42.7%	40.7%	46.0%	41.0%	41.8%	40.5%	41.9%
4 - Strongly agree	272	31	37	22	39	37	36	32	38	175	97	94	174
	22.7%	20.7%	24.7%	14.7%	26.0%	24.7%	24.0%	21.3%	25.3%	23.3%	21.7%	24.1%	21.9%
Don't know	25	2	2	1	2	4	4	3	7	16	9	8	17
	2.1%	1.3%	1.3%	.7%	1.3%	2.7%	2.7%	2.0%	4.7%	2.1%	2.0%	2.1%	2.1%
Disagree, overall	406	54	57	61	52	46	46	54	36	252	154	130	271
	33.8%	36.0%	38.0%	40.7%	34.7%	30.7%	30.7%	36.0%	24.0%	33.6%	34.5%	33.3%	34.1%
Agree, overall	769	94	91	88	96	100	100	93	107	483	284	252	507
	64.1%	62.7%	60.7%	58.7%	64.0%	66.7%	66.7%	62.0%	71.3%	64.3%	63.5%	64.6%	63.8%
Don't know	25	2	2	1	2	4	4	3	7	16	9	8	17
	2.1%	1.3%	1.3%	.7%	1.3%	2.7%	2.7%	2.0%	4.7%	2.1%	2.0%	2.1%	2.1%

Pan Atlantic Research (July 2017)

Mean of Q7a

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	2.85	2.80	2.80	2.68	2.89	2.90	2.90	2.82	2.99	2.86	2.83	2.87	2.84
Std Deviation	.82	.82	.90	.80	.82	.82	.80	.81	.76	.82	.82	.83	.82
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Valid N	1175	148	148	149	148	146	146	147	143	735	438	382	778

Pan Atlantic Research (July 2017)

**To what extent do you agree or disagree with the following statements?
'If my child drank alcohol without my permission, I would catch her/him.' (Q7a)**

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Strongly disagree	46	35	11	5	9	4	9	6	13	14	32	6	40	
	3.8%	4.9%	2.3%	2.5%	4.5%	2.0%	4.5%	3.0%	6.5%	3.5%	4.0%	2.4%	4.5%	
2 - Disagree	360	208	152	63	51	59	69	56	62	114	246	78	263	16
	30.0%	29.0%	31.5%	31.5%	25.5%	29.5%	34.5%	28.0%	31.0%	28.5%	30.8%	30.7%	29.7%	32.7%
3 - Agree	497	296	201	88	86	86	72	94	71	174	323	111	370	13
	41.4%	41.3%	41.6%	44.0%	43.0%	43.0%	36.0%	47.0%	35.5%	43.5%	40.4%	43.7%	41.7%	26.5%
4 - Strongly agree	272	163	109	40	47	48	46	41	50	87	185	54	196	18
	22.7%	22.7%	22.6%	20.0%	23.5%	24.0%	23.0%	20.5%	25.0%	21.8%	23.1%	21.3%	22.1%	36.7%
Don't know	25	15	10	4	7	3	4	3	4	11	14	5	18	2
	2.1%	2.1%	2.1%	2.0%	3.5%	1.5%	2.0%	1.5%	2.0%	2.8%	1.8%	2.0%	2.0%	4.1%
Disagree, overall	406	243	163	68	60	63	78	62	75	128	278	84	303	16
	33.8%	33.9%	33.7%	34.0%	30.0%	31.5%	39.0%	31.0%	37.5%	32.0%	34.8%	33.1%	34.2%	32.7%
Agree, overall	769	459	310	128	133	134	118	135	121	261	508	165	566	31
	64.1%	64.0%	64.2%	64.0%	66.5%	67.0%	59.0%	67.5%	60.5%	65.3%	63.5%	65.0%	63.8%	63.3%
Don't know	25	15	10	4	7	3	4	3	4	11	14	5	18	2
	2.1%	2.1%	2.1%	2.0%	3.5%	1.5%	2.0%	1.5%	2.0%	2.8%	1.8%	2.0%	2.0%	4.1%

Pan Atlantic Research (July 2017)

Mean of Q7a

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	2.85	2.84	2.86	2.83	2.89	2.90	2.79	2.86	2.81	2.86	2.84	2.86	2.83	3.04
Std Deviation	.82	.84	.79	.78	.83	.79	.85	.77	.90	.80	.83	.78	.83	.86
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Valid N	1175	702	473	196	193	197	196	197	196	389	786	249	869	47

Pan Atlantic Research (July 2017)

**To what extent do you agree or disagree with the following statements?
 'If my child drank alcohol without my permission, I would catch her/him.' (Q7a)**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Strongly disagree	46	17	11	18		12	14	20	14	21	9	45	1	
	3.8%	3.7%	3.8%	4.0%		4.5%	3.5%	3.8%	3.3%	3.6%	5.6%	4.0%	1.6%	
2 - Disagree	360	143	76	140	1	88	119	152	128	185	36	341	18	1
	30.0%	31.4%	26.1%	31.0%	50.0%	32.7%	29.5%	29.2%	30.4%	31.6%	22.2%	30.1%	29.0%	16.7%
3 - Agree	497	165	131	200	1	104	166	224	170	235	83	467	27	3
	41.4%	36.2%	45.0%	44.3%	50.0%	38.7%	41.1%	43.0%	40.4%	40.1%	51.2%	41.3%	43.5%	50.0%
4 - Strongly agree	272	123	64	85		62	96	112	99	136	29	255	15	2
	22.7%	27.0%	22.0%	18.8%		23.0%	23.8%	21.5%	23.5%	23.2%	17.9%	22.5%	24.2%	33.3%
Don't know	25	8	9	8		3	9	13	10	9	5	24	1	
	2.1%	1.8%	3.1%	1.8%		1.1%	2.2%	2.5%	2.4%	1.5%	3.1%	2.1%	1.6%	
Disagree, overall	406	160	87	158	1	100	133	172	142	206	45	386	19	1
	33.8%	35.1%	29.9%	35.0%	50.0%	37.2%	32.9%	33.0%	33.7%	35.2%	27.8%	34.1%	30.6%	16.7%
Agree, overall	769	288	195	285	1	166	262	336	269	371	112	722	42	5
	64.1%	63.2%	67.0%	63.2%	50.0%	61.7%	64.9%	64.5%	63.9%	63.3%	69.1%	63.8%	67.7%	83.3%
Don't know	25	8	9	8		3	9	13	10	9	5	24	1	
	2.1%	1.8%	3.1%	1.8%		1.1%	2.2%	2.5%	2.4%	1.5%	3.1%	2.1%	1.6%	

Pan Atlantic Research (July 2017)

Mean of Q7a

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	2.85	2.88	2.88	2.79	2.50	2.81	2.87	2.84	2.86	2.84	2.84	2.84	2.92	3.17
Std Deviation	.82	.86	.80	.79	.71	.84	.82	.81	.82	.82	.79	.82	.78	.75
Minimum	1.00	1.00	1.00	1.00	2.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	4.00	4.00	4.00	4.00	3.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Valid N	1175	448	282	443	2	266	395	508	411	577	157	1108	61	6

Pan Atlantic Research (July 2017)

**To what extent do you agree or disagree with the following statements?
'I have a strong influence over my teenager's behavior relating to alcohol use, and the rules in our family regarding alcohol use are clear. (Q7b)**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Strongly disagree	10	2	2	2	1		1	1	1	6	4	3	7
	.8%	1.3%	1.3%	1.3%	.7%		.7%	.7%	.7%	.8%	.9%	.8%	.9%
2 - Disagree	35	4	7	7	5	3	4	3	2	23	12	13	22
	2.9%	2.7%	4.7%	4.7%	3.3%	2.0%	2.7%	2.0%	1.3%	3.1%	2.7%	3.3%	2.8%
3 - Agree	306	40	40	38	32	42	42	31	41	188	118	88	213
	25.5%	26.7%	26.7%	25.3%	21.3%	28.0%	28.0%	20.7%	27.3%	25.0%	26.4%	22.6%	26.8%
4 - Strongly agree	844	103	101	102	111	104	103	115	105	530	312	286	548
	70.3%	68.7%	67.3%	68.0%	74.0%	69.3%	68.7%	76.7%	70.0%	70.6%	69.8%	73.3%	68.9%
Don't know	5	1		1	1	1			1	4	1		5
	.4%	.7%		.7%	.7%	.7%			.7%	.5%	.2%		.6%
Disagree, overall	45	6	9	9	6	3	5	4	3	29	16	16	29
	3.8%	4.0%	6.0%	6.0%	4.0%	2.0%	3.3%	2.7%	2.0%	3.9%	3.6%	4.1%	3.6%
Agree, overall	1150	143	141	140	143	146	145	146	146	718	430	374	761
	95.8%	95.3%	94.0%	93.3%	95.3%	97.3%	96.7%	97.3%	97.3%	95.6%	96.2%	95.9%	95.7%
Don't know	5	1		1	1	1			1	4	1		5
	.4%	.7%		.7%	.7%	.7%			.7%	.5%	.2%		.6%

Pan Atlantic Research (July 2017)

Mean of Q7b

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	3.66	3.64	3.60	3.61	3.70	3.68	3.65	3.73	3.68	3.66	3.65	3.68	3.65
Std Deviation	.58	.61	.65	.64	.57	.51	.57	.53	.54	.58	.58	.57	.58
Minimum	1.00	1.00	1.00	1.00	1.00	2.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Valid N	1195	149	150	149	149	149	150	150	149	747	446	390	790

Pan Atlantic Research (July 2017)

**To what extent do you agree or disagree with the following statements?
 'I have a strong influence over my teenager's behavior relating to alcohol use, and the rules in our family regarding alcohol use are clear. (Q7b)**

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Strongly disagree	10	5	5	3			1	1	5	3	7	3	7	
	.8%	.7%	1.0%	1.5%			.5%	.5%	2.5%	.8%	.9%	1.2%	.8%	
2 - Disagree	35	26	9	5	8	2	9	7	4	13	22	10	25	
	2.9%	3.6%	1.9%	2.5%	4.0%	1.0%	4.5%	3.5%	2.0%	3.3%	2.8%	3.9%	2.8%	
3 - Agree	306	179	127	46	60	42	54	47	57	106	200	69	227	6
	25.5%	25.0%	26.3%	23.0%	30.0%	21.0%	27.0%	23.5%	28.5%	26.5%	25.0%	27.2%	25.6%	12.2%
4 - Strongly agree	844	505	339	146	131	156	136	143	132	277	567	172	624	42
	70.3%	70.4%	70.2%	73.0%	65.5%	78.0%	68.0%	71.5%	66.0%	69.3%	70.9%	67.7%	70.3%	85.7%
Don't know	5	2	3		1			2	2	1	4		4	1
	.4%	.3%	.6%		.5%			1.0%	1.0%	.3%	.5%		.5%	2.0%
Disagree, overall	45	31	14	8	8	2	10	8	9	16	29	13	32	
	3.8%	4.3%	2.9%	4.0%	4.0%	1.0%	5.0%	4.0%	4.5%	4.0%	3.6%	5.1%	3.6%	
Agree, overall	1150	684	466	192	191	198	190	190	189	383	767	241	851	48
	95.8%	95.4%	96.5%	96.0%	95.5%	99.0%	95.0%	95.0%	94.5%	95.8%	95.9%	94.9%	95.9%	98.0%
Don't know	5	2	3		1			2	2	1	4		4	1
	.4%	.3%	.6%		.5%			1.0%	1.0%	.3%	.5%		.5%	2.0%

Pan Atlantic Research (July 2017)

Mean of Q7b

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	3.66	3.66	3.67	3.68	3.62	3.77	3.63	3.68	3.60	3.65	3.67	3.61	3.66	3.88
Std Deviation	.58	.58	.57	.60	.56	.45	.60	.57	.66	.58	.57	.62	.57	.33
Minimum	1.00	1.00	1.00	1.00	2.00	2.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	3.00
Maximum	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Valid N	1195	715	480	200	199	200	200	198	198	399	796	254	883	48

Pan Atlantic Research (July 2017)

**To what extent do you agree or disagree with the following statements?
 'I have a strong influence over my teenager's behavior relating to alcohol use, and the rules in our family regarding alcohol use are clear. (Q7**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Strongly disagree	10	4	3	3		5	4	1	3	6		9	1	
	.8%	.9%	1.0%	.7%		1.9%	1.0%	.2%	.7%	1.0%		.8%	1.6%	
2 - Disagree	35	13	7	15		7	10	18	9	18	7	34	1	
	2.9%	2.9%	2.4%	3.3%		2.6%	2.5%	3.5%	2.1%	3.1%	4.3%	3.0%	1.6%	
3 - Agree	306	110	76	120		75	93	137	109	148	41	294	12	
	25.5%	24.1%	26.1%	26.6%		27.9%	23.0%	26.3%	25.9%	25.3%	25.3%	26.0%	19.4%	
4 - Strongly agree	844	327	203	312	2	182	294	363	300	411	113	790	48	6
	70.3%	71.7%	69.8%	69.2%	100.0%	67.7%	72.8%	69.7%	71.3%	70.1%	69.8%	69.8%	77.4%	100.0%
Don't know	5	2	2	1			3	2		3	1	5		
	.4%	.4%	.7%	.2%			.7%	.4%		.5%	.6%	.4%		
Disagree, overall	45	17	10	18		12	14	19	12	24	7	43	2	
	3.8%	3.7%	3.4%	4.0%		4.5%	3.5%	3.6%	2.9%	4.1%	4.3%	3.8%	3.2%	
Agree, overall	1150	437	279	432	2	257	387	500	409	559	154	1084	60	6
	95.8%	95.8%	95.9%	95.8%	100.0%	95.5%	95.8%	96.0%	97.1%	95.4%	95.1%	95.8%	96.8%	100.0%
Don't know	5	2	2	1			3	2		3	1	5		
	.4%	.4%	.7%	.2%			.7%	.4%		.5%	.6%	.4%		

Pan Atlantic Research (July 2017)

Mean of Q7b

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	3.66	3.67	3.66	3.65	4.00	3.61	3.69	3.66	3.68	3.65	3.66	3.65	3.73	4.00
Std Deviation	.58	.57	.58	.58	.00	.63	.57	.55	.55	.59	.56	.58	.58	.00
Minimum	1.00	1.00	1.00	1.00	4.00	1.00	1.00	1.00	1.00	1.00	2.00	1.00	1.00	4.00
Maximum	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Valid N	1195	454	289	450	2	269	401	519	421	583	161	1127	62	6

Pan Atlantic Research (July 2017)

How honest do you think your child is with you about her/his involvement with alcohol? (Q8)
[Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all honest	10	2	1	1			1	5		9	1	2	8
	.8%	1.3%	.7%	.7%			.7%	3.3%		1.2%	.2%	.5%	1.0%
2 - Not very honest	32	5	3	5	3	3	5	3	5	21	11	5	26
	2.7%	3.3%	2.0%	3.3%	2.0%	2.0%	3.3%	2.0%	3.3%	2.8%	2.5%	1.3%	3.3%
3 - Somewhat honest	130	21	13	21	9	15	19	15	17	72	58	40	87
	10.8%	14.0%	8.7%	14.0%	6.0%	10.0%	12.7%	10.0%	11.3%	9.6%	13.0%	10.3%	10.9%
4 - Mostly honest	283	36	38	34	30	32	38	43	32	183	100	86	196
	23.6%	24.0%	25.3%	22.7%	20.0%	21.3%	25.3%	28.7%	21.3%	24.4%	22.4%	22.1%	24.7%
5 - Very honest	738	86	94	88	107	100	85	83	95	462	274	255	473
	61.5%	57.3%	62.7%	58.7%	71.3%	66.7%	56.7%	55.3%	63.3%	61.5%	61.3%	65.4%	59.5%
Don't know	7		1	1	1		2	1	1	4	3	2	5
	.6%		.7%	.7%	.7%		1.3%	.7%	.7%	.5%	.7%	.5%	.6%
Not very / Not at all honest	42	7	4	6	3	3	6	8	5	30	12	7	34
	3.5%	4.7%	2.7%	4.0%	2.0%	2.0%	4.0%	5.3%	3.3%	4.0%	2.7%	1.8%	4.3%
Somewhat honest	130	21	13	21	9	15	19	15	17	72	58	40	87
	10.8%	14.0%	8.7%	14.0%	6.0%	10.0%	12.7%	10.0%	11.3%	9.6%	13.0%	10.3%	10.9%
Very / Mostly honest	1021	122	132	122	137	132	123	126	127	645	374	341	669
	85.1%	81.3%	88.0%	81.3%	91.3%	88.0%	82.0%	84.0%	84.7%	85.9%	83.7%	87.4%	84.2%
Don't know	7		1	1	1		2	1	1	4	3	2	5
	.6%		.7%	.7%	.7%		1.3%	.7%	.7%	.5%	.7%	.5%	.6%

Pan Atlantic Research (July 2017)

Mean of Q8

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	4.43	4.33	4.48	4.36	4.62	4.53	4.36	4.32	4.46	4.43	4.43	4.51	4.39
Std Deviation	.85	.93	.79	.89	.69	.76	.88	.97	.83	.87	.83	.77	.88
Minimum	1.00	1.00	1.00	1.00	2.00	2.00	1.00	1.00	2.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1193	150	149	149	149	150	148	149	149	747	444	388	790

Pan Atlantic Research (July 2017)

How honest do you think your child is with you about her/his involvement with alcohol? (Q8)
[Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all honest	10	9	1	1	1	1	2	2	3	2	8	1	9	
	.8%	1.3%	.2%	.5%	.5%	.5%	1.0%	1.0%	1.5%	.5%	1.0%	.4%	1.0%	
2 - Not very honest	32	21	11	7	8	5	3	4	5	15	17	15	16	1
	2.7%	2.9%	2.3%	3.5%	4.0%	2.5%	1.5%	2.0%	2.5%	3.8%	2.1%	5.9%	1.8%	2.0%
3 - Somewhat honest	130	82	48	21	21	21	29	22	16	42	88	31	90	7
	10.8%	11.4%	9.9%	10.5%	10.5%	10.5%	14.5%	11.0%	8.0%	10.5%	11.0%	12.2%	10.1%	14.3%
4 - Mostly honest	283	159	124	42	48	44	43	54	52	90	193	51	222	8
	23.6%	22.2%	25.7%	21.0%	24.0%	22.0%	21.5%	27.0%	26.0%	22.5%	24.1%	20.1%	25.0%	16.3%
5 - Very honest	738	441	297	126	122	129	121	118	122	248	490	154	545	33
	61.5%	61.5%	61.5%	63.0%	61.0%	64.5%	60.5%	59.0%	61.0%	62.0%	61.3%	60.6%	61.4%	67.3%
Don't know	7	5	2	3			2		2	3	4	2	5	
	.6%	.7%	.4%	1.5%			1.0%		1.0%	.8%	.5%	.8%	.6%	
Not very / Not at all honest	42	30	12	8	9	6	5	6	8	17	25	16	25	1
	3.5%	4.2%	2.5%	4.0%	4.5%	3.0%	2.5%	3.0%	4.0%	4.3%	3.1%	6.3%	2.8%	2.0%
Somewhat honest	130	82	48	21	21	21	29	22	16	42	88	31	90	7
	10.8%	11.4%	9.9%	10.5%	10.5%	10.5%	14.5%	11.0%	8.0%	10.5%	11.0%	12.2%	10.1%	14.3%
Very / Mostly honest	1021	600	421	168	170	173	164	172	174	338	683	205	767	41
	85.1%	83.7%	87.2%	84.0%	85.0%	86.5%	82.0%	86.0%	87.0%	84.5%	85.4%	80.7%	86.5%	83.7%
Don't know	7	5	2	3			2		2	3	4	2	5	
	.6%	.7%	.4%	1.5%			1.0%		1.0%	.8%	.5%	.8%	.6%	

Pan Atlantic Research (July 2017)

Mean of Q8

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	4.43	4.41	4.47	4.45	4.41	4.47	4.40	4.41	4.44	4.43	4.43	4.36	4.45	4.49
Std Deviation	.85	.90	.78	.86	.87	.82	.87	.84	.86	.86	.85	.94	.83	.82
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1193	712	481	197	200	200	198	200	198	397	796	252	882	49

Pan Atlantic Research (July 2017)

How honest do you think your child is with you about her/his involvement with alcohol? (Q8)
[Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all honest	10	4	3	3		2	3	5	6	2	1	10		
	.8%	.9%	1.0%	.7%		.7%	.7%	1.0%	1.4%	.3%	.6%	.9%		
2 - Not very honest	32	14	9	9		11	11	10	12	16	4	32		
	2.7%	3.1%	3.1%	2.0%		4.1%	2.7%	1.9%	2.9%	2.7%	2.5%	2.8%		
3 - Somewhat honest	130	45	29	55	1	31	43	55	44	74	8	122	7	1
	10.8%	9.9%	10.0%	12.2%	50.0%	11.5%	10.6%	10.6%	10.5%	12.6%	4.9%	10.8%	11.3%	16.7%
4 - Mostly honest	283	96	86	101		62	98	123	93	146	39	265	17	1
	23.6%	21.1%	29.6%	22.4%		23.0%	24.3%	23.6%	22.1%	24.9%	24.1%	23.4%	27.4%	16.7%
5 - Very honest	738	294	163	280	1	162	245	326	262	346	109	696	38	4
	61.5%	64.5%	56.0%	62.1%	50.0%	60.2%	60.6%	62.6%	62.2%	59.0%	67.3%	61.5%	61.3%	66.7%
Don't know	7	3	1	3		1	4	2	4	2	1	7		
	.6%	.7%	.3%	.7%		.4%	1.0%	.4%	1.0%	.3%	.6%	.6%		
Not very / Not at all honest	42	18	12	12		13	14	15	18	18	5	42		
	3.5%	3.9%	4.1%	2.7%		4.8%	3.5%	2.9%	4.3%	3.1%	3.1%	3.7%		
Somewhat honest	130	45	29	55	1	31	43	55	44	74	8	122	7	1
	10.8%	9.9%	10.0%	12.2%	50.0%	11.5%	10.6%	10.6%	10.5%	12.6%	4.9%	10.8%	11.3%	16.7%
Very / Mostly honest	1021	390	249	381	1	224	343	449	355	492	148	961	55	5
	85.1%	85.5%	85.6%	84.5%	50.0%	83.3%	84.9%	86.2%	84.3%	84.0%	91.4%	84.9%	88.7%	83.3%
Don't know	7	3	1	3		1	4	2	4	2	1	7		
	.6%	.7%	.3%	.7%		.4%	1.0%	.4%	1.0%	.3%	.6%	.6%		

Pan Atlantic Research (July 2017)

Mean of Q8

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.43	4.46	4.37	4.44	4.00	4.38	4.43	4.45	4.42	4.40	4.56	4.43	4.50	4.50
Std Deviation	.85	.86	.86	.83	1.41	.90	.85	.83	.90	.84	.76	.86	.70	.84
Minimum	1.00	1.00	1.00	1.00	3.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	3.00	3.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1193	453	290	448	2	268	400	519	417	584	161	1125	62	6

Pan Atlantic Research (July 2017)

Do you think that your child has had more than a few sips of alcohol in the past 30 days? (Q9)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	65	10	11	6	10	7	8	7	6	41	24	17	47
	5.4%	6.7%	7.3%	4.0%	6.7%	4.7%	5.3%	4.7%	4.0%	5.5%	5.4%	4.4%	5.9%
No	1123	140	137	139	140	143	142	138	144	703	418	371	738
	93.6%	93.3%	91.3%	92.7%	93.3%	95.3%	94.7%	92.0%	96.0%	93.6%	93.5%	95.1%	92.8%
Don't know	12		2	5				5		7	5	2	10
	1.0%		1.3%	3.3%				3.3%		.9%	1.1%	.5%	1.3%

Pan Atlantic Research (July 2017)

Do you think that your child has had more than a few sips of alcohol in the past 30 days? (Q9)

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	65	34	31	7	11	7	13	15	12	18	47	13	51	1
	5.4%	4.7%	6.4%	3.5%	5.5%	3.5%	6.5%	7.5%	6.0%	4.5%	5.9%	5.1%	5.7%	2.0%
No	1123	674	449	191	186	192	185	181	188	377	746	238	827	48
	93.6%	94.0%	93.0%	95.5%	93.0%	96.0%	92.5%	90.5%	94.0%	94.3%	93.3%	93.7%	93.2%	98.0%
Don't know	12	9	3	2	3	1	2	4		5	7	3	9	
	1.0%	1.3%	.6%	1.0%	1.5%	.5%	1.0%	2.0%		1.3%	.9%	1.2%	1.0%	

Pan Atlantic Research (July 2017)

Do you think that your child has had more than a few sips of alcohol in the past 30 days? (Q9)

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	65	14	13	38		11	23	31	22	33	8	61	4	
	5.4%	3.1%	4.5%	8.4%		4.1%	5.7%	6.0%	5.2%	5.6%	4.9%	5.4%	6.5%	
No	1123	438	274	409	2	255	378	484	397	547	151	1059	58	6
	93.6%	96.1%	94.2%	90.7%	100.0%	94.8%	93.6%	92.9%	94.3%	93.3%	93.2%	93.6%	93.5%	100.0%
Don't know	12	4	4	4		3	3	6	2	6	3	12		
	1.0%	.9%	1.4%	.9%		1.1%	.7%	1.2%	.5%	1.0%	1.9%	1.1%		

Pan Atlantic Research (July 2017)

Do you think that your child has had five or more alcoholic beverages on any one occasion in the past two weeks? (Q10)

[Asked of parents who indicated that their child has had alcohol in the past 30 days.]

Total	Public Health District								Gender of Parent		Age of Parent		
	York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older	
Total	65	10	11	6	10	7	8	7	6	41	24	17	47
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	14	3	2	2	2		2	1	2	8	6	4	10
	21.5%	30.0%	18.2%	33.3%	20.0%		25.0%	14.3%	33.3%	19.5%	25.0%	23.5%	21.3%
No	50	7	8	4	8	7	6	6	4	32	18	13	36
	76.9%	70.0%	72.7%	66.7%	80.0%	100.0%	75.0%	85.7%	66.7%	78.0%	75.0%	76.5%	76.6%
Don't know	1		1							1			1
	1.5%		9.1%							2.4%			2.1%

Pan Atlantic Research (July 2017)

Do you think that your child has had five or more alcoholic beverages on any one occasion in the past two weeks? (Q10)

[Asked of parents who indicated that their child has had alcohol in the past 30 days.]

Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status			
	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner	
Total	65	34	31	7	11	7	13	15	12	18	47	13	51	1
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	14	7	7	1	2		3	3	5	3	11	3	11	
	21.5%	20.6%	22.6%	14.3%	18.2%		23.1%	20.0%	41.7%	16.7%	23.4%	23.1%	21.6%	
No	50	26	24	6	8	7	10	12	7	14	36	10	39	1
	76.9%	76.5%	77.4%	85.7%	72.7%	100.0%	76.9%	80.0%	58.3%	77.8%	76.6%	76.9%	76.5%	100.0%
Don't know	1	1			1					1			1	
	1.5%	2.9%			9.1%					5.6%			2.0%	

Pan Atlantic Research (July 2017)

Do you think that your child has had five or more alcoholic beverages on any one occasion in the past two weeks? (Q10)
[Asked of parents who indicated that their child has had alcohol in the past 30 days.]

Total	Alcohol in Household			Education of Parent			Household Income			Race / Ethnicity of Parent	
	Rarely or Never	Monthly	Weekly or Daily	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)
65	14	13	38	11	23	31	22	33	8	61	4
100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	4	2	8	3	4	7	3	10	1	14	
21.5%	28.6%	15.4%	21.1%	27.3%	17.4%	22.6%	13.6%	30.3%	12.5%	23.0%	
No	10	11	29	8	19	23	19	23	6	46	4
76.9%	71.4%	84.6%	76.3%	72.7%	82.6%	74.2%	86.4%	69.7%	75.0%	75.4%	100.0%
Don't know			1			1			1	1	
1.5%			2.6%			3.2%			12.5%	1.6%	

Pan Atlantic Research (July 2017)

How likely do you think it is that your child will have five or more alcoholic beverages on any one occasion before he/she graduates from high school? (Q11)
[Asked of parents who did not indicate that their child participated in binge drinking in the past two weeks]
[Options were read and rotated]

Total	Public Health District									Gender of Parent		Age of Parent	
	York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostock	Female	Male	44 or younger	45 or older	
1186	147	148	148	148	150	148	149	148	743	441	386	785	
100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
1 - Very unlikely	58	71	64	59	57	58	57	66	303	187	152	329	
41.3%	39.5%	48.0%	43.2%	39.9%	38.0%	39.2%	38.3%	44.6%	40.8%	42.4%	39.4%	41.9%	
2 - Somewhat unlikely	38	37	31	32	37	32	49	42	173	124	99	195	
25.1%	25.9%	25.0%	20.9%	21.6%	24.7%	21.6%	32.9%	28.4%	23.3%	28.1%	25.6%	24.8%	
3 - Somewhat likely	31	31	40	39	44	41	28	33	192	95	104	182	
24.2%	21.1%	20.9%	27.0%	26.4%	29.3%	27.7%	18.8%	22.3%	25.8%	21.5%	26.9%	23.2%	
4 - Very likely	20	9	12	17	12	17	15	7	74	34	30	78	
9.2%	13.6%	6.1%	8.1%	11.5%	8.0%	11.5%	10.1%	4.7%	10.0%	7.7%	7.8%	9.9%	
Don't know			1	1					1	1	1	1	
.2%			.7%	.7%					.1%	.2%	.3%	.1%	
Very / Somewhat unlikely combined	96	108	95	91	94	90	106	108	476	311	251	524	
66.4%	65.3%	73.0%	64.2%	61.5%	62.7%	60.8%	71.1%	73.0%	64.1%	70.5%	65.0%	66.8%	
Very / Somewhat likely combined	51	40	52	56	56	58	43	40	266	129	134	260	
33.4%	34.7%	27.0%	35.1%	37.8%	37.3%	39.2%	28.9%	27.0%	35.8%	29.3%	34.7%	33.1%	
Don't know			1	1					1	1	1	1	
.2%			.7%	.7%					.1%	.2%	.3%	.1%	

Pan Atlantic Research (July 2017)

Mean of Q11

Mean	Public Health District									Gender of Parent		Age of Parent	
	York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older	
Mean	2.01	2.09	1.85	2.00	2.10	2.07	2.11	2.01	1.87	2.05	1.95	2.03	2.01
Std Deviation	1.01	1.07	.96	1.02	1.06	1.00	1.06	.99	.92	1.03	.97	.99	1.03
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Valid N	1184	147	148	147	147	150	148	149	148	742	440	385	784

Pan Atlantic Research (July 2017)

How likely do you think it is that your child will have five or more alcoholic beverages on any one occasion before he/she graduates from high school? (Q11)
[Asked of parents who did not indicate that their child participated in binge drinking in the past two weeks]
[Options were read and rotated]

Total	Gender of Child		Grade of Child							Grade Grouping		Marital Status		
	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner	
1186	710	476	199	198	200	197	197	195	397	789	251	876	49	
100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
1 - Very unlikely	490	292	198	73	76	72	82	90	97	149	341	103	370	14
	41.3%	41.1%	41.6%	36.7%	38.4%	36.0%	41.6%	45.7%	49.7%	37.5%	43.2%	41.0%	42.2%	28.6%
2 - Somewhat unlikely	298	177	121	49	43	52	51	54	49	92	206	58	225	11
	25.1%	24.9%	25.4%	24.6%	21.7%	26.0%	25.9%	27.4%	25.1%	23.2%	26.1%	23.1%	25.7%	22.4%
3 - Somewhat likely	287	175	112	56	57	53	47	37	37	113	174	66	202	17
	24.2%	24.6%	23.5%	28.1%	28.8%	26.5%	23.9%	18.8%	19.0%	28.5%	22.1%	26.3%	23.1%	34.7%
4 - Very likely	109	65	44	20	22	23	17	16	11	42	67	24	77	7
	9.2%	9.2%	9.2%	10.1%	11.1%	11.5%	8.6%	8.1%	5.6%	10.6%	8.5%	9.6%	8.8%	14.3%
Don't know	2	1	1	1					1	1	1		2	
	.2%	.1%	.2%	.5%					.5%	.3%	.1%		.2%	
Very / Somewhat unlikely combined	788	469	319	122	119	124	133	144	146	241	547	161	595	25
	66.4%	66.1%	67.0%	61.3%	60.1%	62.0%	67.5%	73.1%	74.9%	60.7%	69.3%	64.1%	67.9%	51.0%
Very / Somewhat likely combined	396	240	156	76	79	76	64	53	48	155	241	90	279	24
	33.4%	33.8%	32.8%	38.2%	39.9%	38.0%	32.5%	26.9%	24.6%	39.0%	30.5%	35.9%	31.8%	49.0%
Don't know	2	1	1	1					1	1	1		2	
	.2%	.1%	.2%	.5%					.5%	.3%	.1%		.2%	

Pan Atlantic Research (July 2017)

Mean of Q11

	Gender of Child		Grade of Child						Grade Grouping		Marital Status			
	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner	
Mean	2.01	2.02	2.00	2.12	2.13	2.13	1.99	1.89	1.80	2.12	1.96	2.04	1.98	2.35
Std Deviation	1.01	1.01	1.01	1.02	1.05	1.04	1.00	.98	.94	1.04	1.00	1.03	1.00	1.05
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Valid N	1184	709	475	198	198	200	197	197	194	396	788	251	874	49

Pan Atlantic Research (July 2017)

How likely do you think it is that your child will have five or more alcoholic beverages on any one occasion before he/she graduates from high school? (Q11)
[Asked of parents who did not indicate that their child participated in binge drinking in the past two weeks.]
[Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1186	452	289	443	2	266	400	514	418	576	161	1118	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Very unlikely	490	190	112	187	1	113	156	217	171	230	74	460	29	1
	41.3%	42.0%	38.8%	42.2%	50.0%	42.5%	39.0%	42.2%	40.9%	39.9%	46.0%	41.1%	46.8%	16.7%
2 - Somewhat unlikely	298	117	70	111		63	106	128	98	157	37	285	11	2
	25.1%	25.9%	24.2%	25.1%		23.7%	26.5%	24.9%	23.4%	27.3%	23.0%	25.5%	17.7%	33.3%
3 - Somewhat likely	287	100	79	107	1	62	98	127	107	133	41	273	13	1
	24.2%	22.1%	27.3%	24.2%	50.0%	23.3%	24.5%	24.7%	25.6%	23.1%	25.5%	24.4%	21.0%	16.7%
4 - Very likely	109	44	28	37		27	40	41	41	56	8	99	8	2
	9.2%	9.7%	9.7%	8.4%		10.2%	10.0%	8.0%	9.8%	9.7%	5.0%	8.9%	12.9%	33.3%
Don't know	2	1		1		1		1	1		1	1	1	
	.2%	.2%		.2%		.4%		.2%	.2%		.6%	.1%	1.6%	
Very / Somewhat unlikely combined	788	307	182	298	1	176	262	345	269	387	111	745	40	3
	66.4%	67.9%	63.0%	67.3%	50.0%	66.2%	65.5%	67.1%	64.4%	67.2%	68.9%	66.6%	64.5%	50.0%
Very / Somewhat likely combined	396	144	107	144	1	89	138	168	148	189	49	372	21	3
	33.4%	31.9%	37.0%	32.5%	50.0%	33.5%	34.5%	32.7%	35.4%	32.8%	30.4%	33.3%	33.9%	50.0%
Don't know	2	1		1		1		1	1		1	1	1	
	.2%	.2%		.2%		.4%		.2%	.2%		.6%	.1%	1.6%	

Pan Atlantic Research (July 2017)

Mean of Q11

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	2.01	2.00	2.08	1.99	2.00	2.01	2.06	1.98	2.04	2.03	1.89	2.01	2.00	2.67
Std Deviation	1.01	1.02	1.02	1.00	1.41	1.04	1.02	1.00	1.03	1.01	.96	1.01	1.11	1.21
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	4.00	4.00	4.00	4.00	3.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00
Valid N	1184	451	289	442	2	265	400	513	417	576	160	1117	61	6

Pan Atlantic Research (July 2017)

Which of the following best describes your attitude about marijuana use by your child or teenager? Marijuana use by my child is: (Q12)
[Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never OK.	741	105	92	86	88	84	99	96	91	456	284	217	511
	61.8%	70.0%	61.3%	57.3%	58.7%	56.0%	66.0%	64.0%	60.7%	60.7%	63.5%	55.6%	64.3%
Not as big a deal as alcohol.	66	7	9	8	6	9	9	11	7	44	21	24	42
	5.5%	4.7%	6.0%	5.3%	4.0%	6.0%	6.0%	7.3%	4.7%	5.9%	4.7%	6.2%	5.3%
Legal in Maine, so it must be okay.	1				1					1		1	
	.1%				.7%					.1%		.3%	
OK if a doctor provides a written certificate	213	25	26	35	27	26	22	27	25	137	76	80	131
	17.8%	16.7%	17.3%	23.3%	18.0%	17.3%	14.7%	18.0%	16.7%	18.2%	17.0%	20.5%	16.5%
OK once my child is grown	164	13	22	20	26	28	16	16	23	102	62	61	103
	13.7%	8.7%	14.7%	13.3%	17.3%	18.7%	10.7%	10.7%	15.3%	13.6%	13.9%	15.6%	13.0%
Don't know	15		1	1	2	3	4		4	11	4	7	8
	1.3%		.7%	.7%	1.3%	2.0%	2.7%		2.7%	1.5%	.9%	1.8%	1.0%

Pan Atlantic Research (July 2017)

Which of the following best describes your attitude about marijuana use by your child or teenager? Marijuana use by my child is: (Q12)
[Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never OK.	741	460	281	125	116	126	124	130	120	241	500	165	535	32
	61.8%	64.2%	58.2%	62.5%	58.0%	63.0%	62.0%	65.0%	60.0%	60.3%	62.5%	65.0%	60.3%	65.3%
Not as big a deal as alcohol.	66	39	27	10	14	4	13	14	11	24	42	11	54	
	5.5%	5.4%	5.6%	5.0%	7.0%	2.0%	6.5%	7.0%	5.5%	6.0%	5.3%	4.3%	6.1%	
Legal in Maine, so it must be okay.	1		1						1		1		1	
	.1%		.2%						.5%		.1%		.1%	
OK if a doctor provides a written certificate	213	117	96	28	43	31	34	35	42	71	142	48	154	11
	17.8%	16.3%	19.9%	14.0%	21.5%	15.5%	17.0%	17.5%	21.0%	17.8%	17.8%	18.9%	17.4%	22.4%
OK once my child is grown	164	93	71	34	24	36	25	21	24	58	106	25	134	5
	13.7%	13.0%	14.7%	17.0%	12.0%	18.0%	12.5%	10.5%	12.0%	14.5%	13.3%	9.8%	15.1%	10.2%
Don't know	15	8	7	3	3	3	4		2	6	9	5	9	1
	1.3%	1.1%	1.4%	1.5%	1.5%	1.5%	2.0%		1.0%	1.5%	1.1%	2.0%	1.0%	2.0%

Pan Atlantic Research (July 2017)

Which of the following best describes your attitude about marijuana use by your child or teenager? Marijuana use by my child is: (Q12)
[Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never OK.	741	285	173	282	1	159	241	335	245	358	116	704	32	5
	61.8%	62.5%	59.5%	62.5%	50.0%	59.1%	59.7%	64.3%	58.2%	61.1%	71.6%	62.2%	51.6%	83.3%
Not as big a deal as alcohol.	66	27	14	25		15	26	25	27	33	4	63	3	
	5.5%	5.9%	4.8%	5.5%		5.6%	6.4%	4.8%	6.4%	5.6%	2.5%	5.6%	4.8%	
Legal in Maine, so it must be okay.	1	1				1			1				1	
	.1%	.2%				.4%			.2%				1.6%	
OK if a doctor provides a written certificate	213	86	48	79		53	71	89	85	104	20	199	13	1
	17.8%	18.9%	16.5%	17.5%		19.7%	17.6%	17.1%	20.2%	17.7%	12.3%	17.6%	21.0%	16.7%
OK once my child is grown	164	50	53	60	1	38	59	67	57	83	21	152	12	
	13.7%	11.0%	18.2%	13.3%	50.0%	14.1%	14.6%	12.9%	13.5%	14.2%	13.0%	13.4%	19.4%	
Don't know	15	7	3	5		3	7	5	6	8	1	14	1	
	1.3%	1.5%	1.0%	1.1%		1.1%	1.7%	1.0%	1.4%	1.4%	.6%	1.2%	1.6%	

Pan Atlantic Research (July 2017)

**What are the top two reasons you don't want your child to use marijuana?
ALL ANSWERS COMBINED (Q13)**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Your teen might become addicted to it	83	16	6	12	12	11	12	7	7	54	28	33	50
	6.9%	10.7%	4.0%	8.0%	8.0%	7.3%	8.0%	4.7%	4.7%	7.2%	6.3%	8.5%	6.3%
Your teen's brain development might be negatively impacted	425	53	55	64	58	47	51	50	47	273	152	126	292
	35.4%	35.3%	36.7%	42.7%	38.7%	31.3%	34.0%	33.3%	31.3%	36.4%	34.0%	32.3%	36.7%
Your teen could lose out on a scholarship or some other opportunity	8		1	2	1	1		1	2	4	4	1	7
	.7%		.7%	1.3%	.7%	.7%		.7%	1.3%	.5%	.9%	.3%	.9%
Your teen's grades might suffer	31	4	6	5	7	1	4	1	3	22	9	11	20
	2.6%	2.7%	4.0%	3.3%	4.7%	.7%	2.7%	.7%	2.0%	2.9%	2.0%	2.8%	2.5%
Your teen might end up in trouble with the police	4			1	3					2	2	2	2
	.3%			.7%	2.0%					.3%	.4%	.5%	.3%
Your teen might move on to other drugs	91	10	11	16	10	14	11	13	6	60	31	28	62
	7.6%	6.7%	7.3%	10.7%	6.7%	9.3%	7.3%	8.7%	4.0%	8.0%	6.9%	7.2%	7.8%
It affects motivation	64	12	9	5	7	7	6	12	6	32	32	16	48
	5.3%	8.0%	6.0%	3.3%	4.7%	4.7%	4.0%	8.0%	4.0%	4.3%	7.2%	4.1%	6.0%
Creates problems in the family	9	2	2			4		1		6	3	2	7
	.8%	1.3%	1.3%			2.7%		.7%		.8%	.7%	.5%	.9%
Dangerous / Not safe	55	7	7	1	10	12	8	1	9	31	24	14	39
	4.6%	4.7%	4.7%	.7%	6.7%	8.0%	5.3%	.7%	6.0%	4.1%	5.4%	3.6%	4.9%
Illegal / Against the law	137	18	19	14	17	10	20	21	18	74	63	52	83
	11.4%	12.0%	12.7%	9.3%	11.3%	6.7%	13.3%	14.0%	12.0%	9.9%	14.1%	13.3%	10.4%
No need for it / Nothing good comes from it	42	4	3	11	1	9	4	3	7	21	21	13	29
	3.5%	2.7%	2.0%	7.3%	.7%	6.0%	2.7%	2.0%	4.7%	2.8%	4.7%	3.3%	3.6%
Not healthy	240	32	28	27	22	29	35	27	40	153	87	72	166
	20.0%	21.3%	18.7%	18.0%	14.7%	19.3%	23.3%	18.0%	26.7%	20.4%	19.5%	18.5%	20.9%
Not mature enough / Too young	129	15	16	18	17	12	18	21	12	88	41	48	80
	10.8%	10.0%	10.7%	12.0%	11.3%	8.0%	12.0%	14.0%	8.0%	11.7%	9.2%	12.3%	10.1%
Poor decisions / Bad judgement	237	25	24	26	33	35	25	33	36	145	90	78	151
	19.8%	16.7%	16.0%	17.3%	22.0%	23.3%	16.7%	22.0%	24.0%	19.3%	20.1%	20.0%	19.0%
Cost / Expensive	8	1		1		3	1	1	1	4	4	1	7
	.7%	.7%		.7%		2.0%	.7%	.7%	.7%	.5%	.9%	.3%	.9%
Child's reputation / Social stigma	14	1	2	1	1	3	2	2	2	6	8	5	9
	1.2%	.7%	1.3%	.7%	.7%	2.0%	1.3%	1.3%	1.3%	.8%	1.8%	1.3%	1.1%
Don't know where it's from / how it would affect child	73	8	8	11	8	11	11	9	7	49	24	31	42
	6.1%	5.3%	5.3%	7.3%	5.3%	7.3%	7.3%	6.0%	4.7%	6.5%	5.4%	7.9%	5.3%

**What are the top two reasons you don't want your child to use marijuana?
ALL ANSWERS COMBINED (Q13)(cont.)**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Could impair ability to drive	41	6	6	4	4	5	5	5	6	31	10	16	25
	3.4%	4.0%	4.0%	2.7%	2.7%	3.3%	3.3%	3.3%	4.0%	4.1%	2.2%	4.1%	3.1%
Religion / Beliefs	7	1	1	1	2			2		3	4	2	5
	.6%	.7%	.7%	.7%	1.3%			1.3%		.4%	.9%	.5%	.6%
Just against it / Don't like it	95	14	9	12	12	13	10	13	12	58	37	36	59
	7.9%	9.3%	6.0%	8.0%	8.0%	8.7%	6.7%	8.7%	8.0%	7.7%	8.3%	9.2%	7.4%
Would lead to inactivity / Impact physical activity levels	6	1	1	2			2			3	3	3	3
	.5%	.7%	.7%	1.3%			1.3%			.4%	.7%	.8%	.4%
Mind-altering / Impaired cognitive function	187	24	31	18	26	21	21	22	24	120	67	59	127
	15.6%	16.0%	20.7%	12.0%	17.3%	14.0%	14.0%	14.7%	16.0%	16.0%	15.0%	15.1%	16.0%
Self-medicating / Doesn't solve problems	60	9	8	4	9	7	7	8	8	40	20	19	40
	5.0%	6.0%	5.3%	2.7%	6.0%	4.7%	4.7%	5.3%	5.3%	5.3%	4.5%	4.9%	5.0%
Damage future (general)	147	11	24	17	18	13	22	22	20	94	52	44	102
	12.3%	7.3%	16.0%	11.3%	12.0%	8.7%	14.7%	14.7%	13.3%	12.5%	11.6%	11.3%	12.8%
Would lead child into a 'bad crowd'	22	2	2	4	2	3	5	2	2	16	6	6	15
	1.8%	1.3%	1.3%	2.7%	1.3%	2.0%	3.3%	1.3%	1.3%	2.1%	1.3%	1.5%	1.9%
Other	11	3	2	1	1	1	2		1	7	4	3	8
	.9%	2.0%	1.3%	.7%	.7%	.7%	1.3%		.7%	.9%	.9%	.8%	1.0%
Don't Know	12	2	2		2	2	1	2	1	9	3	6	6
	1.0%	1.3%	1.3%		1.3%	1.3%	.7%	1.3%	.7%	1.2%	.7%	1.5%	.8%

Pan Atlantic Research (July 2017)

**What are the top two reasons you don't want your child to use marijuana?
ALL ANSWERS COMBINED (Q13)**

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Your teen might become addicted to it	83	46	37	12	15	15	12	12	17	27	56	27	54	2
	6.9%	6.4%	7.7%	6.0%	7.5%	7.5%	6.0%	6.0%	8.5%	6.8%	7.0%	10.6%	6.1%	4.1%
Your teen's brain development might be negatively impacted	425	243	182	61	59	69	93	74	69	120	305	86	317	20
	35.4%	33.9%	37.7%	30.5%	29.5%	34.5%	46.5%	37.0%	34.5%	30.0%	38.1%	33.9%	35.7%	40.8%
Your teen could lose out on a scholarship or some other opportunity	8	2	6	1		1	3	2	1	1	7	1	7	
	.7%	.3%	1.2%	.5%		.5%	1.5%	1.0%	.5%	.3%	.9%	.4%	.8%	
Your teen's grades might suffer	31	19	12	8	9	6	2	4	2	17	14	6	23	2
	2.6%	2.6%	2.5%	4.0%	4.5%	3.0%	1.0%	2.0%	1.0%	4.3%	1.8%	2.4%	2.6%	4.1%
Your teen might end up in trouble with the police	4	2	2	1			2		1	1	3		4	
	.3%	.3%	.4%	.5%			1.0%		.5%	.3%	.4%		.5%	
Your teen might move on to other drugs	91	57	34	14	18	19	13	12	15	32	59	11	74	6
	7.6%	7.9%	7.0%	7.0%	9.0%	9.5%	6.5%	6.0%	7.5%	8.0%	7.4%	4.3%	8.3%	12.2%
It affects motivation	64	37	27	8	13	11	5	11	16	21	43	18	44	2
	5.3%	5.2%	5.6%	4.0%	6.5%	5.5%	2.5%	5.5%	8.0%	5.3%	5.4%	7.1%	5.0%	4.1%
Creates problems in the family	9	3	6	2	2	1		1	3	4	5	4	5	
	.8%	.4%	1.2%	1.0%	1.0%	.5%		.5%	1.5%	1.0%	.6%	1.6%	.6%	
Dangerous / Not safe	55	26	29	6	10	9	11	9	10	16	39	13	37	3
	4.6%	3.6%	6.0%	3.0%	5.0%	4.5%	5.5%	4.5%	5.0%	4.0%	4.9%	5.1%	4.2%	6.1%
Illegal / Against the law	137	74	63	24	17	19	28	27	22	41	96	22	105	9
	11.4%	10.3%	13.0%	12.0%	8.5%	9.5%	14.0%	13.5%	11.0%	10.3%	12.0%	8.7%	11.8%	18.4%
No need for it / Nothing good comes from it	42	33	9	8	9	7	3	11	4	17	25	13	27	2
	3.5%	4.6%	1.9%	4.0%	4.5%	3.5%	1.5%	5.5%	2.0%	4.3%	3.1%	5.1%	3.0%	4.1%
Not healthy	240	141	99	49	40	36	31	41	43	89	151	56	174	7
	20.0%	19.7%	20.5%	24.5%	20.0%	18.0%	15.5%	20.5%	21.5%	22.3%	18.9%	22.0%	19.6%	14.3%
Not mature enough / Too young	129	74	55	23	16	21	23	24	22	39	90	31	90	7
	10.8%	10.3%	11.4%	11.5%	8.0%	10.5%	11.5%	12.0%	11.0%	9.8%	11.3%	12.2%	10.1%	14.3%
Poor decisions / Bad judgement	237	146	91	44	51	26	40	35	41	95	142	51	176	6
	19.8%	20.4%	18.8%	22.0%	25.5%	13.0%	20.0%	17.5%	20.5%	23.8%	17.8%	20.1%	19.8%	12.2%
Cost / Expensive	8	4	4	1		5	2			1	7		8	
	.7%	.6%	.8%	.5%		2.5%	1.0%			.3%	.9%		.9%	
Child's reputation / Social stigma	14	10	4	1	4	3	2	2	2	5	9	2	11	1
	1.2%	1.4%	.8%	.5%	2.0%	1.5%	1.0%	1.0%	1.0%	1.3%	1.1%	.8%	1.2%	2.0%
Don't know where it's from / how it would affect child	73	44	29	16	15	6	9	15	12	31	42	14	49	7
	6.1%	6.1%	6.0%	8.0%	7.5%	3.0%	4.5%	7.5%	6.0%	7.8%	5.3%	5.5%	5.5%	14.3%

**What are the top two reasons you don't want your child to use marijuana?
ALL ANSWERS COMBINED (Q13)(cont.)**

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Could impair ability to drive	41	23	18	7	7	8	4	7	8	14	27	15	23	3
	3.4%	3.2%	3.7%	3.5%	3.5%	4.0%	2.0%	3.5%	4.0%	3.5%	3.4%	5.9%	2.6%	6.1%
Religion / Beliefs	7	2	5	1			1	3	2	1	6		7	
	.6%	.3%	1.0%	.5%			.5%	1.5%	1.0%	.3%	.8%		.8%	
Just against it / Don't like it	95	59	36	14	18	15	18	10	20	32	63	15	76	4
	7.9%	8.2%	7.5%	7.0%	9.0%	7.5%	9.0%	5.0%	10.0%	8.0%	7.9%	5.9%	8.6%	8.2%
Would lead to inactivity / Impact physical activity levels	6	5	1			1	2	1	2		6	3	3	
	.5%	.7%	.2%			.5%	1.0%	.5%	1.0%		.8%	1.2%	.3%	
Mind-altering / Impaired cognitive function	187	116	71	31	34	42	25	30	25	65	122	41	138	6
	15.6%	16.2%	14.7%	15.5%	17.0%	21.0%	12.5%	15.0%	12.5%	16.3%	15.3%	16.1%	15.6%	12.2%
Self-medicating / Doesn't solve problems	60	35	25	8	10	19	5	10	8	18	42	8	49	3
	5.0%	4.9%	5.2%	4.0%	5.0%	9.5%	2.5%	5.0%	4.0%	4.5%	5.3%	3.1%	5.5%	6.1%
Damage future (general)	147	107	40	25	24	27	26	25	20	49	98	23	120	3
	12.3%	14.9%	8.3%	12.5%	12.0%	13.5%	13.0%	12.5%	10.0%	12.3%	12.3%	9.1%	13.5%	6.1%
Would lead child into a 'bad crowd'	22	14	8	6	2	7		4	3	8	14	8	14	
	1.8%	2.0%	1.7%	3.0%	1.0%	3.5%		2.0%	1.5%	2.0%	1.8%	3.1%	1.6%	
Other	11	6	5	2	1	1	3	2	2	3	8	1	9	1
	.9%	.8%	1.0%	1.0%	.5%	.5%	1.5%	1.0%	1.0%	.8%	1.0%	.4%	1.0%	2.0%
Don't Know	12	5	7	3	2	1	3		3	5	7	1	10	1
	1.0%	.7%	1.4%	1.5%	1.0%	.5%	1.5%		1.5%	1.3%	.9%	.4%	1.1%	2.0%

Pan Atlantic Research (July 2017)

**What are the top two reasons you don't want your child to use marijuana?
ALL ANSWERS COMBINED (Q13)**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Your teen might become addicted to it	83	40	23	20		23	28	32	34	39	9	79	4	
	6.9%	8.8%	7.9%	4.4%		8.6%	6.9%	6.1%	8.1%	6.7%	5.6%	7.0%	6.5%	
Your teen's brain development might be negatively impacted	425	144	102	177	2	90	127	207	148	200	63	399	22	4
	35.4%	31.6%	35.1%	39.2%	100.0%	33.5%	31.4%	39.7%	35.2%	34.1%	38.9%	35.2%	35.5%	66.7%
Your teen could lose out on a scholarship or some other opportunity	8	2	2	4			2	6	2	5	1	8		
	.7%	.4%	.7%	.9%			.5%	1.2%	.5%	.9%	.6%	.7%		
Your teen's grades might suffer	31	14	10	7		8	13	10	13	15	2	31		
	2.6%	3.1%	3.4%	1.6%		3.0%	3.2%	1.9%	3.1%	2.6%	1.2%	2.7%		
Your teen might end up in trouble with the police	4	2		2		1	2	1	2	2		4		
	.3%	.4%		.4%		.4%	.5%	.2%	.5%	.3%		.4%		
Your teen might move on to other drugs	91	28	27	36		20	27	44	24	44	21	88	3	
	7.6%	6.1%	9.3%	8.0%		7.4%	6.7%	8.4%	5.7%	7.5%	13.0%	7.8%	4.8%	
It affects motivation	64	30	15	19		14	24	25	17	36	10	63	1	
	5.3%	6.6%	5.2%	4.2%		5.2%	5.9%	4.8%	4.0%	6.1%	6.2%	5.6%	1.6%	
Creates problems in the family	9	2	3	4		3	3	3	4	5		8	1	
	.8%	.4%	1.0%	.9%		1.1%	.7%	.6%	1.0%	.9%		.7%	1.6%	
Dangerous / Not safe	55	26	14	15		13	16	26	21	26	6	52	3	
	4.6%	5.7%	4.8%	3.3%		4.8%	4.0%	5.0%	5.0%	4.4%	3.7%	4.6%	4.8%	
Illegal / Against the law	137	56	32	49		30	43	62	53	61	19	130	7	
	11.4%	12.3%	11.0%	10.9%		11.2%	10.6%	11.9%	12.6%	10.4%	11.7%	11.5%	11.3%	
No need for it / Nothing good comes from it	42	19	8	15		10	18	14	13	21	7	38	4	
	3.5%	4.2%	2.7%	3.3%		3.7%	4.5%	2.7%	3.1%	3.6%	4.3%	3.4%	6.5%	
Not healthy	240	91	58	90	1	54	79	104	83	120	31	227	11	2
	20.0%	20.0%	19.9%	20.0%	50.0%	20.1%	19.6%	20.0%	19.7%	20.5%	19.1%	20.1%	17.7%	33.3%
Not mature enough / Too young	129	50	31	48		34	43	52	48	59	21	121	8	
	10.8%	11.0%	10.7%	10.6%		12.6%	10.6%	10.0%	11.4%	10.1%	13.0%	10.7%	12.9%	
Poor decisions / Bad judgement	237	86	50	101		52	76	106	79	126	26	227	9	1
	19.8%	18.9%	17.2%	22.4%		19.3%	18.8%	20.3%	18.8%	21.5%	16.0%	20.1%	14.5%	16.7%
Cost / Expensive	8	2	2	4		2	5	1	2	5	1	7	1	
	.7%	.4%	.7%	.9%		.7%	1.2%	.2%	.5%	.9%	.6%	.6%	1.6%	
Child's reputation / Social stigma	14	4	4	6		1	8	5	5	6	2	14		
	1.2%	.9%	1.4%	1.3%		.4%	2.0%	1.0%	1.2%	1.0%	1.2%	1.2%		

**What are the top two reasons you don't want your child to use marijuana?
ALL ANSWERS COMBINED (Q13)(cont.)**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Don't know where it's from / how it would affect child	73	23	25	25		20	25	28	27	37	8	69	4	
	6.1%	5.0%	8.6%	5.5%		7.4%	6.2%	5.4%	6.4%	6.3%	4.9%	6.1%	6.5%	
Could impair ability to drive	41	19	12	10		11	13	17	14	23	3	38	3	
	3.4%	4.2%	4.1%	2.2%		4.1%	3.2%	3.3%	3.3%	3.9%	1.9%	3.4%	4.8%	
Religion / Beliefs	7	4	1	2		1	1	5	2	3	1	7		
	.6%	.9%	.3%	.4%		.4%	.2%	1.0%	.5%	.5%	.6%	.6%		
Just against it / Don't like it	95	36	18	41		19	31	45	30	46	16	92	3	
	7.9%	7.9%	6.2%	9.1%		7.1%	7.7%	8.6%	7.1%	7.8%	9.9%	8.1%	4.8%	
Would lead to inactivity / Impact physical activity levels	6		4	2			1	5	1	3	2	5	1	
	.5%		1.4%	.4%			.2%	1.0%	.2%	.5%	1.2%	.4%	1.6%	
Mind-altering / Impaired cognitive function	187	75	50	62		40	77	69	69	92	23	178	7	2
	15.6%	16.4%	17.2%	13.7%		14.9%	19.1%	13.2%	16.4%	15.7%	14.2%	15.7%	11.3%	33.3%
Self-medicating / Doesn't solve problems	60	25	16	19		13	24	23	18	33	9	55	5	
	5.0%	5.5%	5.5%	4.2%		4.8%	5.9%	4.4%	4.3%	5.6%	5.6%	4.9%	8.1%	
Damage future (general)	147	58	33	55	1	32	52	63	55	67	18	138	9	
	12.3%	12.7%	11.3%	12.2%	50.0%	11.9%	12.9%	12.1%	13.1%	11.4%	11.1%	12.2%	14.5%	
Would lead child into a 'bad crowd'	22	8	2	12		5	6	10	9	10	2	19	2	1
	1.8%	1.8%	.7%	2.7%		1.9%	1.5%	1.9%	2.1%	1.7%	1.2%	1.7%	3.2%	16.7%
Other	11	3	2	6			4	7	5	2	4	11		
	.9%	.7%	.7%	1.3%			1.0%	1.3%	1.2%	.3%	2.5%	1.0%		
Don't Know	12	5	1	6		3	4	5	3	8		9	2	1
	1.0%	1.1%	.3%	1.3%		1.1%	1.0%	1.0%	.7%	1.4%		.8%	3.2%	16.7%

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might become addicted to marijuana.' (Q14a)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	283	32	31	33	40	28	42	37	40	181	102	95	185
	23.6%	21.3%	20.7%	22.0%	26.7%	18.7%	28.0%	24.7%	26.7%	24.1%	22.8%	24.4%	23.3%
2	94	16	11	14	10	10	12	10	11	55	38	29	62
	7.8%	10.7%	7.3%	9.3%	6.7%	6.7%	8.0%	6.7%	7.3%	7.3%	8.5%	7.4%	7.8%
3	147	19	29	15	13	22	11	16	22	91	56	36	110
	12.3%	12.7%	19.3%	10.0%	8.7%	14.7%	7.3%	10.7%	14.7%	12.1%	12.5%	9.2%	13.8%
4	175	19	18	26	30	25	22	20	15	117	58	57	117
	14.6%	12.7%	12.0%	17.3%	20.0%	16.7%	14.7%	13.3%	10.0%	15.6%	13.0%	14.6%	14.7%
5 - One of the most worrisome	501	64	61	62	57	65	63	67	62	307	193	173	321
	41.8%	42.7%	40.7%	41.3%	38.0%	43.3%	42.0%	44.7%	41.3%	40.9%	43.2%	44.4%	40.4%

Pan Atlantic Research (July 2017)

Mean of Q14a

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	3.43	3.45	3.45	3.47	3.36	3.59	3.35	3.47	3.32	3.42	3.45	3.47	3.41
Std Deviation	1.63	1.62	1.57	1.61	1.66	1.54	1.71	1.67	1.68	1.63	1.63	1.66	1.61
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might become addicted to marijuana.' (Q14a)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	283	166	117	46	49	36	50	49	53	95	188	61	214	6
	23.6%	23.2%	24.2%	23.0%	24.5%	18.0%	25.0%	24.5%	26.5%	23.8%	23.5%	24.0%	24.1%	12.2%
2	94	63	31	22	12	14	19	14	13	34	60	13	70	10
	7.8%	8.8%	6.4%	11.0%	6.0%	7.0%	9.5%	7.0%	6.5%	8.5%	7.5%	5.1%	7.9%	20.4%
3	147	94	53	27	23	32	24	23	18	50	97	16	124	4
	12.3%	13.1%	11.0%	13.5%	11.5%	16.0%	12.0%	11.5%	9.0%	12.5%	12.1%	6.3%	14.0%	8.2%
4	175	100	75	26	30	34	22	32	31	56	119	48	120	5
	14.6%	13.9%	15.5%	13.0%	15.0%	17.0%	11.0%	16.0%	15.5%	14.0%	14.9%	18.9%	13.5%	10.2%
5 - One of the most worrisome	501	294	207	79	86	84	85	82	85	165	336	116	359	24
	41.8%	41.0%	42.9%	39.5%	43.0%	42.0%	42.5%	41.0%	42.5%	41.3%	42.0%	45.7%	40.5%	49.0%

Pan Atlantic Research (July 2017)

Mean of Q14a

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	3.43	3.41	3.46	3.35	3.46	3.58	3.37	3.42	3.41	3.41	3.44	3.57	3.38	3.63
Std Deviation	1.63	1.62	1.64	1.62	1.65	1.52	1.67	1.64	1.68	1.63	1.63	1.65	1.63	1.55
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might become addicted to marijuana.' (Q14a)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	283	108	59	116		75	90	117	106	131	39	270	13	
	23.6%	23.7%	20.3%	25.7%		27.9%	22.3%	22.5%	25.2%	22.4%	24.1%	23.9%	21.0%	
2	94	37	20	37		29	22	42	39	38	15	88	4	2
	7.8%	8.1%	6.9%	8.2%		10.8%	5.4%	8.1%	9.3%	6.5%	9.3%	7.8%	6.5%	33.3%
3	147	39	50	58		26	58	62	27	87	27	141	6	
	12.3%	8.6%	17.2%	12.9%		9.7%	14.4%	11.9%	6.4%	14.8%	16.7%	12.5%	9.7%	
4	175	57	47	70	1	44	57	74	69	83	18	166	8	1
	14.6%	12.5%	16.2%	15.5%	50.0%	16.4%	14.1%	14.2%	16.4%	14.2%	11.1%	14.7%	12.9%	16.7%
5 - One of the most worrisome	501	215	115	170	1	95	177	226	180	247	63	467	31	3
	41.8%	47.1%	39.5%	37.7%	50.0%	35.3%	43.8%	43.4%	42.8%	42.2%	38.9%	41.3%	50.0%	50.0%

Pan Atlantic Research (July 2017)

Mean of Q14a

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	3.43	3.51	3.48	3.31	4.50	3.20	3.52	3.48	3.42	3.47	3.31	3.42	3.65	3.83
Std Deviation	1.63	1.67	1.55	1.64	.71	1.66	1.61	1.62	1.67	1.60	1.62	1.63	1.63	1.47
Minimum	1.00	1.00	1.00	1.00	4.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen's brain development might be negatively impacted.' (Q14b)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	146	16	13	22	25	22	17	15	16	95	51	45	96
	12.2%	10.7%	8.7%	14.7%	16.7%	14.7%	11.3%	10.0%	10.7%	12.6%	11.4%	11.5%	12.1%
2	46	3	4	12	4	5	7	5	6	30	16	17	29
	3.8%	2.0%	2.7%	8.0%	2.7%	3.3%	4.7%	3.3%	4.0%	4.0%	3.6%	4.4%	3.6%
3	104	14	16	18	7	7	7	17	18	59	45	28	75
	8.7%	9.3%	10.7%	12.0%	4.7%	4.7%	4.7%	11.3%	12.0%	7.9%	10.1%	7.2%	9.4%
4	137	17	22	15	19	19	15	13	17	87	50	48	87
	11.4%	11.3%	14.7%	10.0%	12.7%	12.7%	10.0%	8.7%	11.3%	11.6%	11.2%	12.3%	10.9%
5 - One of the most worrisome	767	100	95	83	95	97	104	100	93	480	285	252	508
	63.9%	66.7%	63.3%	55.3%	63.3%	64.7%	69.3%	66.7%	62.0%	63.9%	63.8%	64.6%	63.9%

Pan Atlantic Research (July 2017)

Mean of Q14b

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	4.11	4.21	4.21	3.83	4.03	4.09	4.21	4.19	4.10	4.10	4.12	4.14	4.11
Std Deviation	1.40	1.33	1.26	1.52	1.52	1.47	1.38	1.34	1.36	1.42	1.38	1.38	1.40
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen's brain development might be negatively impacted.' (Q14b)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	146	82	64	25	28	17	25	24	27	53	93	25	113	6
	12.2%	11.4%	13.3%	12.5%	14.0%	8.5%	12.5%	12.0%	13.5%	13.3%	11.6%	9.8%	12.7%	12.2%
2	46	24	22	8	4	6	8	11	9	12	34	6	36	3
	3.8%	3.3%	4.6%	4.0%	2.0%	3.0%	4.0%	5.5%	4.5%	3.0%	4.3%	2.4%	4.1%	6.1%
3	104	63	41	16	20	22	12	14	20	36	68	16	81	7
	8.7%	8.8%	8.5%	8.0%	10.0%	11.0%	6.0%	7.0%	10.0%	9.0%	8.5%	6.3%	9.1%	14.3%
4	137	79	58	21	29	23	22	22	20	50	87	37	95	4
	11.4%	11.0%	12.0%	10.5%	14.5%	11.5%	11.0%	11.0%	10.0%	12.5%	10.9%	14.6%	10.7%	8.2%
5 - One of the most worrisome	767	469	298	130	119	132	133	129	124	249	518	170	562	29
	63.9%	65.4%	61.7%	65.0%	59.5%	66.0%	66.5%	64.5%	62.0%	62.3%	64.8%	66.9%	63.4%	59.2%

Pan Atlantic Research (July 2017)

Mean of Q14b

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	4.11	4.16	4.04	4.12	4.04	4.24	4.15	4.11	4.03	4.08	4.13	4.26	4.08	3.96
Std Deviation	1.40	1.37	1.44	1.42	1.43	1.27	1.41	1.42	1.46	1.42	1.39	1.28	1.42	1.46
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen's brain development might be negatively impacted.' (Q14b)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	146	65	30	51		42	41	63	59	72	11	136	10	
	12.2%	14.3%	10.3%	11.3%		15.6%	10.1%	12.1%	14.0%	12.3%	6.8%	12.0%	16.1%	
2	46	10	16	20		13	14	19	15	23	6	43	2	1
	3.8%	2.2%	5.5%	4.4%		4.8%	3.5%	3.6%	3.6%	3.9%	3.7%	3.8%	3.2%	16.7%
3	104	44	23	37		19	44	40	28	59	14	94	10	
	8.7%	9.6%	7.9%	8.2%		7.1%	10.9%	7.7%	6.7%	10.1%	8.6%	8.3%	16.1%	
4	137	50	34	53		26	39	72	51	70	12	134	3	
	11.4%	11.0%	11.7%	11.8%		9.7%	9.7%	13.8%	12.1%	11.9%	7.4%	11.8%	4.8%	
5 - One of the most worrisome	767	287	188	290	2	169	266	327	268	362	119	725	37	5
	63.9%	62.9%	64.6%	64.3%	100.0%	62.8%	65.8%	62.8%	63.7%	61.8%	73.5%	64.0%	59.7%	83.3%

Pan Atlantic Research (July 2017)

Mean of Q14b

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.11	4.06	4.15	4.13	5.00	3.99	4.18	4.12	4.08	4.07	4.37	4.12	3.89	4.50
Std Deviation	1.40	1.45	1.36	1.38	.00	1.52	1.34	1.39	1.45	1.41	1.21	1.39	1.54	1.22
Minimum	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen could have an increased risk of health and medical problems.' (Q14c)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	201	20	20	26	27	28	25	27	28	120	80	63	134
	16.8%	13.3%	13.3%	17.3%	18.0%	18.7%	16.7%	18.0%	18.7%	16.0%	17.9%	16.2%	16.9%
2	76	8	8	4	10	7	19	12	8	51	25	20	56
	6.3%	5.3%	5.3%	2.7%	6.7%	4.7%	12.7%	8.0%	5.3%	6.8%	5.6%	5.1%	7.0%
3	171	19	21	18	23	22	27	21	20	107	64	64	103
	14.2%	12.7%	14.0%	12.0%	15.3%	14.7%	18.0%	14.0%	13.3%	14.2%	14.3%	16.4%	13.0%
4	185	30	27	26	21	20	15	19	27	114	71	61	124
	15.4%	20.0%	18.0%	17.3%	14.0%	13.3%	10.0%	12.7%	18.0%	15.2%	15.9%	15.6%	15.6%
5 - One of the most worrisome	567	73	74	76	69	73	64	71	67	359	207	182	378
	47.3%	48.7%	49.3%	50.7%	46.0%	48.7%	42.7%	47.3%	44.7%	47.8%	46.3%	46.7%	47.5%

Pan Atlantic Research (July 2017)

Mean of Q14c

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	3.70	3.85	3.85	3.81	3.63	3.69	3.49	3.63	3.65	3.72	3.67	3.72	3.70
Std Deviation	1.51	1.42	1.43	1.51	1.54	1.55	1.54	1.56	1.54	1.50	1.53	1.49	1.52
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen could have an increased risk of health and medical problems.' (Q14c)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	201	121	80	30	33	26	39	34	39	63	138	51	142	5
	16.8%	16.9%	16.6%	15.0%	16.5%	13.0%	19.5%	17.0%	19.5%	15.8%	17.3%	20.1%	16.0%	10.2%
2	76	48	28	13	13	17	11	10	12	26	50	11	59	6
	6.3%	6.7%	5.8%	6.5%	6.5%	8.5%	5.5%	5.0%	6.0%	6.5%	6.3%	4.3%	6.7%	12.2%
3	171	112	59	28	29	30	29	30	25	57	114	34	129	8
	14.2%	15.6%	12.2%	14.0%	14.5%	15.0%	14.5%	15.0%	12.5%	14.2%	14.2%	13.4%	14.5%	16.3%
4	185	99	86	26	30	34	28	29	38	56	129	45	132	6
	15.4%	13.8%	17.8%	13.0%	15.0%	17.0%	14.0%	14.5%	19.0%	14.0%	16.1%	17.7%	14.9%	12.2%
5 - One of the most worrisome	567	337	230	103	95	93	93	97	86	198	369	113	425	24
	47.3%	47.0%	47.6%	51.5%	47.5%	46.5%	46.5%	48.5%	43.0%	49.5%	46.1%	44.5%	47.9%	49.0%

Pan Atlantic Research (July 2017)

Mean of Q14c

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	3.70	3.67	3.74	3.80	3.71	3.76	3.63	3.73	3.60	3.75	3.68	3.62	3.72	3.78
Std Deviation	1.51	1.52	1.50	1.49	1.51	1.44	1.57	1.52	1.55	1.50	1.52	1.56	1.50	1.43
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 Your teen could have an increased risk of health and medical problems. (Q14c)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	201	91	34	76		52	59	89	79	103	15	188	13	
	16.8%	20.0%	11.7%	16.9%		19.3%	14.6%	17.1%	18.8%	17.6%	9.3%	16.6%	21.0%	
2	76	22	13	41		17	22	37	28	33	11	68	7	1
	6.3%	4.8%	4.5%	9.1%		6.3%	5.4%	7.1%	6.7%	5.6%	6.8%	6.0%	11.3%	16.7%
3	171	62	45	64		33	51	86	53	91	19	161	10	
	14.2%	13.6%	15.5%	14.2%		12.3%	12.6%	16.5%	12.6%	15.5%	11.7%	14.2%	16.1%	
4	185	65	53	67		40	71	74	75	80	27	177	7	1
	15.4%	14.3%	18.2%	14.9%		14.9%	17.6%	14.2%	17.8%	13.7%	16.7%	15.6%	11.3%	16.7%
5 - One of the most worrisome	567	216	146	203	2	127	201	235	186	279	90	538	25	4
	47.3%	47.4%	50.2%	45.0%	100.0%	47.2%	49.8%	45.1%	44.2%	47.6%	55.6%	47.5%	40.3%	66.7%

Pan Atlantic Research (July 2017)

Mean of Q14c

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	3.70	3.64	3.91	3.62	5.00	3.64	3.82	3.63	3.62	3.68	4.02	3.71	3.39	4.33
Std Deviation	1.51	1.57	1.37	1.53	.00	1.57	1.46	1.52	1.54	1.53	1.34	1.51	1.60	1.21
Minimum	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might lose the motivation and drive to succeed.' (Q14d)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	163	21	18	18	20	25	23	21	17	103	60	49	109
	13.6%	14.0%	12.0%	12.0%	13.3%	16.7%	15.3%	14.0%	11.3%	13.7%	13.4%	12.6%	13.7%
2	31	6	3	2	2	4	5	5	4	20	11	9	22
	2.6%	4.0%	2.0%	1.3%	1.3%	2.7%	3.3%	3.3%	2.7%	2.7%	2.5%	2.3%	2.8%
3	104	9	14	15	11	11	11	21	12	60	44	32	68
	8.7%	6.0%	9.3%	10.0%	7.3%	7.3%	7.3%	14.0%	8.0%	8.0%	9.8%	8.2%	8.6%
4	182	20	29	19	27	21	20	23	23	118	64	62	120
	15.2%	13.3%	19.3%	12.7%	18.0%	14.0%	13.3%	15.3%	15.3%	15.7%	14.3%	15.9%	15.1%
5 - One of the most worrisome	720	94	86	96	90	89	91	80	94	450	268	238	476
	60.0%	62.7%	57.3%	64.0%	60.0%	59.3%	60.7%	53.3%	62.7%	59.9%	60.0%	61.0%	59.9%

Pan Atlantic Research (July 2017)

Mean of Q14d

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	4.05	4.07	4.08	4.15	4.10	3.97	4.01	3.91	4.15	4.05	4.05	4.11	4.05
Std Deviation	1.42	1.45	1.35	1.36	1.39	1.51	1.49	1.44	1.35	1.42	1.42	1.38	1.42
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might lose the motivation and drive to succeed.' (Q14d)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	163	109	54	26	21	27	32	29	28	47	116	28	129	5
	13.6%	15.2%	11.2%	13.0%	10.5%	13.5%	16.0%	14.5%	14.0%	11.8%	14.5%	11.0%	14.5%	10.2%
2	31	17	14	6	7	5	4	4	5	13	18	7	22	2
	2.6%	2.4%	2.9%	3.0%	3.5%	2.5%	2.0%	2.0%	2.5%	3.3%	2.3%	2.8%	2.5%	4.1%
3	104	60	44	17	16	19	16	20	16	33	71	31	66	5
	8.7%	8.4%	9.1%	8.5%	8.0%	9.5%	8.0%	10.0%	8.0%	8.3%	8.9%	12.2%	7.4%	10.2%
4	182	111	71	33	39	22	21	26	41	72	110	45	132	5
	15.2%	15.5%	14.7%	16.5%	19.5%	11.0%	10.5%	13.0%	20.5%	18.0%	13.8%	17.7%	14.9%	10.2%
5 - One of the most worrisome	720	420	300	118	117	127	127	121	110	235	485	143	538	32
	60.0%	58.6%	62.1%	59.0%	58.5%	63.5%	63.5%	60.5%	55.0%	58.8%	60.6%	56.3%	60.7%	65.3%

Pan Atlantic Research (July 2017)

Mean of Q14d

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	4.05	4.00	4.14	4.06	4.12	4.09	4.04	4.03	4.00	4.09	4.04	4.06	4.05	4.16
Std Deviation	1.42	1.46	1.35	1.40	1.32	1.43	1.50	1.45	1.41	1.36	1.45	1.34	1.45	1.36
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might lose the motivation and drive to succeed.' (Q14d)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	163	58	37	68		41	59	63	66	80	14	153	10	
	13.6%	12.7%	12.7%	15.1%		15.2%	14.6%	12.1%	15.7%	13.7%	8.6%	13.5%	16.1%	
2	31	8	9	14		8	10	13	8	20	3	29	1	1
	2.6%	1.8%	3.1%	3.1%		3.0%	2.5%	2.5%	1.9%	3.4%	1.9%	2.6%	1.6%	16.7%
3	104	48	24	32		29	28	46	33	56	9	96	8	
	8.7%	10.5%	8.2%	7.1%		10.8%	6.9%	8.8%	7.8%	9.6%	5.6%	8.5%	12.9%	
4	182	71	47	63	1	43	55	82	67	88	20	175	6	1
	15.2%	15.6%	16.2%	14.0%	50.0%	16.0%	13.6%	15.7%	15.9%	15.0%	12.3%	15.5%	9.7%	16.7%
5 - One of the most worrisome	720	271	174	274	1	148	252	317	247	342	116	679	37	4
	60.0%	59.4%	59.8%	60.8%	50.0%	55.0%	62.4%	60.8%	58.7%	58.4%	71.6%	60.0%	59.7%	66.7%

Pan Atlantic Research (July 2017)

Mean of Q14d

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.05	4.07	4.07	4.02	4.50	3.93	4.07	4.11	4.00	4.01	4.36	4.06	3.95	4.33
Std Deviation	1.42	1.38	1.40	1.47	.71	1.47	1.45	1.37	1.47	1.43	1.22	1.41	1.51	1.21
Minimum	1.00	1.00	1.00	1.00	4.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might end up in trouble with the police.' (Q14e)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	157	17	16	26	16	28	24	18	12	95	62	46	108
	13.1%	11.3%	10.7%	17.3%	10.7%	18.7%	16.0%	12.0%	8.0%	12.6%	13.9%	11.8%	13.6%
2	48	3	8	4	8	6	8	8	3	32	16	14	34
	4.0%	2.0%	5.3%	2.7%	5.3%	4.0%	5.3%	5.3%	2.0%	4.3%	3.6%	3.6%	4.3%
3	134	17	21	20	13	12	15	15	21	87	47	37	95
	11.2%	11.3%	14.0%	13.3%	8.7%	8.0%	10.0%	10.0%	14.0%	11.6%	10.5%	9.5%	11.9%
4	214	29	25	28	31	29	22	34	16	125	89	75	136
	17.8%	19.3%	16.7%	18.7%	20.7%	19.3%	14.7%	22.7%	10.7%	16.6%	19.9%	19.2%	17.1%
5 - One of the most worrisome	647	84	80	72	82	75	81	75	98	412	233	218	422
	53.9%	56.0%	53.3%	48.0%	54.7%	50.0%	54.0%	50.0%	65.3%	54.9%	52.1%	55.9%	53.1%

Pan Atlantic Research (July 2017)

Mean of Q14e

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	3.96	4.07	3.97	3.77	4.03	3.78	3.85	3.93	4.23	3.97	3.93	4.04	3.92
Std Deviation	1.41	1.33	1.36	1.50	1.35	1.55	1.51	1.38	1.24	1.41	1.42	1.36	1.43
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might end up in trouble with the police.' (Q14e)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	157	98	59	28	24	17	33	27	28	52	105	26	127	3
	13.1%	13.7%	12.2%	14.0%	12.0%	8.5%	16.5%	13.5%	14.0%	13.0%	13.1%	10.2%	14.3%	6.1%
2	48	22	26	8	7	9	7	9	8	15	33	12	31	5
	4.0%	3.1%	5.4%	4.0%	3.5%	4.5%	3.5%	4.5%	4.0%	3.8%	4.1%	4.7%	3.5%	10.2%
3	134	87	47	23	17	29	20	23	22	40	94	36	92	5
	11.2%	12.1%	9.7%	11.5%	8.5%	14.5%	10.0%	11.5%	11.0%	10.0%	11.8%	14.2%	10.4%	10.2%
4	214	131	83	33	36	31	40	37	37	69	145	49	157	7
	17.8%	18.3%	17.2%	16.5%	18.0%	15.5%	20.0%	18.5%	18.5%	17.3%	18.1%	19.3%	17.7%	14.3%
5 - One of the most worrisome	647	379	268	108	116	114	100	104	105	224	423	131	480	29
	53.9%	52.9%	55.5%	54.0%	58.0%	57.0%	50.0%	52.0%	52.5%	56.0%	52.9%	51.6%	54.1%	59.2%

Pan Atlantic Research (July 2017)

Mean of Q14e

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	3.96	3.94	3.98	3.93	4.07	4.08	3.84	3.91	3.92	4.00	3.94	3.97	3.94	4.10
Std Deviation	1.41	1.41	1.40	1.44	1.37	1.29	1.49	1.43	1.43	1.41	1.41	1.33	1.44	1.29
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might end up in trouble with the police.' (Q14e)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	157	61	34	62		37	55	65	62	76	15	149	8	
	13.1%	13.4%	11.7%	13.7%		13.8%	13.6%	12.5%	14.7%	13.0%	9.3%	13.2%	12.9%	
2	48	21	13	14		4	16	28	22	22	3	44	3	1
	4.0%	4.6%	4.5%	3.1%		1.5%	4.0%	5.4%	5.2%	3.8%	1.9%	3.9%	4.8%	16.7%
3	134	53	32	49		34	43	57	46	65	16	125	8	1
	11.2%	11.6%	11.0%	10.9%		12.6%	10.6%	10.9%	10.9%	11.1%	9.9%	11.0%	12.9%	16.7%
4	214	63	63	87	1	46	64	103	67	113	26	202	11	1
	17.8%	13.8%	21.6%	19.3%	50.0%	17.1%	15.8%	19.8%	15.9%	19.3%	16.0%	17.8%	17.7%	16.7%
5 - One of the most worrisome	647	258	149	239	1	148	226	268	224	310	102	612	32	3
	53.9%	56.6%	51.2%	53.0%	50.0%	55.0%	55.9%	51.4%	53.2%	52.9%	63.0%	54.1%	51.6%	50.0%

Pan Atlantic Research (July 2017)

Mean of Q14e

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	3.96	3.96	3.96	3.95	4.50	3.98	3.97	3.92	3.88	3.95	4.22	3.96	3.90	4.00
Std Deviation	1.41	1.44	1.36	1.41	.71	1.41	1.43	1.40	1.47	1.40	1.26	1.41	1.42	1.26
Minimum	1.00	1.00	1.00	1.00	4.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might move on to other drugs.' (Q14f)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	193	19	22	26	23	32	28	26	17	109	84	72	118
	16.1%	12.7%	14.7%	17.3%	15.3%	21.3%	18.7%	17.3%	11.3%	14.5%	18.8%	18.5%	14.8%
2	86	11	7	7	10	14	16	11	10	52	34	32	54
	7.2%	7.3%	4.7%	4.7%	6.7%	9.3%	10.7%	7.3%	6.7%	6.9%	7.6%	8.2%	6.8%
3	86	11	16	13	10	11	9	10	6	55	31	23	60
	7.2%	7.3%	10.7%	8.7%	6.7%	7.3%	6.0%	6.7%	4.0%	7.3%	6.9%	5.9%	7.5%
4	113	11	21	12	15	14	10	12	18	72	41	33	80
	9.4%	7.3%	14.0%	8.0%	10.0%	9.3%	6.7%	8.0%	12.0%	9.6%	9.2%	8.5%	10.1%
5 - One of the most worrisome	722	98	84	92	92	79	87	91	99	463	257	230	483
	60.2%	65.3%	56.0%	61.3%	61.3%	52.7%	58.0%	60.7%	66.0%	61.7%	57.5%	59.0%	60.8%

Pan Atlantic Research (July 2017)

Mean of Q14f

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	3.90	4.05	3.92	3.91	3.95	3.63	3.75	3.87	4.15	3.97	3.79	3.81	3.95
Std Deviation	1.55	1.47	1.48	1.57	1.53	1.67	1.64	1.59	1.41	1.51	1.61	1.62	1.51
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 *Your teen might move on to other drugs.' (Q14f)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	193	127	66	24	32	31	38	31	37	56	137	46	140	7
	16.1%	17.7%	13.7%	12.0%	16.0%	15.5%	19.0%	15.5%	18.5%	14.0%	17.1%	18.1%	15.8%	14.3%
2	86	46	40	17	13	20	13	12	11	30	56	16	67	3
	7.2%	6.4%	8.3%	8.5%	6.5%	10.0%	6.5%	6.0%	5.5%	7.5%	7.0%	6.3%	7.6%	6.1%
3	86	49	37	15	13	12	12	18	16	28	58	15	68	3
	7.2%	6.8%	7.7%	7.5%	6.5%	6.0%	6.0%	9.0%	8.0%	7.0%	7.2%	5.9%	7.7%	6.1%
4	113	64	49	22	20	13	23	14	21	42	71	25	85	3
	9.4%	8.9%	10.1%	11.0%	10.0%	6.5%	11.5%	7.0%	10.5%	10.5%	8.9%	9.8%	9.6%	6.1%
5 - One of the most worrisome	722	431	291	122	122	124	114	125	115	244	478	152	527	33
	60.2%	60.1%	60.2%	61.0%	61.0%	62.0%	57.0%	62.5%	57.5%	61.0%	59.8%	59.8%	59.4%	67.3%

Pan Atlantic Research (July 2017)

Mean of Q14f

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	3.90	3.87	3.95	4.01	3.94	3.90	3.81	3.95	3.83	3.97	3.87	3.87	3.89	4.06
Std Deviation	1.55	1.58	1.50	1.45	1.54	1.57	1.61	1.54	1.59	1.50	1.57	1.59	1.54	1.52
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage marijuana use. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might move on to other drugs.' (Q14f)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	193	79	43	71		48	55	88	82	88	19	182	11	
	16.1%	17.3%	14.8%	15.7%		17.8%	13.6%	16.9%	19.5%	15.0%	11.7%	16.1%	17.7%	
2	86	27	18	41		12	32	42	28	45	10	79	6	1
	7.2%	5.9%	6.2%	9.1%		4.5%	7.9%	8.1%	6.7%	7.7%	6.2%	7.0%	9.7%	16.7%
3	86	41	13	32		17	30	38	29	41	12	78	8	
	7.2%	9.0%	4.5%	7.1%		6.3%	7.4%	7.3%	6.9%	7.0%	7.4%	6.9%	12.9%	
4	113	41	22	50		29	26	58	39	56	14	107	6	
	9.4%	9.0%	7.6%	11.1%		10.8%	6.4%	11.1%	9.3%	9.6%	8.6%	9.5%	9.7%	
5 - One of the most worrisome	722	268	195	257	2	163	261	295	243	356	107	686	31	5
	60.2%	58.8%	67.0%	57.0%	100.0%	60.6%	64.6%	56.6%	57.7%	60.8%	66.0%	60.6%	50.0%	83.3%

Pan Atlantic Research (July 2017)

Mean of Q14f

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	3.90	3.86	4.06	3.84	5.00	3.92	4.00	3.83	3.79	3.93	4.11	3.92	3.65	4.50
Std Deviation	1.55	1.57	1.52	1.55	.00	1.57	1.51	1.57	1.62	1.53	1.43	1.55	1.59	1.22
Minimum	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

Do you think that your child has used marijuana in the past 30 days? (Q15)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	63	7	10	13	5	6	7	13	2	38	25	16	47
	5.3%	4.7%	6.7%	8.7%	3.3%	4.0%	4.7%	8.7%	1.3%	5.1%	5.6%	4.1%	5.9%
No	1122	141	138	136	142	142	143	134	146	704	416	372	736
	93.5%	94.0%	92.0%	90.7%	94.7%	94.7%	95.3%	89.3%	97.3%	93.7%	93.1%	95.4%	92.6%
Don't know	15	2	2	1	3	2		3	2	9	6	2	12
	1.3%	1.3%	1.3%	.7%	2.0%	1.3%		2.0%	1.3%	1.2%	1.3%	.5%	1.5%

Pan Atlantic Research (July 2017)

Do you think that your child has used marijuana in the past 30 days? (Q15)

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	63	38	25	10	10	6	7	15	15	20	43	18	41	3
	5.3%	5.3%	5.2%	5.0%	5.0%	3.0%	3.5%	7.5%	7.5%	5.0%	5.4%	7.1%	4.6%	6.1%
No	1122	674	448	189	189	192	188	181	183	378	744	232	836	46
	93.5%	94.0%	92.8%	94.5%	94.5%	96.0%	94.0%	90.5%	91.5%	94.5%	93.0%	91.3%	94.3%	93.9%
Don't know	15	5	10	1	1	2	5	4	2	2	13	4	10	
	1.3%	.7%	2.1%	.5%	.5%	1.0%	2.5%	2.0%	1.0%	.5%	1.6%	1.6%	1.1%	

Pan Atlantic Research (July 2017)

Do you think that your child has used marijuana in the past 30 days? (Q15)

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	63	26	13	24		17	20	25	27	26	7	59	4	
	5.3%	5.7%	4.5%	5.3%		6.3%	5.0%	4.8%	6.4%	4.4%	4.3%	5.2%	6.5%	
No	1122	426	273	421	2	250	377	490	390	552	153	1058	58	6
	93.5%	93.4%	93.8%	93.3%	100.0%	92.9%	93.3%	94.0%	92.6%	94.2%	94.4%	93.5%	93.5%	100.0%
Don't know	15	4	5	6		2	7	6	4	8	2	15		
	1.3%	.9%	1.7%	1.3%		.7%	1.7%	1.2%	1.0%	1.4%	1.2%	1.3%		

Pan Atlantic Research (July 2017)

Which of the following best describes your attitude about prescription medication use by your child or teenager without a doctor's prescription? Such prescription medication use by my child is: (Q16)
[Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never OK.	1166	148	145	145	144	144	147	147	146	724	440	382	769
	97.2%	98.7%	96.7%	96.7%	96.0%	96.0%	98.0%	98.0%	97.3%	96.4%	98.4%	97.9%	96.7%
Not as big a deal as alcohol or marijuana.	17	1	3	3	4	3		1	2	12	5	6	11
	1.4%	.7%	2.0%	2.0%	2.7%	2.0%		.7%	1.3%	1.6%	1.1%	1.5%	1.4%
Legal for medical use, so it must be okay	6		1		1	1	1	1	1	4	2	1	5
	.5%		.7%		.7%	.7%	.7%	.7%	.7%	.5%	.4%	.3%	.6%
OK with my permission	9		1	2	1	2	2	1		9		1	8
	.8%		.7%	1.3%	.7%	1.3%	1.3%	.7%		1.2%		.3%	1.0%
OK once my child is grown	2	1							1	2			2
	.2%	.7%							.7%	.3%			.3%

Pan Atlantic Research (July 2017)

Which of the following best describes your attitude about prescription medication use by your child or teenager without a doctor's prescription? Such prescription medication use by my child is: (Q16)
[Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never OK.	1166	693	473	193	195	196	189	196	197	388	778	248	860	48
	97.2%	96.7%	97.9%	96.5%	97.5%	98.0%	94.5%	98.0%	98.5%	97.0%	97.3%	97.6%	97.0%	98.0%
Not as big a deal as alcohol or marijuana.	17	14	3	3	2	2	7	2	1	5	12	3	14	
	1.4%	2.0%	.6%	1.5%	1.0%	1.0%	3.5%	1.0%	.5%	1.3%	1.5%	1.2%	1.6%	
Legal for medical use, so it must be okay	6	4	2		1		2	1	2	1	5	1	4	1
	.5%	.6%	.4%		.5%		1.0%	.5%	1.0%	.3%	.6%	.4%	.5%	2.0%
OK with my permission	9	5	4	3	1	2	2	1		4	5	2	7	
	.8%	.7%	.8%	1.5%	.5%	1.0%	1.0%	.5%		1.0%	.6%	.8%	.8%	
OK once my child is grown	2	1	1	1	1					2			2	
	.2%	.1%	.2%	.5%	.5%					.5%			.2%	

Pan Atlantic Research (July 2017)

**Which of the following best describes your attitude about prescription medication use by your child or teenager without a doctor's prescription? Such prescription medication use by my child is: (Q16)
[Options were read and rotated]**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never OK.	1166	444	284	436	2	262	393	505	407	569	159	1098	62	6
	97.2%	97.4%	97.6%	96.7%	100.0%	97.4%	97.3%	96.9%	96.7%	97.1%	98.1%	97.0%	100.0%	100.0%
Not as big a deal as alcohol or marijuana.	17	6	3	8		4	7	6	8	7	2	17		
	1.4%	1.3%	1.0%	1.8%		1.5%	1.7%	1.2%	1.9%	1.2%	1.2%	1.5%		
Legal for medical use, so it must be okay	6	3		3			3	3	1	4	1	6		
	.5%	.7%		.7%			.7%	.6%	.2%	.7%	.6%	.5%		
OK with my permission	9	2	4	3		2	1	6	5	4		9		
	.8%	.4%	1.4%	.7%		.7%	.2%	1.2%	1.2%	.7%		.8%		
OK once my child is grown	2	1		1		1		1		2		2		
	.2%	.2%		.2%		.4%		.2%		.3%		.2%		

Pan Atlantic Research (July 2017)

**I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might become addicted to prescription medication.' (Q17a)
[Options were read and rotated]**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	171	24	18	22	15	27	22	21	22	113	58	42	126
	14.2%	16.0%	12.0%	14.7%	10.0%	18.0%	14.7%	14.0%	14.7%	15.0%	13.0%	10.8%	15.8%
2	32	3	4	4	7	4	4	4	2	21	11	11	20
	2.7%	2.0%	2.7%	2.7%	4.7%	2.7%	2.7%	2.7%	1.3%	2.8%	2.5%	2.8%	2.5%
3	22	3	3		3	2	4	5	2	11	11	6	14
	1.8%	2.0%	2.0%		2.0%	1.3%	2.7%	3.3%	1.3%	1.5%	2.5%	1.5%	1.8%
4	80	11	18	13	5	7	6	8	12	45	35	27	53
	6.7%	7.3%	12.0%	8.7%	3.3%	4.7%	4.0%	5.3%	8.0%	6.0%	7.8%	6.9%	6.7%
5 - One of the most worrisome	895	109	107	111	120	110	114	112	112	561	332	304	582
	74.6%	72.7%	71.3%	74.0%	80.0%	73.3%	76.0%	74.7%	74.7%	74.7%	74.3%	77.9%	73.2%

Pan Atlantic Research (July 2017)

Mean of Q17a

Mean	Public Health District									Gender of Parent		Age of Parent	
	York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older	
Mean	4.25	4.19	4.28	4.25	4.39	4.13	4.24	4.24	4.27	4.23	4.28	4.38	4.19
Std Deviation	1.45	1.50	1.36	1.46	1.33	1.57	1.47	1.45	1.44	1.48	1.40	1.32	1.50
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might become addicted to prescription medication.' (Q17a)
[Options were read and rotated]

Total	Gender of Child		Grade of Child							Grade Grouping		Marital Status		
	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner	
1200	717	483	200	200	200	200	200	200	400	800	254	887	49	
100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
1 - Not at all worrisome	171	111	60	23	24	21	30	37	36	47	124	33	132	5
14.2%	15.5%	12.4%	11.5%	12.0%	10.5%	15.0%	18.5%	18.0%	11.8%	15.5%	13.0%	14.9%	10.2%	
2	32	17	15	6	4	4	8	6	4	10	22	4	26	2
2.7%	2.4%	3.1%	3.0%	2.0%	2.0%	4.0%	3.0%	2.0%	2.5%	2.8%	1.6%	2.9%	4.1%	
3	22	12	10	2	4	3	3	5	5	6	16	1	19	1
1.8%	1.7%	2.1%	1.0%	2.0%	1.5%	1.5%	2.5%	2.5%	1.5%	2.0%	.4%	2.1%	2.0%	
4	80	49	31	12	15	7	16	14	16	27	53	18	61	1
6.7%	6.8%	6.4%	6.0%	7.5%	3.5%	8.0%	7.0%	8.0%	6.8%	6.6%	7.1%	6.9%	2.0%	
5 - One of the most worrisome	895	528	367	157	153	165	143	138	139	310	585	198	649	40
74.6%	73.6%	76.0%	78.5%	76.5%	82.5%	71.5%	69.0%	69.5%	77.5%	73.1%	78.0%	73.2%	81.6%	

Pan Atlantic Research (July 2017)

Mean of Q17a

Mean	Gender of Child		Grade of Child							Grade Grouping		Marital Status		
	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner	
Mean	4.25	4.21	4.30	4.37	4.35	4.46	4.17	4.05	4.09	4.36	4.19	4.35	4.21	4.41
Std Deviation	1.45	1.48	1.39	1.35	1.35	1.29	1.49	1.58	1.56	1.35	1.49	1.38	1.47	1.34
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might become addicted to prescription medication.' (Q17a)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	171	67	37	67		38	55	78	69	77	18	164	7	
	14.2%	14.7%	12.7%	14.9%		14.1%	13.6%	15.0%	16.4%	13.1%	11.1%	14.5%	11.3%	
2	32	12	8	12		8	10	14	9	21	1	31		1
	2.7%	2.6%	2.7%	2.7%		3.0%	2.5%	2.7%	2.1%	3.6%	.6%	2.7%		16.7%
3	22	13	4	5		3	11	7	6	11	4	22		
	1.8%	2.9%	1.4%	1.1%		1.1%	2.7%	1.3%	1.4%	1.9%	2.5%	1.9%		
4	80	22	27	31		12	26	42	33	29	16	77	3	
	6.7%	4.8%	9.3%	6.9%		4.5%	6.4%	8.1%	7.8%	4.9%	9.9%	6.8%	4.8%	
5 - One of the most worrisome	895	342	215	336	2	208	302	380	304	448	123	838	52	5
	74.6%	75.0%	73.9%	74.5%	100.0%	77.3%	74.8%	72.9%	72.2%	76.5%	75.9%	74.0%	83.9%	83.3%

Pan Atlantic Research (July 2017)

Mean of Q17a

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.25	4.23	4.29	4.24	5.00	4.28	4.26	4.21	4.17	4.28	4.39	4.23	4.50	4.50
Std Deviation	1.45	1.47	1.39	1.47	.00	1.45	1.43	1.47	1.51	1.43	1.29	1.46	1.28	1.22
Minimum	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen's brain development might be negatively impacted.' (Q17b)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	151	22	14	14	18	25	21	24	13	103	48	44	105
	12.6%	14.7%	9.3%	9.3%	12.0%	16.7%	14.0%	16.0%	8.7%	13.7%	10.7%	11.3%	13.2%
2	16	3	4	2		6	1			7	9	3	13
	1.3%	2.0%	2.7%	1.3%		4.0%	.7%			.9%	2.0%	.8%	1.6%
3	44	3	4	5	6	6	9	3	8	25	19	12	31
	3.7%	2.0%	2.7%	3.3%	4.0%	4.0%	6.0%	2.0%	5.3%	3.3%	4.3%	3.1%	3.9%
4	96	9	15	12	11	14	12	11	12	63	33	29	65
	8.0%	6.0%	10.0%	8.0%	7.3%	9.3%	8.0%	7.3%	8.0%	8.4%	7.4%	7.4%	8.2%
5 - One of the most worrisome	893	113	113	117	115	99	107	112	117	553	338	302	581
	74.4%	75.3%	75.3%	78.0%	76.7%	66.0%	71.3%	74.7%	78.0%	73.6%	75.6%	77.4%	73.1%

Pan Atlantic Research (July 2017)

Mean of Q17b

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	4.30	4.25	4.39	4.44	4.37	4.04	4.22	4.25	4.47	4.27	4.35	4.39	4.26
Std Deviation	1.37	1.46	1.26	1.23	1.33	1.54	1.42	1.47	1.19	1.40	1.31	1.31	1.40
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen's brain development might be negatively impacted.' (Q17b)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	151	98	53	28	21	18	29	28	27	49	102	27	119	4
	12.6%	13.7%	11.0%	14.0%	10.5%	9.0%	14.5%	14.0%	13.5%	12.3%	12.8%	10.6%	13.4%	8.2%
2	16	12	4	3	3	3	1	4	2	6	10	5	8	3
	1.3%	1.7%	.8%	1.5%	1.5%	1.5%	.5%	2.0%	1.0%	1.5%	1.3%	2.0%	.9%	6.1%
3	44	26	18	7	8	7	6	9	7	15	29	10	33	1
	3.7%	3.6%	3.7%	3.5%	4.0%	3.5%	3.0%	4.5%	3.5%	3.8%	3.6%	3.9%	3.7%	2.0%
4	96	54	42	16	17	20	19	13	11	33	63	20	71	4
	8.0%	7.5%	8.7%	8.0%	8.5%	10.0%	9.5%	6.5%	5.5%	8.3%	7.9%	7.9%	8.0%	8.2%
5 - One of the most worrisome	893	527	366	146	151	152	145	146	153	297	596	192	656	37
	74.4%	73.5%	75.8%	73.0%	75.5%	76.0%	72.5%	73.0%	76.5%	74.3%	74.5%	75.6%	74.0%	75.5%

Pan Atlantic Research (July 2017)

Mean of Q17b

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	4.30	4.26	4.37	4.25	4.37	4.43	4.25	4.22	4.31	4.31	4.30	4.36	4.28	4.37
Std Deviation	1.37	1.42	1.30	1.43	1.29	1.22	1.42	1.44	1.40	1.36	1.37	1.31	1.39	1.29
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen's brain development might be negatively impacted.' (Q17b)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	151	65	26	60		30	49	71	60	72	12	143	8	
	12.6%	14.3%	8.9%	13.3%		11.2%	12.1%	13.6%	14.3%	12.3%	7.4%	12.6%	12.9%	
2	16	8	2	6		4	5	7	4	10	2	15		1
	1.3%	1.8%	.7%	1.3%		1.5%	1.2%	1.3%	1.0%	1.7%	1.2%	1.3%		16.7%
3	44	19	8	17		7	13	23	17	22	3	43	1	
	3.7%	4.2%	2.7%	3.8%		2.6%	3.2%	4.4%	4.0%	3.8%	1.9%	3.8%	1.6%	
4	96	29	29	38		18	31	47	28	48	15	92	4	
	8.0%	6.4%	10.0%	8.4%		6.7%	7.7%	9.0%	6.7%	8.2%	9.3%	8.1%	6.5%	
5 - One of the most worrisome	893	335	226	330	2	210	306	373	312	434	130	839	49	5
	74.4%	73.5%	77.7%	73.2%	100.0%	78.1%	75.7%	71.6%	74.1%	74.1%	80.2%	74.1%	79.0%	83.3%

Pan Atlantic Research (July 2017)

Mean of Q17b

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.30	4.23	4.47	4.27	5.00	4.39	4.34	4.24	4.25	4.30	4.54	4.30	4.39	4.50
Std Deviation	1.37	1.44	1.19	1.40	.00	1.31	1.35	1.41	1.43	1.37	1.12	1.37	1.36	1.22
Minimum	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse.
Please tell me how worrisome
you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the
potential risk
is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
'Your teen might lose the motivation and drive to succeed.' (Q17c)
[Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	154	27	17	16	16	19	26	19	14	97	56	43	107
	12.8%	18.0%	11.3%	10.7%	10.7%	12.7%	17.3%	12.7%	9.3%	12.9%	12.5%	11.0%	13.5%
2	25	2	4	3	5	2	3	2	4	9	16	12	13
	2.1%	1.3%	2.7%	2.0%	3.3%	1.3%	2.0%	1.3%	2.7%	1.2%	3.6%	3.1%	1.6%
3	65	6	9	9	11	12	9	4	5	40	25	12	52
	5.4%	4.0%	6.0%	6.0%	7.3%	8.0%	6.0%	2.7%	3.3%	5.3%	5.6%	3.1%	6.5%
4	116	13	18	13	9	23	11	16	13	76	40	36	79
	9.7%	8.7%	12.0%	8.7%	6.0%	15.3%	7.3%	10.7%	8.7%	10.1%	8.9%	9.2%	9.9%
5 - One of the most worrisome	840	102	102	109	109	94	101	109	114	529	310	287	544
	70.0%	68.0%	68.0%	72.7%	72.7%	62.7%	67.3%	72.7%	76.0%	70.4%	69.4%	73.6%	68.4%

Pan Atlantic Research (July 2017)

Mean of Q17c

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	4.22	4.07	4.23	4.31	4.27	4.14	4.05	4.29	4.39	4.24	4.19	4.31	4.18
Std Deviation	1.40	1.55	1.35	1.32	1.35	1.38	1.54	1.37	1.26	1.38	1.41	1.34	1.41
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might lose the motivation and drive to succeed.' (Q17c)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	154	104	50	22	20	20	28	25	39	42	112	33	114	3
	12.8%	14.5%	10.4%	11.0%	10.0%	10.0%	14.0%	12.5%	19.5%	10.5%	14.0%	13.0%	12.9%	6.1%
2	25	21	4	9	4	5	1	4	2	13	12	3	21	1
	2.1%	2.9%	.8%	4.5%	2.0%	2.5%	.5%	2.0%	1.0%	3.3%	1.5%	1.2%	2.4%	2.0%
3	65	34	31	11	15	6	7	11	15	26	39	17	45	3
	5.4%	4.7%	6.4%	5.5%	7.5%	3.0%	3.5%	5.5%	7.5%	6.5%	4.9%	6.7%	5.1%	6.1%
4	116	74	42	19	17	26	22	15	17	36	80	23	90	3
	9.7%	10.3%	8.7%	9.5%	8.5%	13.0%	11.0%	7.5%	8.5%	9.0%	10.0%	9.1%	10.1%	6.1%
5 - One of the most worrisome	840	484	356	139	144	143	142	145	127	283	557	178	617	39
	70.0%	67.5%	73.7%	69.5%	72.0%	71.5%	71.0%	72.5%	63.5%	70.8%	69.6%	70.1%	69.6%	79.6%

Pan Atlantic Research (July 2017)

Mean of Q17c

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	4.22	4.13	4.35	4.22	4.31	4.34	4.25	4.26	3.96	4.26	4.20	4.22	4.21	4.51
Std Deviation	1.40	1.46	1.28	1.37	1.30	1.28	1.41	1.39	1.59	1.34	1.42	1.39	1.40	1.12
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might lose the motivation and drive to succeed.' (Q17c)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	154	59	36	59		35	45	74	64	69	14	150	4	
	12.8%	12.9%	12.4%	13.1%		13.0%	11.1%	14.2%	15.2%	11.8%	8.6%	13.3%	6.5%	
2	25	14	3	8		11	8	5	7	14	4	22	2	1
	2.1%	3.1%	1.0%	1.8%		4.1%	2.0%	1.0%	1.7%	2.4%	2.5%	1.9%	3.2%	16.7%
3	65	21	18	26		6	19	38	20	37	5	64	1	
	5.4%	4.6%	6.2%	5.8%		2.2%	4.7%	7.3%	4.8%	6.3%	3.1%	5.7%	1.6%	
4	116	44	31	40	1	22	41	52	43	53	16	107	9	
	9.7%	9.6%	10.7%	8.9%	50.0%	8.2%	10.1%	10.0%	10.2%	9.0%	9.9%	9.5%	14.5%	
5 - One of the most worrisome	840	318	203	318	1	195	291	352	287	413	123	789	46	5
	70.0%	69.7%	69.8%	70.5%	50.0%	72.5%	72.0%	67.6%	68.2%	70.5%	75.9%	69.7%	74.2%	83.3%

Pan Atlantic Research (July 2017)

Mean of Q17c

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.22	4.20	4.24	4.22	4.50	4.23	4.30	4.16	4.14	4.24	4.42	4.20	4.47	4.50
Std Deviation	1.40	1.41	1.36	1.40	.71	1.43	1.33	1.43	1.47	1.37	1.22	1.41	1.13	1.22
Minimum	1.00	1.00	1.00	1.00	4.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse.
Please tell me how worrisome
you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the
potential risk
is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
'Your teen might end up in trouble with the police.' (Q17d)
[Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	153	23	17	19	24	25	14	15	16	99	54	44	109
	12.8%	15.3%	11.3%	12.7%	16.0%	16.7%	9.3%	10.0%	10.7%	13.2%	12.1%	11.3%	13.7%
2	34	1	6	8	3	5	3	4	4	20	14	11	22
	2.8%	.7%	4.0%	5.3%	2.0%	3.3%	2.0%	2.7%	2.7%	2.7%	3.1%	2.8%	2.8%
3	69	5	10	8	17	6	5	11	7	47	22	21	48
	5.8%	3.3%	6.7%	5.3%	11.3%	4.0%	3.3%	7.3%	4.7%	6.3%	4.9%	5.4%	6.0%
4	115	13	16	17	14	15	13	14	13	67	48	39	72
	9.6%	8.7%	10.7%	11.3%	9.3%	10.0%	8.7%	9.3%	8.7%	8.9%	10.7%	10.0%	9.1%
5 - One of the most worrisome	829	108	101	98	92	99	115	106	110	518	309	275	544
	69.1%	72.0%	67.3%	65.3%	61.3%	66.0%	76.7%	70.7%	73.3%	69.0%	69.1%	70.5%	68.4%

Pan Atlantic Research (July 2017)

Mean of Q17d

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	4.19	4.21	4.19	4.11	3.98	4.05	4.41	4.28	4.31	4.18	4.22	4.26	4.16
Std Deviation	1.40	1.46	1.38	1.44	1.50	1.53	1.25	1.31	1.33	1.42	1.38	1.35	1.44
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might end up in trouble with the police.' (Q17d)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	153	91	62	27	22	14	31	22	37	49	104	27	124	2
	12.8%	12.7%	12.8%	13.5%	11.0%	7.0%	15.5%	11.0%	18.5%	12.3%	13.0%	10.6%	14.0%	4.1%
2	34	24	10	6	8	5	4	6	5	14	20	9	23	1
	2.8%	3.3%	2.1%	3.0%	4.0%	2.5%	2.0%	3.0%	2.5%	3.5%	2.5%	3.5%	2.6%	2.0%
3	69	39	30	14	14	13	11	9	8	28	41	13	55	1
	5.8%	5.4%	6.2%	7.0%	7.0%	6.5%	5.5%	4.5%	4.0%	7.0%	5.1%	5.1%	6.2%	2.0%
4	115	71	44	17	23	24	18	22	11	40	75	17	90	7
	9.6%	9.9%	9.1%	8.5%	11.5%	12.0%	9.0%	11.0%	5.5%	10.0%	9.4%	6.7%	10.1%	14.3%
5 - One of the most worrisome	829	492	337	136	133	144	136	141	139	269	560	188	595	38
	69.1%	68.6%	69.8%	68.0%	66.5%	72.0%	68.0%	70.5%	69.5%	67.3%	70.0%	74.0%	67.1%	77.6%

Pan Atlantic Research (July 2017)

Mean of Q17d

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	4.19	4.18	4.21	4.14	4.18	4.39	4.12	4.27	4.05	4.17	4.21	4.30	4.14	4.59
Std Deviation	1.40	1.41	1.40	1.44	1.36	1.17	1.49	1.34	1.58	1.40	1.41	1.34	1.44	.96
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might end up in trouble with the police.' (Q17d)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	153	58	38	57		29	51	73	60	72	14	146	7	
	12.8%	12.7%	13.1%	12.6%		10.8%	12.6%	14.0%	14.3%	12.3%	8.6%	12.9%	11.3%	
2	34	16	3	15		11	7	16	11	20	2	31	2	1
	2.8%	3.5%	1.0%	3.3%		4.1%	1.7%	3.1%	2.6%	3.4%	1.2%	2.7%	3.2%	16.7%
3	69	25	15	29		14	27	28	28	30	10	65	4	
	5.8%	5.5%	5.2%	6.4%		5.2%	6.7%	5.4%	6.7%	5.1%	6.2%	5.7%	6.5%	
4	115	43	28	44		21	35	59	36	55	16	112	2	1
	9.6%	9.4%	9.6%	9.8%		7.8%	8.7%	11.3%	8.6%	9.4%	9.9%	9.9%	3.2%	16.7%
5 - One of the most worrisome	829	314	207	306	2	194	284	345	286	409	120	778	47	4
	69.1%	68.9%	71.1%	67.8%	100.0%	72.1%	70.3%	66.2%	67.9%	69.8%	74.1%	68.7%	75.8%	66.7%

Pan Atlantic Research (July 2017)

Mean of Q17d

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.19	4.18	4.25	4.17	5.00	4.26	4.22	4.13	4.13	4.21	4.40	4.19	4.29	4.33
Std Deviation	1.40	1.41	1.39	1.41	.00	1.36	1.39	1.44	1.46	1.40	1.22	1.41	1.38	1.21
Minimum	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. 'Your teen might move on to other drugs.' (Q17e)
 [Options were read and rotated]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	150	21	15	19	13	23	23	16	20	94	56	39	106
	12.5%	14.0%	10.0%	12.7%	8.7%	15.3%	15.3%	10.7%	13.3%	12.5%	12.5%	10.0%	13.3%
2	17	2	2	3	1	3	2	2	2	11	6	10	7
	1.4%	1.3%	1.3%	2.0%	.7%	2.0%	1.3%	1.3%	1.3%	1.5%	1.3%	2.6%	.9%
3	34	5	8	1	2	2	5	4	7	22	12	5	28
	2.8%	3.3%	5.3%	.7%	1.3%	1.3%	3.3%	2.7%	4.7%	2.9%	2.7%	1.3%	3.5%
4	90	8	17	13	13	10	9	8	12	48	42	27	63
	7.5%	5.3%	11.3%	8.7%	8.7%	6.7%	6.0%	5.3%	8.0%	6.4%	9.4%	6.9%	7.9%
5 - One of the most worrisome	909	114	108	114	121	112	111	120	109	576	331	309	591
	75.8%	76.0%	72.0%	76.0%	80.7%	74.7%	74.0%	80.0%	72.7%	76.7%	74.0%	79.2%	74.3%

Pan Atlantic Research (July 2017)

Mean of Q17e

	Mean	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Mean	4.33	4.28	4.34	4.33	4.52	4.23	4.22	4.43	4.25	4.33	4.31	4.43	4.29
Std Deviation	1.36	1.43	1.27	1.37	1.17	1.48	1.47	1.29	1.41	1.37	1.36	1.28	1.39
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	150	150	150	150	150	150	150	150	751	447	390	795

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you. Your teen might move on to other drugs.' (Q17e)
 [Options were read and rotated]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	150	92	58	23	26	19	28	25	29	49	101	28	115	5
	12.5%	12.8%	12.0%	11.5%	13.0%	9.5%	14.0%	12.5%	14.5%	12.3%	12.6%	11.0%	13.0%	10.2%
2	17	9	8	5	2	2	2	4	2	7	10	8	7	2
	1.4%	1.3%	1.7%	2.5%	1.0%	1.0%	1.0%	2.0%	1.0%	1.8%	1.3%	3.1%	.8%	4.1%
3	34	19	15	3	6	8	9	2	6	9	25	5	28	1
	2.8%	2.6%	3.1%	1.5%	3.0%	4.0%	4.5%	1.0%	3.0%	2.3%	3.1%	2.0%	3.2%	2.0%
4	90	57	33	18	14	13	17	10	18	32	58	8	77	4
	7.5%	7.9%	6.8%	9.0%	7.0%	6.5%	8.5%	5.0%	9.0%	8.0%	7.2%	3.1%	8.7%	8.2%
5 - One of the most worrisome	909	540	369	151	152	158	144	159	145	303	606	205	660	37
	75.8%	75.3%	76.4%	75.5%	76.0%	79.0%	72.0%	79.5%	72.5%	75.8%	75.8%	80.7%	74.4%	75.5%

Pan Atlantic Research (July 2017)

Mean of Q17e

	Mean	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Mean	4.33	4.32	4.34	4.35	4.32	4.45	4.24	4.37	4.24	4.33	4.32	4.39	4.31	4.35
Std Deviation	1.36	1.37	1.35	1.34	1.38	1.24	1.42	1.37	1.43	1.36	1.37	1.34	1.37	1.33
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	717	483	200	200	200	200	200	200	400	800	254	887	49

Pan Atlantic Research (July 2017)

I am going to read you some potential risks that are associated with teenage prescription medication misuse. Please tell me how worrisome you find each of the risks that I read to you. We will use a scale from 1 to 5, where 1 would mean that the potential risk is 'not at all worrisome' to you and 5 would mean that the risk is 'one of the most worrisome' to you.
 'Your teen might move on to other drugs.' (Q17e)
 [Options were read and rotated]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
1 - Not at all worrisome	150	57	29	64		30	46	73	59	69	15	146	4	
	12.5%	12.5%	10.0%	14.2%		11.2%	11.4%	14.0%	14.0%	11.8%	9.3%	12.9%	6.5%	
2	17	6	2	9		6	4	7	6	10		16		1
	1.4%	1.3%	.7%	2.0%		2.2%	1.0%	1.3%	1.4%	1.7%		1.4%		16.7%
3	34	12	11	11		3	10	20	7	20	5	34		
	2.8%	2.6%	3.8%	2.4%		1.1%	2.5%	3.8%	1.7%	3.4%	3.1%	3.0%		
4	90	32	27	31		16	29	45	37	35	16	86	4	
	7.5%	7.0%	9.3%	6.9%		5.9%	7.2%	8.6%	8.8%	6.0%	9.9%	7.6%	6.5%	
5 - One of the most worrisome	909	349	222	336	2	214	315	376	312	452	126	850	54	5
	75.8%	76.5%	76.3%	74.5%	100.0%	79.6%	78.0%	72.2%	74.1%	77.1%	77.8%	75.1%	87.1%	83.3%

Pan Atlantic Research (July 2017)

Mean of Q17e

	Mean	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Mean	4.33	4.34	4.41	4.25	5.00	4.41	4.39	4.24	4.28	4.35	4.47	4.31	4.68	4.50
Std Deviation	1.36	1.36	1.25	1.44	.00	1.32	1.31	1.42	1.42	1.35	1.20	1.38	1.00	1.22
Minimum	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00
Maximum	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00
Valid N	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6

Pan Atlantic Research (July 2017)

Would your teen be able to access any prescription medication in your house without your knowledge? (Q1)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	221	28	30	26	26	31	30	25	25	155	66	66	152
	18.4%	18.7%	20.0%	17.3%	17.3%	20.7%	20.0%	16.7%	16.7%	20.6%	14.8%	16.9%	19.1%
No	752	97	86	92	94	96	94	95	98	463	287	250	494
	62.7%	64.7%	57.3%	61.3%	62.7%	64.0%	62.7%	63.3%	65.3%	61.7%	64.2%	64.1%	62.1%
Don't know	16	1	2	2	1	1	2	2	5	10	6	6	9
	1.3%	.7%	1.3%	1.3%	.7%	.7%	1.3%	1.3%	3.3%	1.3%	1.3%	1.5%	1.1%
N/A - No Rx medication in the house	211	24	32	30	29	22	24	28	22	123	88	68	140
	17.6%	16.0%	21.3%	20.0%	19.3%	14.7%	16.0%	18.7%	14.7%	16.4%	19.7%	17.4%	17.6%

Pan Atlantic Research (July 2017)

Would your teen be able to access any prescription medication in your house without your knowledge? (Q18)

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	221	138	83	37	36	31	40	41	36	73	148	51	159	9
	18.4%	19.2%	17.2%	18.5%	18.0%	15.5%	20.0%	20.5%	18.0%	18.3%	18.5%	20.1%	17.9%	18.4%
No	752	440	312	134	128	125	123	117	125	262	490	160	559	27
	62.7%	61.4%	64.6%	67.0%	64.0%	62.5%	61.5%	58.5%	62.5%	65.5%	61.3%	63.0%	63.0%	55.1%
Don't know	16	11	5	2	2	2	3	4	3	4	12	2	13	1
	1.3%	1.5%	1.0%	1.0%	1.0%	1.0%	1.5%	2.0%	1.5%	1.0%	1.5%	.8%	1.5%	2.0%
N/A - No Rx medication in the house	211	128	83	27	34	42	34	38	36	61	150	41	156	12
	17.6%	17.9%	17.2%	13.5%	17.0%	21.0%	17.0%	19.0%	18.0%	15.3%	18.8%	16.1%	17.6%	24.5%

Pan Atlantic Research (July 2017)

Would your teen be able to access any prescription medication in your house without your knowledge? (Q18)

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	221	85	55	81		41	61	118	82	99	29	208	12	1
	18.4%	18.6%	18.9%	18.0%		15.2%	15.1%	22.6%	19.5%	16.9%	17.9%	18.4%	19.4%	16.7%
No	752	285	178	288	1	177	264	308	255	388	93	709	40	3
	62.7%	62.5%	61.2%	63.9%	50.0%	65.8%	65.3%	59.1%	60.6%	66.2%	57.4%	62.6%	64.5%	50.0%
Don't know	16	7	5	4		5	5	5	5	6	3	15	1	
	1.3%	1.5%	1.7%	.9%		1.9%	1.2%	1.0%	1.2%	1.0%	1.9%	1.3%	1.6%	
N/A - No Rx medication in the house	211	79	53	78	1	46	74	90	79	93	37	200	9	2
	17.6%	17.3%	18.2%	17.3%	50.0%	17.1%	18.3%	17.3%	18.8%	15.9%	22.8%	17.7%	14.5%	33.3%

Pan Atlantic Research (July 2017)

Can you tell me two things that you do regularly to prevent your teenager from using Rx medication which is not prescribed to them? (Q19)

ALL OPTIONS COMBINED

[Unaided; Multiple responses were recorded]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Network with other parents	6		2			1	1	1	1	5	1	1	5
	.5%		1.3%			.7%	.7%	.7%	.7%	.7%	.2%	.3%	.6%
Check in often with child	128	13	14	21	18	22	18	9	13	78	49	42	84
	10.7%	8.7%	9.3%	14.0%	12.0%	14.7%	12.0%	6.0%	8.7%	10.4%	11.0%	10.8%	10.6%
Be up and ready when child comes home at night	3		1				1		1	3		2	1
	.3%		.7%				.7%		.7%	.4%		.5%	.1%
Know where teen is	20	3	3	4	2	3	1	1	3	12	8	6	14
	1.7%	2.0%	2.0%	2.7%	1.3%	2.0%	.7%	.7%	2.0%	1.6%	1.8%	1.5%	1.8%
Ask your child if they know of other kids who take Rx medications without a prescription	6	1			1			2	2	6		1	4
	.5%	.7%			.7%			1.3%	1.3%	.8%		.3%	.5%
Make an effort to know your child's friends and their parents	9	1	3		2				3	6	3		9
	.8%	.7%	2.0%		1.3%				2.0%	.8%	.7%		1.1%
Make an effort to know the rules of your child's friends' families	9		2		1		3	2	1	6	3	1	8
	.8%		1.3%		.7%		2.0%	1.3%	.7%	.8%	.7%	.3%	1.0%
Talk to your child when they come in about his/her night	34	7	4	2	2	4	5	4	6	26	8	10	24
	2.8%	4.7%	2.7%	1.3%	1.3%	2.7%	3.3%	2.7%	4.0%	3.5%	1.8%	2.6%	3.0%
Observe your child for signs of Rx medication use	3	1				1		1		2	1	1	2
	.3%	.7%				.7%		.7%		.3%	.2%	.3%	.3%
Stay involved with teen's activities	26	3	6	6	1	4			6	18	8	10	16
	2.2%	2.0%	4.0%	4.0%	.7%	2.7%			4.0%	2.4%	1.8%	2.6%	2.0%
Communication / Talking to teen about dangers of Rx abuse	342	49	42	47	42	36	41	51	34	201	141	129	207
	28.5%	32.7%	28.0%	31.3%	28.0%	24.0%	27.3%	34.0%	22.7%	26.8%	31.5%	33.1%	26.0%
Enforce the rules	18	6		1	2		1	6	2	9	9	4	13
	1.5%	4.0%		.7%	1.3%		.7%	4.0%	1.3%	1.2%	2.0%	1.0%	1.6%
Trust teen / Teen not interested / Not an issue with teen	198	26	18	23	29	22	31	25	24	126	70	59	136
	16.5%	17.3%	12.0%	15.3%	19.3%	14.7%	20.7%	16.7%	16.0%	16.8%	15.7%	15.1%	17.1%
Expresses values / religious beliefs to teen	34	3	6	4	4	4	5	6	2	20	14	9	24
	2.8%	2.0%	4.0%	2.7%	2.7%	2.7%	3.3%	4.0%	1.3%	2.7%	3.1%	2.3%	3.0%
Family time / activities	27	4	5	2	2	3	1	8	2	21	6	11	16
	2.3%	2.7%	3.3%	1.3%	1.3%	2.0%	.7%	5.3%	1.3%	2.8%	1.3%	2.8%	2.0%
Role model	52	5	6	6	5	7	10	8	5	39	13	23	29
	4.3%	3.3%	4.0%	4.0%	3.3%	4.7%	6.7%	5.3%	3.3%	5.2%	2.9%	5.9%	3.6%

Can you tell me two things that you do regularly to prevent your teenager from using Rx medication which is not prescribed to them? (Q19)

ALL OPTIONS COMBINED
[Unaided; Multiple responses were recorded](cont.)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Treat things holistically	3					3				2	1	1	2
	.3%					2.0%				.3%	.2%	.3%	.3%
I know all the medications in my home	124	13	15	15	17	15	18	18	13	75	49	36	85
	10.3%	8.7%	10.0%	10.0%	11.3%	10.0%	12.0%	12.0%	8.7%	10.0%	11.0%	9.2%	10.7%
I know how much of each medication should be in the bottles	51	5	9	9	6	3	6	6	7	34	17	15	36
	4.3%	3.3%	6.0%	6.0%	4.0%	2.0%	4.0%	4.0%	4.7%	4.5%	3.8%	3.8%	4.5%
I dispose of unused meds	162	18	15	21	17	24	19	20	28	105	57	53	106
	13.5%	12.0%	10.0%	14.0%	11.3%	16.0%	12.7%	13.3%	18.7%	14.0%	12.8%	13.6%	13.3%
There are not Rx medications / narcotics in the house	525	62	74	61	62	63	69	68	66	330	194	186	336
	43.8%	41.3%	49.3%	40.7%	41.3%	42.0%	46.0%	45.3%	44.0%	43.9%	43.4%	47.7%	42.3%
Hide or lock up meds	194	24	22	22	36	22	15	28	25	122	72	61	133
	16.2%	16.0%	14.7%	14.7%	24.0%	14.7%	10.0%	18.7%	16.7%	16.2%	16.1%	15.6%	16.7%
Other	15	3	3	5	1		3			9	6	3	12
	1.3%	2.0%	2.0%	3.3%	.7%		2.0%			1.2%	1.3%	.8%	1.5%
Don't know	33	8	8	5	5	4	1		2	19	14	9	22
	2.8%	5.3%	5.3%	3.3%	3.3%	2.7%	.7%		1.3%	2.5%	3.1%	2.3%	2.8%

Pan Atlantic Research (July 2017)

Can you tell me two things that you do regularly to prevent your teenager from using Rx medication which is not prescribed to them? (Q19)

ALL OPTIONS COMBINED
[Unaided; Multiple responses were recorded]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Network with other parents	6	5	1		1		3	1	1	1	5		6	
	.5%	.7%	.2%		.5%		1.5%	.5%	.5%	.3%	.6%		.7%	
Check in often with child	128	86	42	25	19	24	26	16	18	44	84	26	94	8
	10.7%	12.0%	8.7%	12.5%	9.5%	12.0%	13.0%	8.0%	9.0%	11.0%	10.5%	10.2%	10.6%	16.3%
Be up and ready when child comes home at night	3	1	2	1	2					3		1	2	
	.3%	.1%	.4%	.5%	1.0%					.8%		.4%	.2%	
Know where teen is	20	14	6	3	3	5	3	3	3	6	14	5	15	
	1.7%	2.0%	1.2%	1.5%	1.5%	2.5%	1.5%	1.5%	1.5%	1.5%	1.8%	2.0%	1.7%	
Ask your child if they know of other kids who take Rx medications without a prescription	6	2	4	3		1			2	3	3		6	
	.5%	.3%	.8%	1.5%		.5%			1.0%	.8%	.4%		.7%	
Make an effort to know your child's friends and their parents	9	3	6	3		1	1	2	2	3	6	1	8	
	.8%	.4%	1.2%	1.5%		.5%	.5%	1.0%	1.0%	.8%	.8%	.4%	.9%	
Make an effort to know the rules of your child's friends' families	9	6	3	1		2		4	2	1	8		9	
	.8%	.8%	.6%	.5%		1.0%		2.0%	1.0%	.3%	1.0%		1.0%	
Talk to your child when they come in about his/her night	34	20	14	8	4	7	4	3	8	12	22	11	21	2
	2.8%	2.8%	2.9%	4.0%	2.0%	3.5%	2.0%	1.5%	4.0%	3.0%	2.8%	4.3%	2.4%	4.1%
Observe your child for signs of Rx medication use	3	3		1			1	1		1	2		3	
	.3%	.4%		.5%			.5%	.5%		.3%	.3%		.3%	
Stay involved with teen's activities	26	19	7	5	9	3	5	3	1	14	12	6	20	
	2.2%	2.6%	1.4%	2.5%	4.5%	1.5%	2.5%	1.5%	.5%	3.5%	1.5%	2.4%	2.3%	
Communication / Talking to teen about dangers of Rx abuse	342	194	148	55	54	54	61	65	53	109	233	85	232	19
	28.5%	27.1%	30.6%	27.5%	27.0%	27.0%	30.5%	32.5%	26.5%	27.3%	29.1%	33.5%	26.2%	38.8%
Enforce the rules	18	13	5	4	3	2	1	2	6	7	11	6	11	
	1.5%	1.8%	1.0%	2.0%	1.5%	1.0%	.5%	1.0%	3.0%	1.8%	1.4%	2.4%	1.2%	
Trust teen / Teen not interested / Not an issue with teen	198	116	82	26	32	42	28	32	38	58	140	28	157	9
	16.5%	16.2%	17.0%	13.0%	16.0%	21.0%	14.0%	16.0%	19.0%	14.5%	17.5%	11.0%	17.7%	18.4%
Expresses values / religious beliefs to teen	34	19	15	4	4	7	6	10	3	8	26	7	24	2
	2.8%	2.6%	3.1%	2.0%	2.0%	3.5%	3.0%	5.0%	1.5%	2.0%	3.3%	2.8%	2.7%	4.1%
Family time / activities	27	14	13	8	4	4	2	4	5	12	15	4	21	2
	2.3%	2.0%	2.7%	4.0%	2.0%	2.0%	1.0%	2.0%	2.5%	3.0%	1.9%	1.6%	2.4%	4.1%
Role model	52	30	22	13	11	8	6	7	7	24	28	10	40	2
	4.3%	4.2%	4.6%	6.5%	5.5%	4.0%	3.0%	3.5%	3.5%	6.0%	3.5%	3.9%	4.5%	4.1%

Can you tell me two things that you do regularly to prevent your teenager from using Rx medication which is not prescribed to them?

(Q19)

ALL OPTIONS COMBINED

[Unaided; Multiple responses were recorded](cont.)

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Treat things holistically	3	1	2	1	1	1				2	1		3	
	.3%	.1%	.4%	.5%	.5%	.5%				.5%	.1%		.3%	
I know all the medications in my home	124	75	49	23	17	17	26	23	18	40	84	26	92	5
	10.3%	10.5%	10.1%	11.5%	8.5%	8.5%	13.0%	11.5%	9.0%	10.0%	10.5%	10.2%	10.4%	10.2%
I know how much of each medication should be in the bottles	51	32	19	11	12	4	4	12	8	23	28	13	38	
	4.3%	4.5%	3.9%	5.5%	6.0%	2.0%	2.0%	6.0%	4.0%	5.8%	3.5%	5.1%	4.3%	
I dispose of unused meds	162	98	64	25	29	29	24	27	28	54	108	29	126	6
	13.5%	13.7%	13.3%	12.5%	14.5%	14.5%	12.0%	13.5%	14.0%	13.5%	13.5%	11.4%	14.2%	12.2%
There are not Rx medications / narcotics in the house	525	313	212	83	89	86	88	86	93	172	353	116	380	25
	43.8%	43.7%	43.9%	41.5%	44.5%	43.0%	44.0%	43.0%	46.5%	43.0%	44.1%	45.7%	42.8%	51.0%
Hide or lock up meds	194	114	80	23	33	34	37	33	34	56	138	49	142	3
	16.2%	15.9%	16.6%	11.5%	16.5%	17.0%	18.5%	16.5%	17.0%	14.0%	17.3%	19.3%	16.0%	6.1%
Other	15	6	9	2	4	5	1	2	1	6	9	2	13	
	1.3%	.8%	1.9%	1.0%	2.0%	2.5%	.5%	1.0%	.5%	1.5%	1.1%	.8%	1.5%	
Don't know	33	18	15	5	7	4	8	5	4	12	21	4	29	
	2.8%	2.5%	3.1%	2.5%	3.5%	2.0%	4.0%	2.5%	2.0%	3.0%	2.6%	1.6%	3.3%	

Pan Atlantic Research (July 2017)

Can you tell me two things that you do regularly to prevent your teenager from using Rx medication which is not prescribed to them? (Q19)
ALL OPTIONS COMBINED
[Unaided; Multiple responses were recorded]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White
Total	1200	456	291	451	2	269	404	521	421	586	162	1132
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Network with other parents	6	1	1	4		1	1	4	2	1	3	6
	.5%	.2%	.3%	.9%		.4%	.2%	.8%	.5%	.2%	1.9%	.5%
Check in often with child	128	53	37	38		32	46	50	56	52	19	121
	10.7%	11.6%	12.7%	8.4%		11.9%	11.4%	9.6%	13.3%	8.9%	11.7%	10.7%
Be up and ready when child comes home at night	3	2		1		2	1		1	2		3
	.3%	.4%		.2%		.7%	.2%		.2%	.3%		.3%
Know where teen is	20	9	2	9		3	4	13	8	9	3	20
	1.7%	2.0%	.7%	2.0%		1.1%	1.0%	2.5%	1.9%	1.5%	1.9%	1.8%
Ask your child if they know of other kids who take Rx medications without a prescription	6	2	2	2			1	5	2	3	1	6
	.5%	.4%	.7%	.4%			.2%	1.0%	.5%	.5%	.6%	.5%
Make an effort to know your child's friends and their parents	9	2	4	3				9	3	4	2	9
	.8%	.4%	1.4%	.7%				1.7%	.7%	.7%	1.2%	.8%
Make an effort to know the rules of your child's friends' families	9	5	1	3		2	5	2	3	3	3	9
	.8%	1.1%	.3%	.7%		.7%	1.2%	.4%	.7%	.5%	1.9%	.8%
Talk to your child when they come in about his/her night	34	11	9	14		7	12	15	10	21	2	33
	2.8%	2.4%	3.1%	3.1%		2.6%	3.0%	2.9%	2.4%	3.6%	1.2%	2.9%
Observe your child for signs of Rx medication use	3	2		1				3	1	1	1	3
	.3%	.4%		.2%				.6%	.2%	.2%	.6%	.3%
Stay involved with teen's activities	26	6	10	10		4	11	11	10	14	2	24
	2.2%	1.3%	3.4%	2.2%		1.5%	2.7%	2.1%	2.4%	2.4%	1.2%	2.1%
Communication / Talking to teen about dangers of Rx abuse	342	141	80	121		82	111	146	128	160	44	316
	28.5%	30.9%	27.5%	26.8%		30.5%	27.5%	28.0%	30.4%	27.3%	27.2%	27.9%
Enforce the rules	18	8	3	7		5	4	8	6	9	2	17
	1.5%	1.8%	1.0%	1.6%		1.9%	1.0%	1.5%	1.4%	1.5%	1.2%	1.5%
Trust teen / Teen not interested / Not an issue with teen	198	67	51	79	1	53	65	80	74	97	25	187
	16.5%	14.7%	17.5%	17.5%	50.0%	19.7%	16.1%	15.4%	17.6%	16.6%	15.4%	16.5%
Expresses values / religious beliefs to teen	34	13	6	15		2	8	23	9	19	3	32
	2.8%	2.9%	2.1%	3.3%		.7%	2.0%	4.4%	2.1%	3.2%	1.9%	2.8%
Family time / activities	27	11	3	13		9	10	8	10	13	4	26
	2.3%	2.4%	1.0%	2.9%		3.3%	2.5%	1.5%	2.4%	2.2%	2.5%	2.3%
Role model	52	23	17	12		15	10	27	21	25	4	47
	4.3%	5.0%	5.8%	2.7%		5.6%	2.5%	5.2%	5.0%	4.3%	2.5%	4.2%

Can you tell me two things that you do regularly to prevent your teenager from using Rx medication which is not prescribed to them? (Q19)

ALL OPTIONS COMBINED

[Unaided; Multiple responses were recorded](cont.)

	Race / Ethnicity of Parent	
	All Other (Including Multiracial)	Prefer not to answer
Total	62	6
	100.0%	100.0%
Network with other parents		
Check in often with child	7	
	11.3%	
Be up and ready when child comes home at night		
Know where teen is		
Ask your child if they know of other kids who take Rx medications without a prescription		
Make an effort to know your child's friends and their parents		
Make an effort to know the rules of your child's friends' families		
Talk to your child when they come in about his/her night	1	
	1.6%	
Observe your child for signs of Rx medication use		
Stay involved with teen's activities	2	
	3.2%	
Communication / Talking to teen about dangers of Rx abuse	23	3
	37.1%	50.0%
Enforce the rules	1	
	1.6%	
Trust teen / Teen not interested / Not an issue with teen	11	
	17.7%	
Expresses values / religious beliefs to teen	1	1
	1.6%	16.7%
Family time / activities	1	
	1.6%	
Role model	4	1
	6.5%	16.7%

Can you tell me two things that you do regularly to prevent your teenager from using Rx medication which is not prescribed to them? (Q19)

ALL OPTIONS COMBINED

[Unaided; Multiple responses were recorded](cont.)

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White
Treat things holistically	3	1		2			1	2		3		3
	.3%	.2%		.4%			.2%	.4%		.5%		.3%
I know all the medications in my home	124	53	26	45		24	41	57	47	57	16	113
	10.3%	11.6%	8.9%	10.0%		8.9%	10.1%	10.9%	11.2%	9.7%	9.9%	10.0%
I know how much of each medication should be in the bottles	51	23	8	20		16	15	19	24	18	9	46
	4.3%	5.0%	2.7%	4.4%		5.9%	3.7%	3.6%	5.7%	3.1%	5.6%	4.1%
I dispose of unused meds	162	65	37	60		30	55	77	56	75	29	152
	13.5%	14.3%	12.7%	13.3%		11.2%	13.6%	14.8%	13.3%	12.8%	17.9%	13.4%
There are not Rx medications / narcotics in the house	525	183	131	209	2	121	186	217	165	276	74	490
	43.8%	40.1%	45.0%	46.3%	100.0%	45.0%	46.0%	41.7%	39.2%	47.1%	45.7%	43.3%
Hide or lock up meds	194	85	46	63		44	75	75	77	96	19	186
	16.2%	18.6%	15.8%	14.0%		16.4%	18.6%	14.4%	18.3%	16.4%	11.7%	16.4%
Other	15	3	3	9		1	4	10	4	6	4	14
	1.3%	.7%	1.0%	2.0%		.4%	1.0%	1.9%	1.0%	1.0%	2.5%	1.2%
Don't know	33	9	10	14		5	10	17	4	16	5	33
	2.8%	2.0%	3.4%	3.1%		1.9%	2.5%	3.3%	1.0%	2.7%	3.1%	2.9%

Can you tell me two things that you do regularly to prevent your teenager from using Rx medication which is not prescribed to them? (Q19)
ALL OPTIONS COMBINED
[Unaided; Multiple responses were recorded](cont.)

	Race / Ethnicity of Parent	
	All Other (Including Multiracial)	Prefer not to answer
Treat things holistically		
I know all the medications in my home	9 14.5%	2 33.3%
I know how much of each medication should be in the bottles	5 8.1%	
I dispose of unused meds	9 14.5%	1 16.7%
There are not Rx medications / narcotics in the house	32 51.6%	3 50.0%
Hide or lock up meds	8 12.9%	
Other	1 1.6%	
Don't know		

(cont.)

Pan Atlantic Research (July 2017)

Do you think that your child has used any prescription medication that was not prescribed to them in the past 30 days? (Q20)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	9			4	1		2	1	1	4	5	4	5
	.8%			2.7%	.7%		1.3%	.7%	.7%	.5%	1.1%	1.0%	.6%
No	1191	150	150	146	149	150	148	149	149	747	442	386	790
	99.3%	100.0%	100.0%	97.3%	99.3%	100.0%	98.7%	99.3%	99.3%	99.5%	98.9%	99.0%	99.4%

Pan Atlantic Research (July 2017)

Do you think that your child has used any prescription medication that was not prescribed to them in the past 30 days? (Q20)

	Gender of Child		Grade of Child						Grade Grouping		Marital Status			
	Total	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	9	7	2		2	2	1	2	2	2	7	1	7	
	.8%	1.0%	.4%		1.0%	1.0%	.5%	1.0%	1.0%	.5%	.9%	.4%	.8%	
No	1191	710	481	200	198	198	199	198	198	398	793	253	880	49
	99.3%	99.0%	99.6%	100.0%	99.0%	99.0%	99.5%	99.0%	99.0%	99.5%	99.1%	99.6%	99.2%	100.0%

Pan Atlantic Research (July 2017)

Do you think that your child has used any prescription medication that was not prescribed to them in the past 30 days? (Q20)

	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent			
	Total	Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	9	5	3	1		3	2	4	5	4		7	2	
	.8%	1.1%	1.0%	.2%		1.1%	.5%	.8%	1.2%	.7%		.6%	3.2%	
No	1191	451	288	450	2	266	402	517	416	582	162	1125	60	6
	99.3%	98.9%	99.0%	99.8%	100.0%	98.9%	99.5%	99.2%	98.8%	99.3%	100.0%	99.4%	96.8%	100.0%

Pan Atlantic Research (July 2017)

Over the past 12 months, have you seen or heard any information about the prevention of teenage substance use?

If so, where did you see or hear the information? (Q21)
[Unaided]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Advertisement on the radio	104	16	12	12	11	11	8	16	18	60	44	37	64
	8.7%	10.7%	8.0%	8.0%	7.3%	7.3%	5.3%	10.7%	12.0%	8.0%	9.8%	9.5%	8.1%
Advertisement on television	342	38	47	39	45	36	38	52	47	213	129	107	230
	28.5%	25.3%	31.3%	26.0%	30.0%	24.0%	25.3%	34.7%	31.3%	28.4%	28.9%	27.4%	28.9%
Community meeting	23	2	4	2	5		5	4	1	18	5	5	18
	1.9%	1.3%	2.7%	1.3%	3.3%		3.3%	2.7%	.7%	2.4%	1.1%	1.3%	2.3%
Internet	53	4	6	7	8	9	10	5	4	35	18	10	42
	4.4%	2.7%	4.0%	4.7%	5.3%	6.0%	6.7%	3.3%	2.7%	4.7%	4.0%	2.6%	5.3%
Social media	88	8	17	9	8	18	11	9	8	63	25	31	55
	7.3%	5.3%	11.3%	6.0%	5.3%	12.0%	7.3%	6.0%	5.3%	8.4%	5.6%	7.9%	6.9%
Newspaper article	29	3	9	4	3	4	2	3	1	11	18	3	25
	2.4%	2.0%	6.0%	2.7%	2.0%	2.7%	1.3%	2.0%	.7%	1.5%	4.0%	.8%	3.1%
School meeting	99	27	11	10	10	11	9	9	12	64	35	33	66
	8.3%	18.0%	7.3%	6.7%	6.7%	7.3%	6.0%	6.0%	8.0%	8.5%	7.8%	8.5%	8.3%
At work	37	4	4	8	5	1	8	5	2	28	9	13	23
	3.1%	2.7%	2.7%	5.3%	3.3%	.7%	5.3%	3.3%	1.3%	3.7%	2.0%	3.3%	2.9%
Talking to children and other parents	14	3	2	3	1		2	1	2	10	4	6	8
	1.2%	2.0%	1.3%	2.0%	.7%		1.3%	.7%	1.3%	1.3%	.9%	1.5%	1.0%
News stories	43	5	7	2	10	3	7	2	7	33	10	13	30
	3.6%	3.3%	4.7%	1.3%	6.7%	2.0%	4.7%	1.3%	4.7%	4.4%	2.2%	3.3%	3.8%
Social media	30	2	4	3	6	3	4	4	4	21	9	9	21
	2.5%	1.3%	2.7%	2.0%	4.0%	2.0%	2.7%	2.7%	2.7%	2.8%	2.0%	2.3%	2.6%
Materials from the school	161	23	22	19	15	23	20	20	19	104	57	58	102
	13.4%	15.3%	14.7%	12.7%	10.0%	15.3%	13.3%	13.3%	12.7%	13.8%	12.8%	14.9%	12.8%
Police	4	1	1	1	1					3	1		4
	.3%	.7%	.7%	.7%	.7%					.4%	.2%		.5%
Signs posted in stores	1					1					1		1
	.1%					.7%					.2%		.1%
Health / alcohol abuse organization	12	1	2		3	1	1	1	3	8	4	7	5
	1.0%	.7%	1.3%		2.0%	.7%	.7%	.7%	2.0%	1.1%	.9%	1.8%	.6%
Doctor's office	38	4	5	8	4	5	6	5	1	28	10	14	24
	3.2%	2.7%	3.3%	5.3%	2.7%	3.3%	4.0%	3.3%	.7%	3.7%	2.2%	3.6%	3.0%

Over the past 12 months, have you seen or heard any information about the prevention of teenage substance use?

**If so, where did you see or hear the information? (Q21)
[Unaided](cont.)**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Other	6		2	2		1			1	5	1		6
	.5%		1.3%	1.3%		.7%			.7%	.7%	.2%		.8%
Don't know	30	6	5	3	3	4	3	4	2	19	11	8	22
	2.5%	4.0%	3.3%	2.0%	2.0%	2.7%	2.0%	2.7%	1.3%	2.5%	2.5%	2.1%	2.8%
Did not see or hear any information	317	39	37	47	40	42	46	28	38	191	124	107	206
	26.4%	26.0%	24.7%	31.3%	26.7%	28.0%	30.7%	18.7%	25.3%	25.4%	27.7%	27.4%	25.9%

Pan Atlantic Research (July 2017)

Over the past 12 months, have you seen or heard any information about the prevention of teenage substance use?
 If so, where did you see or hear the information? (Q21)
 [Unaided]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Advertisement on the radio	104	56	48	16	17	21	17	13	20	33	71	23	77	3
	8.7%	7.8%	9.9%	8.0%	8.5%	10.5%	8.5%	6.5%	10.0%	8.3%	8.9%	9.1%	8.7%	6.1%
Advertisement on television	342	197	145	50	40	62	67	51	72	90	252	67	261	13
	28.5%	27.5%	30.0%	25.0%	20.0%	31.0%	33.5%	25.5%	36.0%	22.5%	31.5%	26.4%	29.4%	26.5%
Community meeting	23	15	8	4	3	4	5	3	4	7	16	3	20	
	1.9%	2.1%	1.7%	2.0%	1.5%	2.0%	2.5%	1.5%	2.0%	1.8%	2.0%	1.2%	2.3%	
Internet	53	35	18	9	10	11	5	10	8	19	34	10	42	1
	4.4%	4.9%	3.7%	4.5%	5.0%	5.5%	2.5%	5.0%	4.0%	4.8%	4.3%	3.9%	4.7%	2.0%
Social media	88	49	39	12	13	18	14	20	11	25	63	11	71	5
	7.3%	6.8%	8.1%	6.0%	6.5%	9.0%	7.0%	10.0%	5.5%	6.3%	7.9%	4.3%	8.0%	10.2%
Newspaper article	29	15	14	7	3	4	4	6	5	10	19	2	26	1
	2.4%	2.1%	2.9%	3.5%	1.5%	2.0%	2.0%	3.0%	2.5%	2.5%	2.4%	.8%	2.9%	2.0%
School meeting	99	59	40	17	17	10	18	22	15	34	65	23	74	2
	8.3%	8.2%	8.3%	8.5%	8.5%	5.0%	9.0%	11.0%	7.5%	8.5%	8.1%	9.1%	8.3%	4.1%
At work	37	23	14	4	14	3	7	6	3	18	19	6	30	1
	3.1%	3.2%	2.9%	2.0%	7.0%	1.5%	3.5%	3.0%	1.5%	4.5%	2.4%	2.4%	3.4%	2.0%
Talking to children and other parents	14	7	7	6		3		3	2	6	8	5	7	2
	1.2%	1.0%	1.4%	3.0%		1.5%		1.5%	1.0%	1.5%	1.0%	2.0%	.8%	4.1%
News stories	43	23	20	7	4	11	9	5	7	11	32	7	33	3
	3.6%	3.2%	4.1%	3.5%	2.0%	5.5%	4.5%	2.5%	3.5%	2.8%	4.0%	2.8%	3.7%	6.1%
Social media	30	19	11	9	6	2	4	5	4	15	15	7	21	1
	2.5%	2.6%	2.3%	4.5%	3.0%	1.0%	2.0%	2.5%	2.0%	3.8%	1.9%	2.8%	2.4%	2.0%
Materials from the school	161	91	70	26	33	28	26	26	22	59	102	38	112	10
	13.4%	12.7%	14.5%	13.0%	16.5%	14.0%	13.0%	13.0%	11.0%	14.8%	12.8%	15.0%	12.6%	20.4%
Police	4		4	2		2				2	2		3	1
	.3%		.8%	1.0%		1.0%				.5%	.3%		.3%	2.0%
Signs posted in stores	1		1	1						1		1		
	.1%		.2%	.5%						.3%		.4%		
Health / alcohol abuse organization	12	6	6	2	1		3	4	2	3	9	4	8	
	1.0%	.8%	1.2%	1.0%	.5%		1.5%	2.0%	1.0%	.8%	1.1%	1.6%	.9%	
Doctor's office	38	23	15	10	7	5	5	5	6	17	21	5	30	3
	3.2%	3.2%	3.1%	5.0%	3.5%	2.5%	2.5%	2.5%	3.0%	4.3%	2.6%	2.0%	3.4%	6.1%

**Over the past 12 months, have you seen or heard any information about the prevention of teenage substance use?
 If so, where did you see or hear the information? (Q21)
 [Unaided](cont.)**

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Other	6	3	3	2	1	2		1		3	3	2	4	
	.5%	.4%	.6%	1.0%	.5%	1.0%		.5%		.8%	.4%	.8%	.5%	
Don't know	30	25	5	8	1	6	5	3	7	9	21	7	22	
	2.5%	3.5%	1.0%	4.0%	.5%	3.0%	2.5%	1.5%	3.5%	2.3%	2.6%	2.8%	2.5%	
Did not see or hear any information	317	191	126	47	64	53	52	57	44	111	206	74	227	12
	26.4%	26.6%	26.1%	23.5%	32.0%	26.5%	26.0%	28.5%	22.0%	27.8%	25.8%	29.1%	25.6%	24.5%

Pan Atlantic Research (July 2017)

**Over the past 12 months, have you seen or heard any information about the prevention of teenage substance use?
If so, where did you see or hear the information? (Q21)
[Unaided]**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Advertisement on the radio	104	38	25	41		25	35	44	29	58	11	96	8	
	8.7%	8.3%	8.6%	9.1%		9.3%	8.7%	8.4%	6.9%	9.9%	6.8%	8.5%	12.9%	
Advertisement on television	342	122	92	126	2	75	120	147	124	168	42	320	19	3
	28.5%	26.8%	31.6%	27.9%	100.0%	27.9%	29.7%	28.2%	29.5%	28.7%	25.9%	28.3%	30.6%	50.0%
Community meeting	23	6	7	10		5	8	10	5	10	8	23		
	1.9%	1.3%	2.4%	2.2%		1.9%	2.0%	1.9%	1.2%	1.7%	4.9%	2.0%		
Internet	53	25	7	21		6	21	26	18	23	12	49	4	
	4.4%	5.5%	2.4%	4.7%		2.2%	5.2%	5.0%	4.3%	3.9%	7.4%	4.3%	6.5%	
Social media	88	28	26	34		16	24	48	24	46	18	86		2
	7.3%	6.1%	8.9%	7.5%		5.9%	5.9%	9.2%	5.7%	7.8%	11.1%	7.6%		33.3%
Newspaper article	29	10	7	12		3	5	21	5	14	7	28		1
	2.4%	2.2%	2.4%	2.7%		1.1%	1.2%	4.0%	1.2%	2.4%	4.3%	2.5%		16.7%
School meeting	99	40	20	39		23	32	44	37	45	14	95	4	
	8.3%	8.8%	6.9%	8.6%		8.6%	7.9%	8.4%	8.8%	7.7%	8.6%	8.4%	6.5%	
At work	37	13	12	12		6	8	23	10	17	6	36		1
	3.1%	2.9%	4.1%	2.7%		2.2%	2.0%	4.4%	2.4%	2.9%	3.7%	3.2%		16.7%
Talking to children and other parents	14	5	4	5		2	5	7	6	7	1	13		1
	1.2%	1.1%	1.4%	1.1%		.7%	1.2%	1.3%	1.4%	1.2%	.6%	1.1%		16.7%
News stories	43	13	15	15		7	14	22	14	18	7	43		
	3.6%	2.9%	5.2%	3.3%		2.6%	3.5%	4.2%	3.3%	3.1%	4.3%	3.8%		
Social media	30	11	4	14	1	5	7	18	16	11	2	28	2	
	2.5%	2.4%	1.4%	3.1%	50.0%	1.9%	1.7%	3.5%	3.8%	1.9%	1.2%	2.5%	3.2%	
Materials from the school	161	57	37	67		41	51	69	50	85	24	155	5	1
	13.4%	12.5%	12.7%	14.9%		15.2%	12.6%	13.2%	11.9%	14.5%	14.8%	13.7%	8.1%	16.7%
Police	4		1	3		1	2	1		2	2	4		
	.3%		.3%	.7%		.4%	.5%	.2%		.3%	1.2%	.4%		
Signs posted in stores	1	1					1		1				1	
	.1%	.2%					.2%		.2%				1.6%	
Health / alcohol abuse organization	12	6		6		4	3	5	7	2	3	10	2	
	1.0%	1.3%		1.3%		1.5%	.7%	1.0%	1.7%	.3%	1.9%	.9%	3.2%	
Doctor's office	38	15	11	12		8	14	15	10	21	5	36	2	
	3.2%	3.3%	3.8%	2.7%		3.0%	3.5%	2.9%	2.4%	3.6%	3.1%	3.2%	3.2%	

**Over the past 12 months, have you seen or heard any information about the prevention of teenage substance use?
If so, where did you see or hear the information? (Q21)
[Unaided](cont.)**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Other	6	3	1	2		3	1	2	3	1	1	4	1	1
	.5%	.7%	.3%	.4%		1.1%	.2%	.4%	.7%	.2%	.6%	.4%	1.6%	16.7%
Don't know	30	10	9	11		5	8	17	6	17	5	29	1	
	2.5%	2.2%	3.1%	2.4%		1.9%	2.0%	3.3%	1.4%	2.9%	3.1%	2.6%	1.6%	
Did not see or hear any information	317	130	73	114		74	115	123	117	149	41	294	21	2
	26.4%	28.5%	25.1%	25.3%		27.5%	28.5%	23.6%	27.8%	25.4%	25.3%	26.0%	33.9%	33.3%

Pan Atlantic Research (July 2017)

**If you felt it was important to learn more about how to address teenage substance use, what sources would you use? (Q22)
[Unaided]**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostock	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Community meetings or materials	91	14	15	7	13	7	8	11	16	62	29	31	58
	7.6%	9.3%	10.0%	4.7%	8.7%	4.7%	5.3%	7.3%	10.7%	8.3%	6.5%	7.9%	7.3%
Google searches	638	82	68	80	90	69	93	86	70	413	223	213	419
	53.2%	54.7%	45.3%	53.3%	60.0%	46.0%	62.0%	57.3%	46.7%	55.0%	49.9%	54.6%	52.7%
Health / alcohol abuse organization	139	23	26	17	18	16	14	9	16	89	50	46	92
	11.6%	15.3%	17.3%	11.3%	12.0%	10.7%	9.3%	6.0%	10.7%	11.9%	11.2%	11.8%	11.6%
Medical staff or practitioners	286	44	59	39	26	32	35	26	25	182	104	82	201
	23.8%	29.3%	39.3%	26.0%	17.3%	21.3%	23.3%	17.3%	16.7%	24.2%	23.3%	21.0%	25.3%
Maine CDC	41	7	8	5	2	7	4	4	4	27	14	15	26
	3.4%	4.7%	5.3%	3.3%	1.3%	4.7%	2.7%	2.7%	2.7%	3.6%	3.1%	3.8%	3.3%
Social media	43	7	7	8	3	4	5	6	3	27	16	16	27
	3.6%	4.7%	4.7%	5.3%	2.0%	2.7%	3.3%	4.0%	2.0%	3.6%	3.6%	4.1%	3.4%
School staff or materials	182	29	37	20	23	23	25	10	15	125	57	57	123
	15.2%	19.3%	24.7%	13.3%	15.3%	15.3%	16.7%	6.7%	10.0%	16.6%	12.8%	14.6%	15.5%
Websites or blogs	105	24	16	13	8	13	17	5	9	74	31	30	75
	8.8%	16.0%	10.7%	8.7%	5.3%	8.7%	11.3%	3.3%	6.0%	9.9%	6.9%	7.7%	9.4%
Other	44	10	8	5	4	7	4	1	5	32	12	9	35
	3.7%	6.7%	5.3%	3.3%	2.7%	4.7%	2.7%	.7%	3.3%	4.3%	2.7%	2.3%	4.4%
Don't know	24	3	4	3	2	2	1	4	5	16	8	11	12
	2.0%	2.0%	2.7%	2.0%	1.3%	1.3%	.7%	2.7%	3.3%	2.1%	1.8%	2.8%	1.5%

Pan Atlantic Research (July 2017)

If you felt it was important to learn more about how to address teenage substance use, what sources would you use?

(Q22)

[Unaided]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Community meetings or materials	91	58	33	14	15	19	14	12	17	29	62	24	62	3
	7.6%	8.1%	6.8%	7.0%	7.5%	9.5%	7.0%	6.0%	8.5%	7.2%	7.8%	9.4%	7.0%	6.1%
Google searches	638	390	248	109	110	106	97	109	107	219	419	124	480	27
	53.2%	54.4%	51.3%	54.5%	55.0%	53.0%	48.5%	54.5%	53.5%	54.8%	52.4%	48.8%	54.1%	55.1%
Health / alcohol abuse organization	139	84	55	21	19	25	27	17	30	40	99	33	100	6
	11.6%	11.7%	11.4%	10.5%	9.5%	12.5%	13.5%	8.5%	15.0%	10.0%	12.4%	13.0%	11.3%	12.2%
Medical staff or practitioners	286	156	130	36	45	50	62	60	33	81	205	61	215	9
	23.8%	21.8%	26.9%	18.0%	22.5%	25.0%	31.0%	30.0%	16.5%	20.3%	25.6%	24.0%	24.2%	18.4%
Maine CDC	41	23	18	3	4	9	9	7	9	7	34	11	30	
	3.4%	3.2%	3.7%	1.5%	2.0%	4.5%	4.5%	3.5%	4.5%	1.8%	4.3%	4.3%	3.4%	
Social media	43	28	15	6	2	8	10	9	8	8	35	6	36	1
	3.6%	3.9%	3.1%	3.0%	1.0%	4.0%	5.0%	4.5%	4.0%	2.0%	4.4%	2.4%	4.1%	2.0%
School staff or materials	182	93	89	26	31	40	36	26	23	57	125	37	134	11
	15.2%	13.0%	18.4%	13.0%	15.5%	20.0%	18.0%	13.0%	11.5%	14.2%	15.6%	14.6%	15.1%	22.4%
Websites or blogs	105	47	58	9	18	20	22	23	13	27	78	12	89	3
	8.8%	6.6%	12.0%	4.5%	9.0%	10.0%	11.0%	11.5%	6.5%	6.8%	9.8%	4.7%	10.0%	6.1%
Other	44	22	22	2	10	7	11	8	6	12	32	6	35	3
	3.7%	3.1%	4.6%	1.0%	5.0%	3.5%	5.5%	4.0%	3.0%	3.0%	4.0%	2.4%	3.9%	6.1%
Don't know	24	12	12	2	4	1	3	7	7	6	18	7	16	1
	2.0%	1.7%	2.5%	1.0%	2.0%	.5%	1.5%	3.5%	3.5%	1.5%	2.3%	2.8%	1.8%	2.0%

Pan Atlantic Research (July 2017)

**If you felt it was important to learn more about how to address teenage substance use, what sources would you use? (Q22)
[Unaided]**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Community meetings or materials	91	42	19	30		20	38	32	37	43	10	83	7	1
	7.6%	9.2%	6.5%	6.7%		7.4%	9.4%	6.1%	8.8%	7.3%	6.2%	7.3%	11.3%	16.7%
Google searches	638	230	173	233	2	145	219	271	214	315	93	599	33	6
	53.2%	50.4%	59.5%	51.7%	100.0%	53.9%	54.2%	52.0%	50.8%	53.8%	57.4%	52.9%	53.2%	100.0%
Health / alcohol abuse organization	139	55	35	49		29	49	60	46	64	26	128	9	2
	11.6%	12.1%	12.0%	10.9%		10.8%	12.1%	11.5%	10.9%	10.9%	16.0%	11.3%	14.5%	33.3%
Medical staff or practitioners	286	101	68	116	1	62	83	141	98	128	47	274	9	3
	23.8%	22.1%	23.4%	25.7%	50.0%	23.0%	20.5%	27.1%	23.3%	21.8%	29.0%	24.2%	14.5%	50.0%
Maine CDC	41	15	8	18		6	15	20	17	17	5	37	3	1
	3.4%	3.3%	2.7%	4.0%		2.2%	3.7%	3.8%	4.0%	2.9%	3.1%	3.3%	4.8%	16.7%
Social media	43	18	5	19	1	4	18	21	12	23	7	41	2	
	3.6%	3.9%	1.7%	4.2%	50.0%	1.5%	4.5%	4.0%	2.9%	3.9%	4.3%	3.6%	3.2%	
School staff or materials	182	65	43	73	1	28	50	104	46	77	52	176	3	3
	15.2%	14.3%	14.8%	16.2%	50.0%	10.4%	12.4%	20.0%	10.9%	13.1%	32.1%	15.5%	4.8%	50.0%
Websites or blogs	105	33	23	49		15	40	50	21	44	32	102	2	1
	8.8%	7.2%	7.9%	10.9%		5.6%	9.9%	9.6%	5.0%	7.5%	19.8%	9.0%	3.2%	16.7%
Other	44	16	10	18		6	15	23	15	14	13	44		
	3.7%	3.5%	3.4%	4.0%		2.2%	3.7%	4.4%	3.6%	2.4%	8.0%	3.9%		
Don't know	24	10	6	8		5	9	9	9	11	3	23	1	
	2.0%	2.2%	2.1%	1.8%		1.9%	2.2%	1.7%	2.1%	1.9%	1.9%	2.0%	1.6%	

Pan Atlantic Research (July 2017)

**For the adult over the age of 25 in your household who drinks alcohol the most,
please tell me how often he or she drinks alcoholic beverages: (Q23)
[Options were read and rotated]**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	260	34	28	28	34	28	33	39	36	171	87	93	163
	21.7%	22.7%	18.7%	18.7%	22.7%	18.7%	22.0%	26.0%	24.0%	22.8%	19.5%	23.8%	20.5%
Once or twice a year	196	25	13	26	30	27	28	27	20	121	75	78	116
	16.3%	16.7%	8.7%	17.3%	20.0%	18.0%	18.7%	18.0%	13.3%	16.1%	16.8%	20.0%	14.6%
Once or twice a month	291	37	35	39	45	37	34	26	38	187	104	104	182
	24.3%	24.7%	23.3%	26.0%	30.0%	24.7%	22.7%	17.3%	25.3%	24.9%	23.3%	26.7%	22.9%
Once or twice a week	372	38	63	45	33	48	51	49	45	226	146	76	292
	31.0%	25.3%	42.0%	30.0%	22.0%	32.0%	34.0%	32.7%	30.0%	30.1%	32.7%	19.5%	36.7%
Daily	79	16	11	11	8	9	4	9	11	44	35	37	42
	6.6%	10.7%	7.3%	7.3%	5.3%	6.0%	2.7%	6.0%	7.3%	5.9%	7.8%	9.5%	5.3%
Other	2			1		1				2		2	
	.2%			.7%		.7%				.3%		.5%	

Pan Atlantic Research (July 2017)

**For the adult over the age of 25 in your household who drinks alcohol the most,
please tell me how often he or she drinks alcoholic beverages: (Q23)
[Options were read and rotated]**

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	260	149	111	44	43	34	50	39	50	87	173	71	173	14
	21.7%	20.8%	23.0%	22.0%	21.5%	17.0%	25.0%	19.5%	25.0%	21.8%	21.6%	28.0%	19.5%	28.6%
Once or twice a year	196	123	73	32	33	34	29	32	36	65	131	50	130	14
	16.3%	17.2%	15.1%	16.0%	16.5%	17.0%	14.5%	16.0%	18.0%	16.3%	16.4%	19.7%	14.7%	28.6%
Once or twice a month	291	173	118	48	50	53	47	51	42	98	193	52	221	13
	24.3%	24.1%	24.4%	24.0%	25.0%	26.5%	23.5%	25.5%	21.0%	24.5%	24.1%	20.5%	24.9%	26.5%
Once or twice a week	372	218	154	61	63	69	62	62	55	124	248	61	303	7
	31.0%	30.4%	31.9%	30.5%	31.5%	34.5%	31.0%	31.0%	27.5%	31.0%	31.0%	24.0%	34.2%	14.3%
Daily	79	53	26	14	11	10	11	16	17	25	54	19	59	1
	6.6%	7.4%	5.4%	7.0%	5.5%	5.0%	5.5%	8.0%	8.5%	6.3%	6.8%	7.5%	6.7%	2.0%
Other	2	1	1	1			1			1	1	1	1	
	.2%	.1%	.2%	.5%			.5%			.3%	.1%	.4%	.1%	

Pan Atlantic Research (July 2017)

**For the adult over the age of 25 in your household who drinks alcohol the most,
please tell me how often he or she drinks alcoholic beverages: (Q23)
[Options were read and rotated]**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	260	260				75	94	89	119	124	13	233	26	1
	21.7%	57.0%				27.9%	23.3%	17.1%	28.3%	21.2%	8.0%	20.6%	41.9%	16.7%
Once or twice a year	196	196				53	57	86	79	91	19	186	9	1
	16.3%	43.0%				19.7%	14.1%	16.5%	18.8%	15.5%	11.7%	16.4%	14.5%	16.7%
Once or twice a month	291		291			64	99	126	92	152	39	282	7	2
	24.3%		100.0%			23.8%	24.5%	24.2%	21.9%	25.9%	24.1%	24.9%	11.3%	33.3%
Once or twice a week	372			372		60	121	189	101	176	84	356	14	2
	31.0%			82.5%		22.3%	30.0%	36.3%	24.0%	30.0%	51.9%	31.4%	22.6%	33.3%
Daily	79			79		17	31	31	29	42	7	73	6	
	6.6%			17.5%		6.3%	7.7%	6.0%	6.9%	7.2%	4.3%	6.4%	9.7%	
Other	2				2		2		1	1		2		
	.2%				100.0%		.5%		.2%	.2%		.2%		

Pan Atlantic Research (July 2017)

What are the ages of your other children, if any? (Q24)
[Multiple responses were recorded]

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<1	11		1	4	3	1		1	1	7	4	5	6
	.9%		.7%	2.7%	2.0%	.7%		.7%	.7%	.9%	.9%	1.3%	.8%
1	7		1				2	2	2	5	2	1	6
	.6%		.7%				1.3%	1.3%	1.3%	.7%	.4%	.3%	.8%
2	18	2	1		4	3	1	6	1	9	9	7	11
	1.5%	1.3%	.7%		2.7%	2.0%	.7%	4.0%	.7%	1.2%	2.0%	1.8%	1.4%
3	10	1	1			3	1	3	1	7	3	4	6
	.8%	.7%	.7%			2.0%	.7%	2.0%	.7%	.9%	.7%	1.0%	.8%
4	13		1	2	3	2	3		2	7	6	7	6
	1.1%		.7%	1.3%	2.0%	1.3%	2.0%		1.3%	.9%	1.3%	1.8%	.8%
5	28	3	2	3	4	4	4	4	4	20	8	13	15
	2.3%	2.0%	1.3%	2.0%	2.7%	2.7%	2.7%	2.7%	2.7%	2.7%	1.8%	3.3%	1.9%
6	48	6	6	7	9	7	3	5	5	33	15	25	23
	4.0%	4.0%	4.0%	4.7%	6.0%	4.7%	2.0%	3.3%	3.3%	4.4%	3.4%	6.4%	2.9%
7	19		5	3	2	6		3		14	5	10	9
	1.6%		3.3%	2.0%	1.3%	4.0%		2.0%		1.9%	1.1%	2.6%	1.1%
8	32	4	7	7	5	2	2	1	4	23	9	11	21
	2.7%	2.7%	4.7%	4.7%	3.3%	1.3%	1.3%	.7%	2.7%	3.1%	2.0%	2.8%	2.6%
9	41	7	9	6	2	5	4	5	3	20	21	17	23
	3.4%	4.7%	6.0%	4.0%	1.3%	3.3%	2.7%	3.3%	2.0%	2.7%	4.7%	4.4%	2.9%
10	75	9	8	10	11	6	10	8	13	52	23	23	52
	6.3%	6.0%	5.3%	6.7%	7.3%	4.0%	6.7%	5.3%	8.7%	6.9%	5.1%	5.9%	6.5%
11	106	16	14	15	10	19	14	7	11	64	42	37	68
	8.8%	10.7%	9.3%	10.0%	6.7%	12.7%	9.3%	4.7%	7.3%	8.5%	9.4%	9.5%	8.6%
12	73	7	15	10	5	7	6	13	10	49	24	28	45
	6.1%	4.7%	10.0%	6.7%	3.3%	4.7%	4.0%	8.7%	6.7%	6.5%	5.4%	7.2%	5.7%
13	74	12	9	6	12	5	11	8	11	48	26	25	49
	6.2%	8.0%	6.0%	4.0%	8.0%	3.3%	7.3%	5.3%	7.3%	6.4%	5.8%	6.4%	6.2%
14	51	6	4	7	6	8	7	6	7	30	21	12	37
	4.3%	4.0%	2.7%	4.7%	4.0%	5.3%	4.7%	4.0%	4.7%	4.0%	4.7%	3.1%	4.7%
15	38	7	3	6	2	5	5	5	5	24	14	8	29
	3.2%	4.7%	2.0%	4.0%	1.3%	3.3%	3.3%	3.3%	3.3%	3.2%	3.1%	2.1%	3.6%
16	45	4	6	4	7	4	9	4	7	29	15	22	23
	3.8%	2.7%	4.0%	2.7%	4.7%	2.7%	6.0%	2.7%	4.7%	3.9%	3.4%	5.6%	2.9%

What are the ages of your other children, if any? (Q24)
[Multiple responses were recorded](cont.)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
17	86	12	11	5	8	16	18	9	7	46	40	19	64
	7.2%	8.0%	7.3%	3.3%	5.3%	10.7%	12.0%	6.0%	4.7%	6.1%	8.9%	4.9%	8.1%
18	278	36	41	40	28	37	30	40	26	185	93	76	198
	23.2%	24.0%	27.3%	26.7%	18.7%	24.7%	20.0%	26.7%	17.3%	24.6%	20.8%	19.5%	24.9%
No other children	265	35	35	31	37	29	36	26	36	167	97	82	179
	22.1%	23.3%	23.3%	20.7%	24.7%	19.3%	24.0%	17.3%	24.0%	22.2%	21.7%	21.0%	22.5%

Pan Atlantic Research (July 2017)

What are the ages of your other children, if any? (Q24)
[Multiple responses were recorded]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<1	11	9	2	3	1		4	2	1	4	7	4	6	1
	.9%	1.3%	.4%	1.5%	.5%		2.0%	1.0%	.5%	1.0%	.9%	1.6%	.7%	2.0%
1	7	6	1	1	1	2	1		2	2	5	1	5	1
	.6%	.8%	.2%	.5%	.5%	1.0%	.5%		1.0%	.5%	.6%	.4%	.6%	2.0%
2	18	13	5	4	2	3	2	3	4	6	12	4	11	3
	1.5%	1.8%	1.0%	2.0%	1.0%	1.5%	1.0%	1.5%	2.0%	1.5%	1.5%	1.6%	1.2%	6.1%
3	10	3	7	2	1	1	2	2	2	3	7	1	9	
	.8%	.4%	1.4%	1.0%	.5%	.5%	1.0%	1.0%	1.0%	.8%	.9%	.4%	1.0%	
4	13	6	7	4	1		2	3	3	5	8	5	7	1
	1.1%	.8%	1.4%	2.0%	.5%		1.0%	1.5%	1.5%	1.3%	1.0%	2.0%	.8%	2.0%
5	28	18	10	5	5	5	4	3	6	10	18	10	17	1
	2.3%	2.5%	2.1%	2.5%	2.5%	2.5%	2.0%	1.5%	3.0%	2.5%	2.3%	3.9%	1.9%	2.0%
6	48	24	24	12	8	8	4	7	9	20	28	13	35	
	4.0%	3.3%	5.0%	6.0%	4.0%	4.0%	2.0%	3.5%	4.5%	5.0%	3.5%	5.1%	3.9%	
7	19	13	6	3	5	4	4	2	1	8	11	3	13	3
	1.6%	1.8%	1.2%	1.5%	2.5%	2.0%	2.0%	1.0%	.5%	2.0%	1.4%	1.2%	1.5%	6.1%
8	32	16	16	2	6	5	8	7	4	8	24	6	26	
	2.7%	2.2%	3.3%	1.0%	3.0%	2.5%	4.0%	3.5%	2.0%	2.0%	3.0%	2.4%	2.9%	
9	41	26	15	7	10	7	5	5	7	17	24	10	29	1
	3.4%	3.6%	3.1%	3.5%	5.0%	3.5%	2.5%	2.5%	3.5%	4.3%	3.0%	3.9%	3.3%	2.0%
10	75	45	30	14	8	21	16	9	7	22	53	10	63	2
	6.3%	6.3%	6.2%	7.0%	4.0%	10.5%	8.0%	4.5%	3.5%	5.5%	6.6%	3.9%	7.1%	4.1%
11	106	62	44	13	19	18	19	19	18	32	74	17	86	3
	8.8%	8.6%	9.1%	6.5%	9.5%	9.0%	9.5%	9.5%	9.0%	8.0%	9.3%	6.7%	9.7%	6.1%
12	73	44	29	14	9	16	15	7	12	23	50	9	62	2
	6.1%	6.1%	6.0%	7.0%	4.5%	8.0%	7.5%	3.5%	6.0%	5.8%	6.3%	3.5%	7.0%	4.1%
13	74	42	32	14	10	7	20	13	10	24	50	11	59	3
	6.2%	5.9%	6.6%	7.0%	5.0%	3.5%	10.0%	6.5%	5.0%	6.0%	6.3%	4.3%	6.7%	6.1%
14	51	31	20	11	10	4	7	9	10	21	30	13	34	3
	4.3%	4.3%	4.1%	5.5%	5.0%	2.0%	3.5%	4.5%	5.0%	5.3%	3.8%	5.1%	3.8%	6.1%
15	38	22	16	8	7	6	3	8	6	15	23	8	28	2
	3.2%	3.1%	3.3%	4.0%	3.5%	3.0%	1.5%	4.0%	3.0%	3.8%	2.9%	3.1%	3.2%	4.1%
16	45	21	24	4	12	10	7	6	6	16	29	7	33	4
	3.8%	2.9%	5.0%	2.0%	6.0%	5.0%	3.5%	3.0%	3.0%	4.0%	3.6%	2.8%	3.7%	8.2%

**What are the ages of your other children, if any? (Q24)
[Multiple responses were recorded](cont.)**

	Gender of Child		Grade of Child						Grade Grouping		Marital Status			
	Total	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
17	86	53	33	18	11	16	26	7	8	29	57	14	67	2
	7.2%	7.4%	6.8%	9.0%	5.5%	8.0%	13.0%	3.5%	4.0%	7.2%	7.1%	5.5%	7.6%	4.1%
18	278	165	113	42	39	40	43	61	53	81	197	59	203	14
	23.2%	23.0%	23.4%	21.0%	19.5%	20.0%	21.5%	30.5%	26.5%	20.3%	24.6%	23.2%	22.9%	28.6%
No other children	265	161	104	32	53	48	40	48	44	85	180	64	190	8
	22.1%	22.5%	21.5%	16.0%	26.5%	24.0%	20.0%	24.0%	22.0%	21.3%	22.5%	25.2%	21.4%	16.3%

Pan Atlantic Research (July 2017)

What are the ages of your other children, if any? (Q24)
[Multiple responses were recorded]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<1	11	6	3	2		3	3	5	6	4		10	1	
	.9%	1.3%	1.0%	.4%		1.1%	.7%	1.0%	1.4%	.7%		.9%	1.6%	
1	7	1	4	2		2	2	3	1	5	1	7		
	.6%	.2%	1.4%	.4%		.7%	.5%	.6%	.2%	.9%	.6%	.6%		
2	18	6	6	6		4	9	4	7	9	2	16	2	
	1.5%	1.3%	2.1%	1.3%		1.5%	2.2%	.8%	1.7%	1.5%	1.2%	1.4%	3.2%	
3	10	3	1	6		2	4	4	4	5	1	9	1	
	.8%	.7%	.3%	1.3%		.7%	1.0%	.8%	1.0%	.9%	.6%	.8%	1.6%	
4	13	9		4		7	2	4	6	6	1	12	1	
	1.1%	2.0%		.9%		2.6%	.5%	.8%	1.4%	1.0%	.6%	1.1%	1.6%	
5	28	11	10	7		8	9	11	9	17	2	27	1	
	2.3%	2.4%	3.4%	1.6%		3.0%	2.2%	2.1%	2.1%	2.9%	1.2%	2.4%	1.6%	
6	48	19	11	18		15	14	19	20	22	6	46	2	
	4.0%	4.2%	3.8%	4.0%		5.6%	3.5%	3.6%	4.8%	3.8%	3.7%	4.1%	3.2%	
7	19	5	4	9	1	7	5	7	8	7	4	18		1
	1.6%	1.1%	1.4%	2.0%	50.0%	2.6%	1.2%	1.3%	1.9%	1.2%	2.5%	1.6%		16.7%
8	32	8	12	12		5	11	16	10	16	5	32		
	2.7%	1.8%	4.1%	2.7%		1.9%	2.7%	3.1%	2.4%	2.7%	3.1%	2.8%		
9	41	14	7	19	1	10	12	19	17	20	3	38	3	
	3.4%	3.1%	2.4%	4.2%	50.0%	3.7%	3.0%	3.6%	4.0%	3.4%	1.9%	3.4%	4.8%	
10	75	16	17	42		15	25	35	19	38	17	72	3	
	6.3%	3.5%	5.8%	9.3%		5.6%	6.2%	6.7%	4.5%	6.5%	10.5%	6.4%	4.8%	
11	106	39	26	41		28	25	53	33	47	22	103	3	
	8.8%	8.6%	8.9%	9.1%		10.4%	6.2%	10.2%	7.8%	8.0%	13.6%	9.1%	4.8%	
12	73	29	15	29		18	21	34	25	31	13	71	2	
	6.1%	6.4%	5.2%	6.4%		6.7%	5.2%	6.5%	5.9%	5.3%	8.0%	6.3%	3.2%	
13	74	26	20	28		14	23	37	25	38	11	68	6	
	6.2%	5.7%	6.9%	6.2%		5.2%	5.7%	7.1%	5.9%	6.5%	6.8%	6.0%	9.7%	
14	51	15	18	18		9	16	25	14	30	5	49	1	1
	4.3%	3.3%	6.2%	4.0%		3.3%	4.0%	4.8%	3.3%	5.1%	3.1%	4.3%	1.6%	16.7%
15	38	20	8	10		9	15	14	14	17	5	34	4	
	3.2%	4.4%	2.7%	2.2%		3.3%	3.7%	2.7%	3.3%	2.9%	3.1%	3.0%	6.5%	

**What are the ages of your other children, if any? (Q24)
[Multiple responses were recorded](cont.)**

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
16	45	17	15	13		10	14	21	19	19	6	43	2	
	3.8%	3.7%	5.2%	2.9%		3.7%	3.5%	4.0%	4.5%	3.2%	3.7%	3.8%	3.2%	
17	86	33	23	30		16	32	37	24	45	13	81	4	1
	7.2%	7.2%	7.9%	6.7%		5.9%	7.9%	7.1%	5.7%	7.7%	8.0%	7.2%	6.5%	16.7%
18	278	110	61	107		60	94	124	103	117	48	261	15	2
	23.2%	24.1%	21.0%	23.7%		22.3%	23.3%	23.8%	24.5%	20.0%	29.6%	23.1%	24.2%	33.3%
No other children	265	117	56	92		53	99	109	90	133	34	248	15	2
	22.1%	25.7%	19.2%	20.4%		19.7%	24.5%	20.9%	21.4%	22.7%	21.0%	21.9%	24.2%	33.3%

Pan Atlantic Research (July 2017)

Which of the following best describes your living situation? (Q25)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Single parent	254	36	30	35	29	30	32	29	33	155	99	86	168
	21.2%	24.0%	20.0%	23.3%	19.3%	20.0%	21.3%	19.3%	22.0%	20.6%	22.1%	22.1%	21.1%
Married	887	105	118	110	112	112	108	114	108	560	325	277	600
	73.9%	70.0%	78.7%	73.3%	74.7%	74.7%	72.0%	76.0%	72.0%	74.6%	72.7%	71.0%	75.5%
Living with partner	49	7	2	4	7	7	8	5	9	32	17	26	23
	4.1%	4.7%	1.3%	2.7%	4.7%	4.7%	5.3%	3.3%	6.0%	4.3%	3.8%	6.7%	2.9%
Refused	10	2		1	2	1	2	2		4	6	1	4
	.8%	1.3%		.7%	1.3%	.7%	1.3%	1.3%		.5%	1.3%	.3%	.5%

Pan Atlantic Research (July 2017)

Which of the following best describes your living situation? (Q25)

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Single parent	254	146	108	41	47	41	32	39	54	88	166	254		
	21.2%	20.4%	22.4%	20.5%	23.5%	20.5%	16.0%	19.5%	27.0%	22.0%	20.8%	100.0%		
Married	887	539	348	148	143	150	156	152	138	291	596		887	
	73.9%	75.2%	72.0%	74.0%	71.5%	75.0%	78.0%	76.0%	69.0%	72.8%	74.5%		100.0%	
Living with partner	49	26	23	8	9	9	11	5	7	17	32			49
	4.1%	3.6%	4.8%	4.0%	4.5%	4.5%	5.5%	2.5%	3.5%	4.3%	4.0%			100.0%
Refused	10	6	4	3	1		1	4	1	4	6			
	.8%	.8%	.8%	1.5%	.5%		.5%	2.0%	.5%	1.0%	.8%			

Pan Atlantic Research (July 2017)

Which of the following best describes your living situation? (Q25)

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Single parent	254	121	52	80	1	61	96	95	116	126	10	230	23	1
	21.2%	26.5%	17.9%	17.7%	50.0%	22.7%	23.8%	18.2%	27.6%	21.5%	6.2%	20.3%	37.1%	16.7%
Married	887	303	221	362	1	190	295	400	280	433	147	850	35	2
	73.9%	66.4%	75.9%	80.3%	50.0%	70.6%	73.0%	76.8%	66.5%	73.9%	90.7%	75.1%	56.5%	33.3%
Living with partner	49	28	13	8		13	12	24	21	23	5	44	4	1
	4.1%	6.1%	4.5%	1.8%		4.8%	3.0%	4.6%	5.0%	3.9%	3.1%	3.9%	6.5%	16.7%
Refused	10	4	5	1		5	1	2	4	4		8		2
	.8%	.9%	1.7%	.2%		1.9%	.2%	.4%	1.0%	.7%		.7%		33.3%

Pan Atlantic Research (July 2017)

Into which of the following categories does your age fall? (Q26)

Total	Public Health District									Gender of Parent		Age of Parent	
	York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older	
1200	150	150	150	150	150	150	150	150	150	751	447	390	795
100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
25 to 34	31	5	1	4	1	7	2	6	5	22	9	31	
	2.6%	3.3%	.7%	2.7%	.7%	4.7%	1.3%	4.0%	3.3%	2.9%	2.0%	7.9%	
35 to 44	359	40	34	49	57	51	51	45	32	243	114	359	
	29.9%	26.7%	22.7%	32.7%	38.0%	34.0%	34.0%	30.0%	21.3%	32.4%	25.5%	92.1%	
45 to 54	711	94	101	85	81	82	86	81	101	435	276		711
	59.3%	62.7%	67.3%	56.7%	54.0%	54.7%	57.3%	54.0%	67.3%	57.9%	61.7%		89.4%
55 to 64	80	10	11	11	7	9	8	16	8	44	36		80
	6.7%	6.7%	7.3%	7.3%	4.7%	6.0%	5.3%	10.7%	5.3%	5.9%	8.1%		10.1%
65+	4		1		1				2	2	2		4
	.3%		.7%		.7%				1.3%	.3%	.4%		.5%
Refused	15	1	2	1	3	1	3	2	2	5	10		
	1.3%	.7%	1.3%	.7%	2.0%	.7%	2.0%	1.3%	1.3%	.7%	2.2%		

Pan Atlantic Research (July 2017)

Into which of the following categories does your age fall? (Q26)

Total	Gender of Child		Grade of Child							Grade Grouping		Marital Status		
	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner	
1200	717	483	200	200	200	200	200	200	400	800	254	887	49	
100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
25 to 34	31	19	12	6	9	4	2	5	5	15	16	7	19	5
	2.6%	2.6%	2.5%	3.0%	4.5%	2.0%	1.0%	2.5%	2.5%	3.8%	2.0%	2.8%	2.1%	10.2%
35 to 44	359	204	155	56	61	58	69	55	60	117	242	79	258	21
	29.9%	28.5%	32.1%	28.0%	30.5%	29.0%	34.5%	27.5%	30.0%	29.3%	30.3%	31.1%	29.1%	42.9%
45 to 54	711	428	283	121	112	126	109	121	122	233	478	159	529	20
	59.3%	59.7%	58.6%	60.5%	56.0%	63.0%	54.5%	60.5%	61.0%	58.3%	59.8%	62.6%	59.6%	40.8%
55 to 64	80	53	27	15	13	12	17	12	11	28	52	7	69	3
	6.7%	7.4%	5.6%	7.5%	6.5%	6.0%	8.5%	6.0%	5.5%	7.0%	6.5%	2.8%	7.8%	6.1%
65+	4	3	1		1		1		2	1	3	2	2	
	.3%	.4%	.2%		.5%		.5%		1.0%	.3%	.4%	.8%	.2%	
Refused	15	10	5	2	4		2	7		6	9		10	
	1.3%	1.4%	1.0%	1.0%	2.0%		1.0%	3.5%		1.5%	1.1%		1.1%	

Pan Atlantic Research (July 2017)

Into which of the following categories does your age fall? (Q26)

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
25 to 34	31	17	7	6	1	16	10	5	18	12	1	28	3	
	2.6%	3.7%	2.4%	1.3%	50.0%	5.9%	2.5%	1.0%	4.3%	2.0%	.6%	2.5%	4.8%	
35 to 44	359	154	97	107	1	91	123	143	138	175	41	341	17	1
	29.9%	33.8%	33.3%	23.7%	50.0%	33.8%	30.4%	27.4%	32.8%	29.9%	25.3%	30.1%	27.4%	16.7%
45 to 54	711	254	159	298		140	247	323	230	357	107	670	38	3
	59.3%	55.7%	54.6%	66.1%		52.0%	61.1%	62.0%	54.6%	60.9%	66.0%	59.2%	61.3%	50.0%
55 to 64	80	22	22	36		18	23	39	28	35	13	77	3	
	6.7%	4.8%	7.6%	8.0%		6.7%	5.7%	7.5%	6.7%	6.0%	8.0%	6.8%	4.8%	
65+	4	3	1			2	1	1	2	2		3	1	
	.3%	.7%	.3%			.7%	.2%	.2%	.5%	.3%		.3%	1.6%	
Refused	15	6	5	4		2		10	5	5		13		2
	1.3%	1.3%	1.7%	.9%		.7%		1.9%	1.2%	.9%		1.1%		33.3%

Pan Atlantic Research (July 2017)

What is the highest level of education you have completed? (Q27)

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Less than high school	17	1	3	2	5	4			2	12	5	5	11
	1.4%	.7%	2.0%	1.3%	3.3%	2.7%			1.3%	1.6%	1.1%	1.3%	1.4%
High school	252	42	19	51	40	15	26	33	26	139	111	102	149
	21.0%	28.0%	12.7%	34.0%	26.7%	10.0%	17.3%	22.0%	17.3%	18.5%	24.8%	26.2%	18.7%
Vocational / Trade school	66	10	6	5	8	7	15	12	3	43	23	25	41
	5.5%	6.7%	4.0%	3.3%	5.3%	4.7%	10.0%	8.0%	2.0%	5.7%	5.1%	6.4%	5.2%
Some college / Two-year college degree	338	42	43	35	39	48	48	43	40	229	109	108	230
	28.2%	28.0%	28.7%	23.3%	26.0%	32.0%	32.0%	28.7%	26.7%	30.5%	24.4%	27.7%	28.9%
Four-year college degree	398	42	61	42	42	63	41	47	60	246	152	121	270
	33.2%	28.0%	40.7%	28.0%	28.0%	42.0%	27.3%	31.3%	40.0%	32.8%	34.0%	31.0%	34.0%
Post-graduate work	123	12	18	15	14	13	19	15	17	81	42	27	93
	10.3%	8.0%	12.0%	10.0%	9.3%	8.7%	12.7%	10.0%	11.3%	10.8%	9.4%	6.9%	11.7%
Refused	6	1			2		1		2	1	5	2	1
	.5%	.7%			1.3%		.7%		1.3%	.1%	1.1%	.5%	.1%

Pan Atlantic Research (July 2017)

What is the highest level of education you have completed? (Q27)

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Less than high school	17	13	4	2	4	3	3	3	2	6	11	4	11	1
	1.4%	1.8%	.8%	1.0%	2.0%	1.5%	1.5%	1.5%	1.0%	1.5%	1.4%	1.6%	1.2%	2.0%
High school	252	161	91	47	38	43	29	31	64	85	167	57	179	12
	21.0%	22.5%	18.8%	23.5%	19.0%	21.5%	14.5%	15.5%	32.0%	21.3%	20.9%	22.4%	20.2%	24.5%
Vocational / Trade school	66	38	28	14	13	10	7	11	11	27	39	19	43	4
	5.5%	5.3%	5.8%	7.0%	6.5%	5.0%	3.5%	5.5%	5.5%	6.8%	4.9%	7.5%	4.8%	8.2%
Some college / Two-year college degree	338	196	142	52	63	76	50	51	46	115	223	77	252	8
	28.2%	27.3%	29.4%	26.0%	31.5%	38.0%	25.0%	25.5%	23.0%	28.7%	27.9%	30.3%	28.4%	16.3%
Four-year college degree	398	230	168	66	55	57	85	75	60	121	277	69	310	17
	33.2%	32.1%	34.8%	33.0%	27.5%	28.5%	42.5%	37.5%	30.0%	30.3%	34.6%	27.2%	34.9%	34.7%
Post-graduate work	123	75	48	19	26	11	26	25	16	45	78	26	90	7
	10.3%	10.5%	9.9%	9.5%	13.0%	5.5%	13.0%	12.5%	8.0%	11.3%	9.8%	10.2%	10.1%	14.3%
Refused	6	4	2		1			4	1	1	5	2	2	
	.5%	.6%	.4%		.5%			2.0%	.5%	.3%	.6%	.8%	.2%	

Pan Atlantic Research (July 2017)

What is the highest level of education you have completed? (Q27)

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Less than high school	17	12	2	3		17			13	4		13	4	
	1.4%	2.6%	.7%	.7%		6.3%			3.1%	.7%		1.1%	6.5%	
High school	252	116	62	74		252			110	111	31	234	18	
	21.0%	25.4%	21.3%	16.4%		93.7%			26.1%	18.9%	19.1%	20.7%	29.0%	
Vocational / Trade school	66	20	17	28	1		66		19	42	5	66		
	5.5%	4.4%	5.8%	6.2%	50.0%		16.3%		4.5%	7.2%	3.1%	5.8%		
Some college / Two-year college degree	338	131	82	124	1		338		122	186	30	309	29	
	28.2%	28.7%	28.2%	27.5%	50.0%		83.7%		29.0%	31.7%	18.5%	27.3%	46.8%	
Four-year college degree	398	132	100	166				398	127	184	63	391	4	3
	33.2%	28.9%	34.4%	36.8%				76.4%	30.2%	31.4%	38.9%	34.5%	6.5%	50.0%
Post-graduate work	123	43	26	54				123	29	57	33	115	7	1
	10.3%	9.4%	8.9%	12.0%				23.6%	6.9%	9.7%	20.4%	10.2%	11.3%	16.7%
Refused	6	2	2	2					1	2		4		2
	.5%	.4%	.7%	.4%					.2%	.3%		.4%		33.3%

Pan Atlantic Research (July 2017)

For tabulation purposes only, please tell me which of the following income categories includes your annual total household income before taxes? Just stop me when I read the correct category: (Q28)

Total	Public Health District									Gender of Parent		Age of Parent	
	York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older	
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Less than \$25,000	128	20	12	17	21	23	17	6	12	86	42	57	71
	10.7%	13.3%	8.0%	11.3%	14.0%	15.3%	11.3%	4.0%	8.0%	11.5%	9.4%	14.6%	8.9%
\$25,000 to \$49,999	293	34	38	40	53	31	39	31	27	195	97	99	189
	24.4%	22.7%	25.3%	26.7%	35.3%	20.7%	26.0%	20.7%	18.0%	26.0%	21.7%	25.4%	23.8%
\$50,000 to \$74,999	319	44	25	37	39	50	42	47	35	191	127	105	209
	26.6%	29.3%	16.7%	24.7%	26.0%	33.3%	28.0%	31.3%	23.3%	25.4%	28.4%	26.9%	26.3%
\$75,000 to \$99,999	267	30	26	36	23	28	30	46	48	160	107	82	185
	22.3%	20.0%	17.3%	24.0%	15.3%	18.7%	20.0%	30.7%	32.0%	21.3%	23.9%	21.0%	23.3%
\$100,000 or more	162	17	35	15	13	17	19	20	26	100	62	42	120
	13.5%	11.3%	23.3%	10.0%	8.7%	11.3%	12.7%	13.3%	17.3%	13.3%	13.9%	10.8%	15.1%
Refused	31	5	14	5	1	1	3		2	19	12	5	21
	2.6%	3.3%	9.3%	3.3%	.7%	.7%	2.0%		1.3%	2.5%	2.7%	1.3%	2.6%

Pan Atlantic Research (July 2017)

For tabulation purposes only, please tell me which of the following income categories includes your annual total household income before taxes? Just stop me when I read the correct category: (Q28)

Total	Gender of Child		Grade of Child							Grade Grouping		Marital Status		
	Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner	
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Less than \$25,000	128	77	51	25	17	13	22	17	34	42	86	38	81	8
	10.7%	10.7%	10.6%	12.5%	8.5%	6.5%	11.0%	8.5%	17.0%	10.5%	10.8%	15.0%	9.1%	16.3%
\$25,000 to \$49,999	293	159	134	61	42	47	64	34	45	103	190	78	199	13
	24.4%	22.2%	27.7%	30.5%	21.0%	23.5%	32.0%	17.0%	22.5%	25.8%	23.8%	30.7%	22.4%	26.5%
\$50,000 to \$74,999	319	199	120	55	70	58	34	59	43	125	194	74	231	10
	26.6%	27.8%	24.8%	27.5%	35.0%	29.0%	17.0%	29.5%	21.5%	31.3%	24.3%	29.1%	26.0%	20.4%
\$75,000 to \$99,999	267	162	105	37	50	50	31	42	57	87	180	52	202	13
	22.3%	22.6%	21.7%	18.5%	25.0%	25.0%	15.5%	21.0%	28.5%	21.8%	22.5%	20.5%	22.8%	26.5%
\$100,000 or more	162	103	59	20	16	28	41	41	16	36	126	10	147	5
	13.5%	14.4%	12.2%	10.0%	8.0%	14.0%	20.5%	20.5%	8.0%	9.0%	15.8%	3.9%	16.6%	10.2%
Refused	31	17	14	2	5	4	8	7	5	7	24	2	27	
	2.6%	2.4%	2.9%	1.0%	2.5%	2.0%	4.0%	3.5%	2.5%	1.8%	3.0%	.8%	3.0%	

Pan Atlantic Research (July 2017)

For tabulation purposes only, please tell me which of the following income categories includes your annual total household income before taxes? Just stop me when I read the correct category: (Q28)

Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent			
	Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer	
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Less than \$25,000	128	71	27	29	1	50	29	49	128			112	16	
	10.7%	15.6%	9.3%	6.4%	50.0%	18.6%	7.2%	9.4%	30.4%			9.9%	25.8%	
\$25,000 to \$49,999	293	127	65	101		73	112	107	293			268	25	
	24.4%	27.9%	22.3%	22.4%		27.1%	27.7%	20.5%	69.6%			23.7%	40.3%	
\$50,000 to \$74,999	319	125	78	115	1	71	122	126		319		304	13	2
	26.6%	27.4%	26.8%	25.5%	50.0%	26.4%	30.2%	24.2%		54.4%		26.9%	21.0%	33.3%
\$75,000 to \$99,999	267	90	74	103		44	106	115		267		261	6	
	22.3%	19.7%	25.4%	22.8%		16.4%	26.2%	22.1%		45.6%		23.1%	9.7%	
\$100,000 or more	162	32	39	91		31	35	96			162	160	2	
	13.5%	7.0%	13.4%	20.2%		11.5%	8.7%	18.4%			100.0%	14.1%	3.2%	
Refused	31	11	8	12				28				27		4
	2.6%	2.4%	2.7%	2.7%				5.4%				2.4%		66.7%

Pan Atlantic Research (July 2017)

**Which racial / ethnic category or categories best describe you? Please select all that apply. (Q29)
[Multiple responses were recorded]**

Total	Public Health District								Gender of Parent		Age of Parent		
	York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older	
Total	1200	150	150	150	150	150	150	150	751	447	390	795	
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
American Indian or Alaska Native	13	1	2	1		3	3	2	1	8	5	4	9
	1.1%	.7%	1.3%	.7%		2.0%	2.0%	1.3%	.7%	1.1%	1.1%	1.0%	1.1%
Asian	12	3		3	3	1	2			3	9	3	9
	1.0%	2.0%		2.0%	2.0%	.7%	1.3%			.4%	2.0%	.8%	1.1%
Black or African American	19	2		5	5	1	4	1	1	12	7	5	14
	1.6%	1.3%		3.3%	3.3%	.7%	2.7%	.7%	.7%	1.6%	1.6%	1.3%	1.8%
Hispanic / Latino	19	3	3	1	3	3	2		4	16	3	8	11
	1.6%	2.0%	2.0%	.7%	2.0%	2.0%	1.3%		2.7%	2.1%	.7%	2.1%	1.4%
White	1134	140	144	140	138	142	139	147	144	710	422	370	751
	94.5%	93.3%	96.0%	93.3%	92.0%	94.7%	92.7%	98.0%	96.0%	94.5%	94.4%	94.9%	94.5%
Prefer not to answer	6	1	1		2	1	1			4	2	1	3
	.5%	.7%	.7%		1.3%	.7%	.7%			.5%	.4%	.3%	.4%

Pan Atlantic Research (July 2017)

Which racial / ethnic category or categories best describe you? Please select all that apply. (Q29)
[Multiple responses were recorded]

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
American Indian or Alaska Native	13	8	5	3		3	2	1	4	3	10	5	7	1
	1.1%	1.1%	1.0%	1.5%		1.5%	1.0%	.5%	2.0%	.8%	1.3%	2.0%	.8%	2.0%
Asian	12	6	6	3	2	1	5	1		5	7	5	7	
	1.0%	.8%	1.2%	1.5%	1.0%	.5%	2.5%	.5%		1.3%	.9%	2.0%	.8%	
Black or African American	19	9	10	4	2	4	4		5	6	13	8	9	2
	1.6%	1.3%	2.1%	2.0%	1.0%	2.0%	2.0%		2.5%	1.5%	1.6%	3.1%	1.0%	4.1%
Hispanic / Latino	19	12	7	4	3	8	1		3	7	12	6	12	1
	1.6%	1.7%	1.4%	2.0%	1.5%	4.0%	.5%		1.5%	1.8%	1.5%	2.4%	1.4%	2.0%
White	1134	680	454	186	193	183	188	195	189	379	755	231	851	44
	94.5%	94.8%	94.0%	93.0%	96.5%	91.5%	94.0%	97.5%	94.5%	94.8%	94.4%	90.9%	95.9%	89.8%
Prefer not to answer	6	3	3	1		2		3		1	5	1	2	1
	.5%	.4%	.6%	.5%		1.0%		1.5%		.3%	.6%	.4%	.2%	2.0%

Pan Atlantic Research (July 2017)

Which racial / ethnic category or categories best describe you? Please select all that apply. (Q29)
[Multiple responses were recorded]

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
American Indian or Alaska Native	13	9	1	3		3	9	1	8	5			13	
	1.1%	2.0%	.3%	.7%		1.1%	2.2%	.2%	1.9%	.9%			21.0%	
Asian	12	7	2	3		4	5	3	7	4	1		12	
	1.0%	1.5%	.7%	.7%		1.5%	1.2%	.6%	1.7%	.7%	.6%		19.4%	
Black or African American	19	9		10		7	9	3	12	6	1		19	
	1.6%	2.0%		2.2%		2.6%	2.2%	.6%	2.9%	1.0%	.6%		30.6%	
Hispanic / Latino	19	11	4	4		8	7	4	15	4			19	
	1.6%	2.4%	1.4%	.9%		3.0%	1.7%	.8%	3.6%	.7%			30.6%	
White	1134	421	282	429	2	248	376	506	382	565	160	1132	2	
	94.5%	92.3%	96.9%	95.1%	100.0%	92.2%	93.1%	97.1%	90.7%	96.4%	98.8%	100.0%	3.2%	
Prefer not to answer	6	2	2	2				4		2				6
	.5%	.4%	.7%	.4%				.8%		.3%				100.0%

Pan Atlantic Research (July 2017)

**Which racial / ethnic category or categories best describe you? Please select all that apply. (Q29)
[With multiracial category]**

	Total	Public Health District								Gender of Parent		Age of Parent	
		York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
American Indian or Alaska Native	12	1	2	1		2	3	2	1	8	4	4	8
	1.0%	.7%	1.3%	.7%		1.3%	2.0%	1.3%	.7%	1.1%	.9%	1.0%	1.0%
Asian	12	3		3	3	1	2			3	9	3	9
	1.0%	2.0%		2.0%	2.0%	.7%	1.3%			.4%	2.0%	.8%	1.1%
Black or African American	17	2		5	4	1	3	1	1	10	7	4	13
	1.4%	1.3%		3.3%	2.7%	.7%	2.0%	.7%	.7%	1.3%	1.6%	1.0%	1.6%
Hispanic / Latino	18	3	3	1	3	3	1		4	15	3	8	10
	1.5%	2.0%	2.0%	.7%	2.0%	2.0%	.7%		2.7%	2.0%	.7%	2.1%	1.3%
White	1132	140	144	140	137	141	139	147	144	709	421	369	750
	94.3%	93.3%	96.0%	93.3%	91.3%	94.0%	92.7%	98.0%	96.0%	94.4%	94.2%	94.6%	94.3%
Multiracial	3				1	1	1			2	1	1	2
	.3%				.7%	.7%	.7%			.3%	.2%	.3%	.3%
Prefer not to answer	6	1	1		2	1	1			4	2	1	3
	.5%	.7%	.7%		1.3%	.7%	.7%			.5%	.4%	.3%	.4%

Pan Atlantic Research (July 2017)

**Which racial / ethnic category or categories best describe you? Please select all that apply. (Q29)
[With multiracial category]**

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
American Indian or Alaska Native	12	8	4	2		3	2	1	4	2	10	4	7	1
	1.0%	1.1%	.8%	1.0%		1.5%	1.0%	.5%	2.0%	.5%	1.3%	1.6%	.8%	2.0%
Asian	12	6	6	3	2	1	5	1		5	7	5	7	
	1.0%	.8%	1.2%	1.5%	1.0%	.5%	2.5%	.5%		1.3%	.9%	2.0%	.8%	
Black or African American	17	8	9	4	2	3	4		4	6	11	7	8	2
	1.4%	1.1%	1.9%	2.0%	1.0%	1.5%	2.0%		2.0%	1.5%	1.4%	2.8%	.9%	4.1%
Hispanic / Latino	18	11	7	4	3	7	1		3	7	11	5	12	1
	1.5%	1.5%	1.4%	2.0%	1.5%	3.5%	.5%		1.5%	1.8%	1.4%	2.0%	1.4%	2.0%
White	1132	680	452	185	193	183	188	195	188	378	754	230	850	44
	94.3%	94.8%	93.6%	92.5%	96.5%	91.5%	94.0%	97.5%	94.0%	94.5%	94.3%	90.6%	95.8%	89.8%
Multiracial	3	1	2	1		1			1	1	2	2	1	
	.3%	.1%	.4%	.5%		.5%			.5%	.3%	.3%	.8%	.1%	
Prefer not to answer	6	3	3	1		2		3		1	5	1	2	1
	.5%	.4%	.6%	.5%		1.0%		1.5%		.3%	.6%	.4%	.2%	2.0%

Pan Atlantic Research (July 2017)

**Which racial / ethnic category or categories best describe you? Please select all that apply. (Q29)
[With multiracial category]**

Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent			
	Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer	
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
American Indian or Alaska Native	12	8	1	3		3	8	1	7	5			12	
	1.0%	1.8%	.3%	.7%		1.1%	2.0%	.2%	1.7%	.9%			19.4%	
Asian	12	7	2	3		4	5	3	7	4	1		12	
	1.0%	1.5%	.7%	.7%		1.5%	1.2%	.6%	1.7%	.7%	.6%		19.4%	
Black or African American	17	7		10		6	8	3	10	6	1		17	
	1.4%	1.5%		2.2%		2.2%	2.0%	.6%	2.4%	1.0%	.6%		27.4%	
Hispanic / Latino	18	10	4	4		8	6	4	14	4			18	
	1.5%	2.2%	1.4%	.9%		3.0%	1.5%	.8%	3.3%	.7%			29.0%	
White	1132	419	282	429	2	247	375	506	380	565	160	1132		
	94.3%	91.9%	96.9%	95.1%	100.0%	91.8%	92.8%	97.1%	90.3%	96.4%	98.8%	100.0%		
Multiracial	3	3				1	2		3				3	
	.3%	.7%				.4%	.5%		.7%				4.8%	
Prefer not to answer	6	2	2	2				4		2				6
	.5%	.4%	.7%	.4%				.8%		.3%				100.0%

Pan Atlantic Research (July 2017)

Gender of Respondent (Q30)

Total	Public Health District								Gender of Parent		Age of Parent	
	York	Cumberland	Western	Midcoast	Central	Penquis	DownEast	Aroostook	Female	Male	44 or younger	45 or older
Total	1200	150	150	150	150	150	150	150	751	447	390	795
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Female	751	95	89	93	95	95	106	85	93		265	481
	62.6%	63.3%	59.3%	62.0%	63.3%	63.3%	70.7%	56.7%	62.0%	100.0%	67.9%	60.5%
Male	447	55	61	57	55	55	42	65	57		123	314
	37.3%	36.7%	40.7%	38.0%	36.7%	36.7%	28.0%	43.3%	38.0%		31.5%	39.5%
Prefer not to answer	2						2				2	
	.2%						1.3%				.5%	

Pan Atlantic Research (July 2017)

Gender of Respondent (Q30)

	Total	Gender of Child		Grade of Child						Grade Grouping		Marital Status		
		Female	Male	7th	8th	9th	10th	11th	12th	Middle School	High School	Single Parent	Married	Living w/ Partner
Total	1200	717	483	200	200	200	200	200	200	400	800	254	887	49
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Female	751	442	309	128	127	132	119	126	119	255	496	155	560	32
	62.6%	61.6%	64.0%	64.0%	63.5%	66.0%	59.5%	63.0%	59.5%	63.7%	62.0%	61.0%	63.1%	65.3%
Male	447	273	174	72	73	68	81	74	79	145	302	99	325	17
	37.3%	38.1%	36.0%	36.0%	36.5%	34.0%	40.5%	37.0%	39.5%	36.3%	37.8%	39.0%	36.6%	34.7%
Prefer not to answer	2	2							2		2		2	
	.2%	.3%							1.0%		.3%		.2%	

Pan Atlantic Research (July 2017)

Gender of Respondent (Q30)

	Total	Alcohol in Household				Education of Parent			Household Income			Race / Ethnicity of Parent		
		Rarely or Never	Monthly	Weekly or Daily	DK / Other / Refused	HS grad or less	Some College / 2 year	4 year degree or more	< \$50k	\$50k < \$100k	\$100k +	White	All Other (Including Multiracial)	Prefer not to answer
Total	1200	456	291	451	2	269	404	521	421	586	162	1132	62	6
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Female	751	292	187	270	2	151	272	327	281	351	100	709	38	4
	62.6%	64.0%	64.3%	59.9%	100.0%	56.1%	67.3%	62.8%	66.7%	59.9%	61.7%	62.6%	61.3%	66.7%
Male	447	162	104	181		116	132	194	139	234	62	421	24	2
	37.3%	35.5%	35.7%	40.1%		43.1%	32.7%	37.2%	33.0%	39.9%	38.3%	37.2%	38.7%	33.3%
Prefer not to answer	2	2				2			1	1		2		
	.2%	.4%				.7%			.2%	.2%		.2%		

Pan Atlantic Research (July 2017)